

2022 Annual Statewide Pesticide Use Report Indexed by Chemical Monterey County

Text files of data are available at <<https://files.cdpr.ca.gov/pub/outgoing/pur/data/>>. Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit, Apps = Number of agricultural applications, Area treated = cumulative area treated (For example, if a one-acre field was treated three times in a year, the cumulative acres treated would equal three acres), N/A = Not Available: many nonagricultural pesticide use reports are not legally required to report area treated or number of applications. N-outdoor = Outdoor nursery. N-grnhs = Greenhouse nursery. See Pesticide Use Annual Report Data Access, References, and Definitions Guide for more information.

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
(s)-kinoprene	N-grnhs flower	3.66	5	180,000.0	S
(s)-kinoprene	N-grnhs plants in containers	75.52	19	66.68	A
(s)-kinoprene	N-grnhs plants in containers	0.1	1	5,000.0	S
(s)-kinoprene	N-outdr plants in containers	34.49	4	15.3	A
(s)-kinoprene	Research commodity	0.16	N/A	N/A	N/A
(z)-11-hexadecen-1-yl acetate	Broccoli	90.52	533	5,560.8	A
(z)-11-hexadecen-1-yl acetate	Brussels sprout	151.37	908	10,568.92	A
(z)-11-hexadecen-1-yl acetate	Cabbage	22.1	144	1,396.96	A
(z)-11-hexadecen-1-yl acetate	Cauliflower	39.46	288	2,438.92	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
(z)-11-hexadecen-1-yl acetate	Chinese cabbage (napa, wong bok, celery cabbage)	4.11	68	271.45	A
(z)-11-hexadecen-1-yl acetate	Kale	2.7	11	124.81	A
(z)-11-hexadecen-1-yl acetate	Kohlrabi	0.19	3	13.3	A
(z)-11-hexadecenal	Broccoli	90.52	533	5,560.8	A
(z)-11-hexadecenal	Brussels sprout	151.37	908	10,568.92	A
(z)-11-hexadecenal	Cabbage	22.1	144	1,396.96	A
(z)-11-hexadecenal	Cauliflower	39.46	288	2,438.92	A
(z)-11-hexadecenal	Chinese cabbage (napa, wong bok, celery cabbage)	4.11	68	271.45	A
(z)-11-hexadecenal	Kale	2.7	11	124.81	A
(z)-11-hexadecenal	Kohlrabi	0.19	3	13.3	A
1,3-dichloro-5,5-dimethylhydantoin	Water (industrial)	57.8	N/A	3.0	U
1,3-dichloro-5-ethyl-5-methylhydantoin	Water (industrial)	31.8	N/A	3.0	U
1,3-dichloropropene	Brussels sprout	56,733.47	37	755.14	A
1,3-dichloropropene	Carrot	31,382.51	16	306.3	A
1,3-dichloropropene	Grape, wine	33,187.14	6	105.3	A
1,3-dichloropropene	N-outdr flower	75.8	1	1.0	A
1,3-dichloropropene	Raspberry	13,101.38	7	195.53	A
1,3-dichloropropene	Strawberry	738,795.03	396	7,844.34	A
1-bromo-3-chloro-5,5-dimethyl hydantoin	Water (industrial)	108.4	N/A	3.0	U
1-methylcyclopropene	N-grnhs plants in containers	0.01	N/A	93,197.0	S
2,4-d, 2-ethylhexyl ester	Golf course turf	16.36	N/A	50.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2,4-d, 2-ethylhexyl ester	Golf course turf	1.97	N/A	220,000.0	S
2,4-d, 2-ethylhexyl ester	Landscape maintenance	389.98	N/A	N/A	N/A
2,4-d, 2-ethylhexyl ester	Rights of way	1.94	N/A	N/A	N/A
2,4-d, diethanolamine salt	Forage hay/silage	4.84	1	7.0	A
2,4-d, dimethylamine salt	Cannabis (all or unspecified)	69.26	117	1,170,000.0	S
2,4-d, dimethylamine salt	Grape, wine	289.04	10	437.02	A
2,4-d, dimethylamine salt	Landscape maintenance	4.7	N/A	N/A	N/A
2,4-d, dimethylamine salt	Oat	6.76	N/A	6.0	A
2,4-d, dimethylamine salt	Pastureland	11.35	1	5.0	A
2,4-d, dimethylamine salt	Rangeland	9.14	N/A	15.0	A
2,4-d, dimethylamine salt	Rights of way	0.04	N/A	N/A	N/A
2,4-dp-p, isooctyl ester	Landscape maintenance	28.46	N/A	N/A	N/A
2,4-dp-p, isooctyl ester	Rights of way	1.12	N/A	N/A	N/A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Artichoke, globe	916.59	320	3,513.4	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Arugula	4.66	3	17.53	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Bean, unspecified	2.57	8	32.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Bok choy (choy sum, pak choi)	1.21	8	9.04	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Broccoli	1,613.12	1,046	9,228.57	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Brussels sprout	4,051.28	975	11,420.45	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cabbage	94.04	81	701.9	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cardoon	3.41	4	24.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Carrot	82.09	76	1,057.31	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cauliflower	1,138.84	773	5,965.41	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Celery	207.08	161	1,423.3	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Chicory	63.37	7	79.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cucumber	11.56	5	51.5	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Fennel	7.92	12	50.5	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Garlic	3.88	2	24.1	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Grape, wine	273.0	32	1,119.34	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Kale	22.91	59	183.55	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Landscape maintenance	0.14	N/A	N/A	N/A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Lettuce, head	532.3	323	3,798.9	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Lettuce, leaf	1,740.97	908	7,966.44	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Mizuna	0.43	7	5.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Onion, dry	100.41	53	789.5	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Peas	133.45	178	1,060.59	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Radicchio	20.51	2	27.5	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Shallot	4.29	1	16.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Squash	5.64	3	18.9	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Sunflower	7.91	3	24.6	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Swiss chard	2.23	10	15.71	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Tomato	22.28	6	110.8	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Uncultivated ag	45.45	50	339.0	A
2-butoxyethanol	Rights of way	122.52	N/A	N/A	N/A
3-chloro-p-toluidine hydrochloride	Vertebrate control	<0.01	2	2.0	A
3-chloro-p-toluidine hydrochloride	Vertebrate control	<0.01	N/A	N/A	N/A
4-aminopyridine	Landscape maintenance	0.01	N/A	N/A	N/A
4-aminopyridine	Structural pest control	<0.01	N/A	N/A	N/A
4-aminopyridine	Vertebrate control	0.03	2	438.0	A
4-aminopyridine	Vertebrate control	1.06	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
4-nonylphenol, formaldehyde resin, propoxylated	Artichoke, globe	173.6	147	2,353.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Broccoli	3.89	7	54.55	A
4-nonylphenol, formaldehyde resin, propoxylated	Brussels sprout	28.36	33	431.65	A
4-nonylphenol, formaldehyde resin, propoxylated	Carrot	30.91	4	80.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Cauliflower	2.41	3	35.7	A
4-nonylphenol, formaldehyde resin, propoxylated	Celery	32.7	60	463.65	A
4-nonylphenol, formaldehyde resin, propoxylated	Fennel	1.24	4	17.5	A
4-nonylphenol, formaldehyde resin, propoxylated	Grape, wine	252.45	96	4,343.26	A
4-nonylphenol, formaldehyde resin, propoxylated	Lettuce, head	18.11	22	264.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Lettuce, leaf	19.56	28	282.25	A
4-nonylphenol, formaldehyde resin, propoxylated	Rights of way	29.32	N/A	N/A	N/A
4-nonylphenol, formaldehyde resin, propoxylated	Strawberry	772.35	301	7,299.42	A
4-nonylphenol, formaldehyde resin, propoxylated	Water area	12.87	8	34.0	A
Abamectin	Arugula	0.17	12	13.8	A
Abamectin	Avocado	2.91	5	109.56	A
Abamectin	Bean, succulent	3.14	17	189.63	A
Abamectin	Bean, unspecified	2.99	14	175.84	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Abamectin	Cannabis (all or unspecified)	0.01	4	4,064.0	S
Abamectin	Celery	162.68	1,346	10,936.9	A
Abamectin	Cilantro	0.06	3	3.0	A
Abamectin	Endive (escarole)	0.74	13	69.5	A
Abamectin	Fennel	0.28	1	15.4	A
Abamectin	Golf course turf	0.53	N/A	6.0	A
Abamectin	Landscape maintenance	8.84	N/A	N/A	N/A
Abamectin	Leek	2.47	44	185.71	A
Abamectin	Lemon	29.44	28	1,154.2	A
Abamectin	Lettuce, head	229.42	1,413	14,648.32	A
Abamectin	Lettuce, leaf	441.88	3,097	27,965.67	A
Abamectin	N-grnhs flower	0.01	1	1.5	A
Abamectin	N-grnhs flower	0.39	62	1,626,313.5	S
Abamectin	N-grnhs plants in containers	2.68	69	102.22	A
Abamectin	N-grnhs plants in containers	1.09	129	3,100,979.0	S
Abamectin	N-outdr flower	0.14	12	13.0	A
Abamectin	N-outdr plants in containers	1.63	13	29.8	A
Abamectin	N-outdr plants in containers	0.01	3	22,000.0	S
Abamectin	Onion, dry	5.61	20	312.6	A
Abamectin	Peas	1.42	15	82.1	A
Abamectin	Raspberry	0.5	1	28.99	A
Abamectin	Research commodity	0.05	5	5.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Abamectin	Research commodity	0.23	N/A	N/A	N/A
Abamectin	Spinach	126.28	1,027	8,018.01	A
Abamectin	Strawberry	208.06	523	11,806.99	A
Abamectin	Structural pest control	0.1	N/A	N/A	N/A
Abamectin	Swiss chard	3.64	60	233.7	A
Abamectin	Tomato	5.88	21	372.0	A
Abamectin, other related	Landscape maintenance	<0.01	N/A	N/A	N/A
Abamectin, other related	Structural pest control	<0.01	N/A	N/A	N/A
Acephate	Bean, succulent	275.97	21	299.4	A
Acephate	Bean, unspecified	107.6	7	112.9	A
Acephate	Brussels sprout	3,247.4	265	3,350.45	A
Acephate	Cauliflower	2,154.69	209	2,258.48	A
Acephate	Celery	2,646.74	343	2,753.35	A
Acephate	Landscape maintenance	137.5	N/A	N/A	N/A
Acephate	Lettuce, head	10,664.21	972	11,126.78	A
Acephate	N-grnhs flower	182.42	81	77.0	A
Acephate	N-grnhs flower	1.36	9	42,150.0	S
Acephate	N-grnhs plants in containers	32.9	16	20.01	A
Acephate	N-grnhs plants in containers	2.06	5	73,544.0	S
Acephate	N-grnhs transplants	635.58	1,794	524.25	A
Acephate	N-outdr flower	258.11	424	544.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Acephate	N-outdr plants in containers	1.35	12	9.92	A
Acephate	N-outdr plants in containers	1.92	26	92,350.0	S
Acephate	Research commodity	3.4	3	3.5	A
Acephate	Research commodity	1.96	40	180,000.0	S
Acephate	Research commodity	0.32	N/A	N/A	N/A
Acephate	Structural pest control	41.94	N/A	N/A	N/A
Acephate	Uncultivated ag	0.38	1	1.5	A
Acequinocyl	Bean, unspecified	14.33	2	36.0	A
Acequinocyl	Blackberry	4.13	7	10.35	A
Acequinocyl	N-grnhs flower	2.0	13	17.5	A
Acequinocyl	N-grnhs flower	0.89	11	147,225.0	S
Acequinocyl	N-grnhs plants in containers	0.61	1	3.59	A
Acequinocyl	N-grnhs plants in containers	1.48	30	486,465.0	S
Acequinocyl	N-outdr plants in containers	0.1	2	14,000.0	S
Acequinocyl	Raspberry	86.67	10	217.56	A
Acequinocyl	Strawberry	3,401.61	342	8,653.09	A
Acequinocyl	Uncultivated ag	0.06	1	34,000.0	S
Acetamiprid	Arugula	59.24	92	790.51	A
Acetamiprid	Bok choy (choy sum, pak choi)	9.04	36	132.82	A
Acetamiprid	Broccoli	396.48	511	5,705.75	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Acetamiprid	Brussels sprout	769.12	908	11,473.9	A
Acetamiprid	Cabbage	49.86	86	733.86	A
Acetamiprid	Cauliflower	90.03	137	1,354.4	A
Acetamiprid	Celery	445.56	847	6,257.01	A
Acetamiprid	Chinese cabbage (napa, wong bok, celery cabbage)	13.52	30	198.32	A
Acetamiprid	Endive (escarole)	3.96	121	55.8	A
Acetamiprid	Fennel	28.6	37	395.4	A
Acetamiprid	Grape, wine	36.15	6	413.0	A
Acetamiprid	Kale	25.53	70	322.31	A
Acetamiprid	Landscape maintenance	0.01	N/A	N/A	N/A
Acetamiprid	Leek	7.87	21	72.86	A
Acetamiprid	Lemon	7.89	10	78.4	A
Acetamiprid	Lettuce, head	648.05	826	9,047.39	A
Acetamiprid	Lettuce, leaf	1,059.48	1,581	14,748.49	A
Acetamiprid	Mizuna	2.64	24	35.25	A
Acetamiprid	Mustard greens	0.95	4	16.94	A
Acetamiprid	N-grnhs flower	0.12	1	1.28	A
Acetamiprid	N-grnhs flower	0.14	2	120,000.0	S
Acetamiprid	N-grnhs plants in containers	6.03	104	3,071,130.0	S
Acetamiprid	N-outdr flower	1.93	8	22.0	A
Acetamiprid	N-outdr plants in containers	0.19	5	33,000.0	S
Acetamiprid	Onion, dry	4.98	3	33.4	A
Acetamiprid	Peas	81.59	101	1,055.63	A
Acetamiprid	Pepper, fruiting	3.3	7	63.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Acetamiprid	Radicchio	2.87	3	45.95	A
Acetamiprid	Rapini	140.74	83	1,596.9	A
Acetamiprid	Research commodity	0.14	N/A	N/A	N/A
Acetamiprid	Spinach	583.14	635	7,958.02	A
Acetamiprid	Strawberry	1,556.77	556	13,416.19	A
Acetamiprid	Structural pest control	0.58	N/A	N/A	N/A
Acetamiprid	Swiss chard	8.9	55	120.41	A
Acetamiprid	Tomato	10.78	9	143.8	A
Acetamiprid	Uncultivated ag	0.14	3	102,000.0	S
Acetamiprid	Upland cress	2.92	16	39.1	A
Acetamiprid	Walnut	75.86	4	510.0	A
Acibenzolar-s-methyl	Arugula	0.32	5	13.4	A
Acibenzolar-s-methyl	Golf course turf	0.95	N/A	65.4	A
Acibenzolar-s-methyl	Kale	1.45	32	64.7	A
Acibenzolar-s-methyl	Landscape maintenance	9.3	N/A	N/A	N/A
Acibenzolar-s-methyl	Lettuce, head	157.33	456	5,140.7	A
Acibenzolar-s-methyl	Lettuce, leaf	844.27	2,782	27,698.21	A
Acibenzolar-s-methyl	N-grnhs transplants	0.27	28	10.04	A
Acibenzolar-s-methyl	Research commodity	0.17	N/A	N/A	N/A
Acibenzolar-s-methyl	Spinach	442.12	2,112	18,961.49	A
Acibenzolar-s-methyl	Swiss chard	0.13	5	6.2	A
Acrylamide/sodium acrylate copolymer	Broccoli	0.4	3	25.5	A
Acrylamide/sodium acrylate copolymer	Cauliflower	0.31	2	19.0	A
Acrylamide/sodium acrylate copolymer	Peas	0.4	1	5.5	A
Acrylamide/sodium acrylate copolymer	Strawberry	5.19	2	58.0	A
Acrylic acid	Grape, wine	78.51	347	4,977.36	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Acrylic acid	Lettuce, head	4.02	2	24.8	A
Acrylic acid	Lettuce, leaf	4.04	2	25.0	A
Acrylic acid	Strawberry	1,650.89	262	11,866.98	A
Afidopyropen	Arugula	0.54	6	51.0	A
Afidopyropen	Bok choy (choy sum, pak choi)	0.15	1	4.7	A
Afidopyropen	Broccoli	53.29	344	5,263.44	A
Afidopyropen	Brussels sprout	15.85	83	1,382.94	A
Afidopyropen	Cabbage	6.37	60	624.25	A
Afidopyropen	Cauliflower	17.24	108	1,612.87	A
Afidopyropen	Celery	8.35	90	851.0	A
Afidopyropen	Chinese cabbage (napa, wong bok, celery cabbage)	1.32	36	124.6	A
Afidopyropen	Cilantro	0.51	3	18.2	A
Afidopyropen	Collard	0.18	10	20.3	A
Afidopyropen	Endive (escarole)	0.43	23	40.25	A
Afidopyropen	Kale	2.28	30	148.5	A
Afidopyropen	Lettuce, head	80.87	621	7,906.55	A
Afidopyropen	Lettuce, leaf	219.68	1,805	22,210.99	A
Afidopyropen	Mustard greens	0.06	7	3.5	A
Afidopyropen	N-grnhs plants in containers	5.28	12	36.79	A
Afidopyropen	N-outdr plants in containers	0.37	2	4.32	A
Afidopyropen	Parsley	0.09	2	9.4	A
Afidopyropen	Radicchio	1.24	25	128.54	A
Afidopyropen	Rapini	22.79	158	2,113.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Afidopyropen	Research commodity	0.07	1	7.0	A
Afidopyropen	Research commodity	0.02	N/A	N/A	N/A
Afidopyropen	Spinach	25.35	225	2,564.44	A
Afidopyropen	Swiss chard	0.11	1	4.18	A
Afidopyropen	Turnip	0.01	1	0.5	A
Afidopyropen	Turnip greens	0.05	6	3.0	A
Alcohols, c12-c14, aliphatic	Rights of way	47.65	N/A	N/A	N/A
Alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride	Structural pest control	0.3	N/A	N/A	N/A
Alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride	Commercial, institutional or industrial areas	89.39	N/A	1.0	U
Alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride	Farm/ag building	0.31	N/A	1.0	A
Alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride	Farm/ag building	1.63	N/A	102,000.0	S
Alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride	Food processing plant	217.6	N/A	4.0	U
Alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride	N-grnhs flower	0.28	5	13,050.0	S
Alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride	Research commodity	0.97	N/A	N/A	N/A
Alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride	Structural pest control	<0.01	N/A	N/A	N/A
Alkyl (68%c12, 32%c14) dimethylethylbenzyl ammonium chloride	Commercial, institutional or industrial areas	89.39	N/A	1.0	U
Alkyl (68%c12, 32%c14) dimethylethylbenzyl ammonium chloride	Farm/ag building	0.31	N/A	1.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride	Farm/ag building	1.63	N/A	102,000.0	S
Alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride	Food processing plant	217.6	N/A	4.0	U
Alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride	N-grnhs flower	0.28	5	13,050.0	S
Alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride	Research commodity	0.97	N/A	N/A	N/A
Alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride	Structural pest control	<0.01	N/A	N/A	N/A
Alkyl (c8,c10) polyglucoside	Grape, wine	286.85	77	724.93	A
Alkyl (c8,c10) polyglucoside	Landscape maintenance	21.38	N/A	N/A	N/A
Alkyl (c8,c10) polyglucoside	Rights of way	2.81	N/A	N/A	N/A
Alkyl (c8,c10) polyglucoside	Strawberry	3.42	4	40.0	A
Alkyl (c8,c10) polyglucoside	Uncultivated ag	293.92	102	910.0	A
Alkyl (c8,c10) polyglucoside	Uncultivated non-ag	40.48	1	316.0	A
Alkyl (c8,c10) polyglucoside	Vertebrate control	1,770.8	N/A	N/A	N/A
Alkyl (c8,c10) polyglucoside	Water area	43.84	13	56.0	A
Alkyl (c9-c11) oligomeric d-glucopyranoside	Rights of way	136.13	N/A	N/A	N/A
Allethrin	Landscape maintenance	0.16	N/A	N/A	N/A
Allyloxypolyethylene glycol acetate	Grape, wine	10.97	13	417.4	A
Allyloxypolyethylene glycol acetate	Landscape maintenance	0.04	N/A	N/A	N/A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Artichoke, globe	19.05	45	470.4	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Asparagus	0.42	2	11.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Beet	0.62	16	23.2	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Blackberry	1.54	7	88.8	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Broccoli	65.84	247	2,703.8	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Brussels sprout	2.3	5	69.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Cabbage	12.15	63	590.7	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Carrot	3.83	11	165.1	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Cauliflower	79.74	180	2,288.01	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Celery	8.54	36	318.2	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Corn, human consumption	0.58	4	16.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Fennel	0.19	1	2.5	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Garlic	2.58	4	66.9	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Golf course turf	0.31	N/A	6.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Grape, wine	196.17	703	11,148.88	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Kale	1.66	14	51.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	1.59	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, head	40.86	281	2,959.4	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	83.35	448	3,985.76	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs flower	<0.01	1	37.5	S
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	0.01	1	0.32	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	0.16	3	4.5	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Rapini	1.78	5	55.5	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Raspberry	18.09	57	791.16	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Rights of way	0.93	6	24.0	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Rights of way	0.5	N/A	N/A	N/A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Strawberry	156.72	280	7,430.71	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	20.07	57	543.87	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) sulfate, ammonium salt	Uncultivated non-ag	0.27	N/A	287.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Alfalfa	60.07	7	228.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Artichoke, globe	49.26	63	659.9	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Barley	32.9	3	1,046.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bean, succulent	0.2	1	19.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bok choy (choy sum, pak choi)	5.86	16	74.66	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Broccoli	996.47	1,357	15,192.43	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Brussels sprout	197.68	155	2,096.45	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cabbage	635.65	820	8,560.22	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cannabis (all or unspecified)	0.41	14	18.8	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Carrot	75.94	79	1,227.1	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cauliflower	358.44	454	4,821.97	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Celery	374.5	808	7,351.95	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Chinese cabbage (napa, wong bok, celery cabbage)	10.56	23	124.94	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cilantro	7.33	38	215.47	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Collard	3.58	34	80.6	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	4.12	6	75.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Corn, human consumption	21.47	23	320.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cucumber	1.19	3	21.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Endive (escarole)	11.57	51	126.59	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Fennel	7.22	15	116.88	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Garlic	283.01	215	4,300.6	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Grape, wine	25,232.51	5,024	160,986.03	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Kale	14.71	66	310.55	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	51.31	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lemon	27.81	30	235.2	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, head	2,839.66	3,877	42,820.76	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	4,756.01	7,978	69,850.47	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Mustard greens	0.57	11	17.8	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	21.06	64	156.19	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	1.33	44	13.32	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	27.66	50	126.21	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Oat	2.67	3	48.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Onion, dry	60.78	92	1,443.3	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Parsley	0.42	2	9.4	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Peas	117.95	190	2,119.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pepper, fruiting	1.27	3	25.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Radicchio	4.1	26	127.74	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rapini	109.22	171	1,597.3	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Raspberry	7.59	1	34.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Research commodity	0.81	10	15.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Research commodity	0.42	51	229,500.0	S
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rights of way	525.4	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Ryegrass	69.87	29	289.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Spinach	1.82	11	44.9	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Squash	0.31	1	10.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Squash, summer	1.2	4	23.64	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Strawberry	3,703.96	333	8,161.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Structural pest control	0.11	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tomato	569.55	100	1,226.3	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Turnip	0.06	2	1.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Turnip greens	0.11	5	2.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	482.35	504	6,937.93	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	144.48	12	197.3	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Water area	0.04	2	7.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Wheat	5.01	2	89.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Alfalfa	3.51	2	38.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Broccoli	567.16	581	5,958.22	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Brussels sprout	331.13	208	3,593.9	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Cabbage	61.35	85	758.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Carrot	11.55	7	125.3	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Cauliflower	242.57	210	2,423.37	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Celery	52.81	69	596.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Collard	0.23	2	2.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Fennel	0.24	1	2.6	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Grape, wine	303.48	64	1,290.61	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Kale	11.49	23	117.3	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Lettuce, leaf	0.92	1	10.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Oat	13.91	9	151.1	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Rights of way	40.68	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Spinach	0.34	2	3.7	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Strawberry	12.2	7	148.74	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Uncultivated ag	123.28	101	844.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Wheat	2.44	1	26.5	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Alfalfa	8.72	1	85.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Carrot	1.23	7	117.3	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Grape, wine	3,810.09	1,372	33,061.12	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Landscape maintenance	0.87	N/A	N/A	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Lemon	91.3	18	742.09	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Lettuce, head	15.0	2	24.8	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Lettuce, leaf	15.09	2	25.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Rangeland	1.87	1	200.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Raspberry	9.85	2	68.0	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Strawberry	6,405.1	282	12,841.18	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Uncultivated ag	1,497.76	640	7,458.45	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Uncultivated non-ag	45.9	11	117.0	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Chinese cabbage (napa, wong bok, celery cabbage)	221.99	206	680.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Grape, wine	72.98	8	211.95	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Research commodity	13.49	16	49.5	A
Alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Strawberry	267.86	36	474.57	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Broccoli	2.55	2	23.6	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Cactus pear	5.1	1	8.8	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Cauliflower	1.3	2	12.2	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Celery	1.07	1	5.0	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Grape, wine	5,799.88	612	24,661.23	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	4.59	5	40.1	A
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	0.03	1	10,000.0	S
Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Walnut	451.97	12	1,435.0	A
Alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Rights of way	0.09	N/A	N/A	N/A
Alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Strawberry	0.33	2	64.0	A
Alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Grape, wine	773.59	124	5,120.9	A
Alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Strawberry	30.92	5	72.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	3.08	3	15.8	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Ryegrass	65.48	14	144.0	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Strawberry	54.33	1	140.0	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Tomato	557.3	91	1,126.9	A
Alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt	Grape, wine	50.09	18	743.08	A
Alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt	Strawberry	4.54	2	52.0	A
Alpha-alkyl (c12-c16)-omega-hydroxypoly(oxyethylene)	Rights of way	0.01	N/A	N/A	N/A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Alfalfa	44.94	26	159.7	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Artichoke, globe	4.76	14	169.7	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Arugula	0.7	7	27.89	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Bean, succulent	1.57	6	28.63	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Bean, unspecified	5.19	11	165.3	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Beet	1.01	2	18.45	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Bok choy (choy sum, pak choi)	16.67	80	326.64	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Broccoli	848.53	1,567	15,681.72	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Brussels sprout	361.43	400	5,887.3	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Cabbage	32.17	107	715.01	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Carrot	8.86	30	143.4	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Cauliflower	336.53	782	5,961.91	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Celery	266.12	607	4,486.2	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Chinese cabbage (napa, wong bok, celery cabbage)	35.76	115	680.14	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Cilantro	5.32	26	122.5	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Cucumber	0.62	1	33.7	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Endive (escarole)	27.63	158	568.35	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Garlic	53.99	54	728.0	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Grape, wine	1,104.85	234	8,726.72	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Kale	77.74	132	1,210.51	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	0.7	2	12.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	10.22	N/A	N/A	N/A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Leek	22.24	108	449.62	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Lettuce, head	1,017.56	1,695	18,056.65	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	1,121.02	2,506	21,428.76	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Mustard greens	0.82	8	34.23	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Onion, dry	10.4	15	203.1	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Peas	70.91	124	942.74	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Radicchio	11.32	36	154.76	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Radish	38.42	249	659.51	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Rights of way	4.93	N/A	N/A	N/A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Spinach	0.57	2	10.43	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Squash	0.32	1	11.6	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Strawberry	1,437.52	205	9,359.42	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Sunflower	2.3	3	24.6	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Swiss chard	0.31	8	12.06	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Tomato	11.44	12	265.2	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Triticale	3.2	3	43.8	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	1,103.15	786	5,858.1	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	6.8	2	19.0	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Water area	1.41	2	6.0	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Watermelon	0.08	1	3.0	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Alfalfa	24.28	2	95.0	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Bean, dried	23.81	8	84.5	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Broccoli	21.26	26	242.0	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Cabbage	7.13	9	81.0	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Carrot	239.31	70	849.8	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Celery	134.6	84	675.9	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Grape, wine	736.22	169	8,409.36	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Lemon	56.07	6	397.12	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Lettuce, head	161.65	72	754.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	305.24	174	1,074.4	A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Rights of way	408.67	N/A	N/A	N/A
Alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	556.14	254	2,398.33	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Artichoke, globe	2.31	2	8.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Bean, unspecified	0.18	1	0.45	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Blackberry	11.31	26	105.48	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Bok choy (choy sum, pak choi)	0.04	1	1.4	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Broccoli	188.12	276	1,927.89	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Brussels sprout	36.9	7	125.2	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cabbage	73.76	286	774.6	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cannabis (all or unspecified)	27.08	85	542,720.0	S
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cauliflower	68.6	134	743.8	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Celery	0.14	1	0.45	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cilantro	16.94	19	78.29	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Corn, human consumption	3.17	3	11.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cucumber	1.0	33	233.5	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Endive (escarole)	0.77	15	23.37	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Grape, wine	1,672.91	432	37,945.92	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Kale	0.65	3	3.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Leek	3.94	9	45.2	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Lettuce, head	8.38	69	262.76	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	40.87	200	955.81	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Mustard greens	2.11	11	23.0	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Parsley	3.66	5	16.85	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Raspberry	483.58	127	2,214.52	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Strawberry	1,338.43	317	4,898.08	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Swiss chard	0.15	2	0.9	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	28.54	16	82.73	A
Alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	3.17	4	11.0	A
Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Cannabis (all or unspecified)	26.1	33	28.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Lemon	193.39	10	724.8	A
Alpha-cypermethrin	Structural pest control	30.48	N/A	N/A	N/A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Grape, wine	144.96	63	1,218.21	A
Alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Strawberry	42.56	7	148.74	A
Alpha-pinene beta-pinene copolymer	Artichoke, globe	39.47	16	139.0	A
Alpha-pinene beta-pinene copolymer	Beet	11.66	16	23.2	A
Alpha-pinene beta-pinene copolymer	Blackberry	28.78	7	88.8	A
Alpha-pinene beta-pinene copolymer	Broccoli	169.38	83	873.0	A
Alpha-pinene beta-pinene copolymer	Brussels sprout	4.57	1	15.5	A
Alpha-pinene beta-pinene copolymer	Cabbage	54.26	23	211.5	A
Alpha-pinene beta-pinene copolymer	Carrot	40.97	8	122.3	A
Alpha-pinene beta-pinene copolymer	Cauliflower	99.73	42	416.01	A
Alpha-pinene beta-pinene copolymer	Celery	63.33	27	184.3	A
Alpha-pinene beta-pinene copolymer	Corn, human consumption	10.85	4	16.0	A
Alpha-pinene beta-pinene copolymer	Grape, wine	1,884.82	260	4,870.27	A
Alpha-pinene beta-pinene copolymer	Kale	31.06	14	51.0	A
Alpha-pinene beta-pinene copolymer	Lettuce, head	444.45	240	2,481.1	A
Alpha-pinene beta-pinene copolymer	Lettuce, leaf	501.31	266	2,329.06	A
Alpha-pinene beta-pinene copolymer	N-grnhs flower	<0.01	1	37.5	S
Alpha-pinene beta-pinene copolymer	N-grnhs plants in containers	0.17	1	0.32	A
Alpha-pinene beta-pinene copolymer	N-outdr plants in containers	3.02	3	4.5	A
Alpha-pinene beta-pinene copolymer	Raspberry	339.11	57	791.16	A
Alpha-pinene beta-pinene copolymer	Strawberry	3,006.68	284	7,891.19	A
Alpha-pinene beta-pinene copolymer	Uncultivated ag	22.37	8	62.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Corn, human consumption	14.94	2	48.0	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Grape, wine	1,658.47	293	11,752.56	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Lettuce, head	4.87	1	16.6	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Rights of way	<0.01	N/A	N/A	N/A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Uncultivated ag	179.28	58	610.25	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Artichoke, globe	663.17	415	5,292.25	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Arugula	0.71	7	27.89	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Bean, succulent	1.61	6	28.63	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Bean, unspecified	5.33	11	165.3	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Beet	1.04	2	18.45	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Bok choy (choy sum, pak choi)	17.1	80	326.64	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Broccoli	3,877.55	2,933	31,587.78	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Brussels sprout	1,387.13	868	13,992.67	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cabbage	572.94	408	3,612.56	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Carrot	105.47	44	377.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cauliflower	1,648.68	1,516	12,873.71	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Celery	1,131.47	1,002	7,753.14	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Chinese cabbage (napa, wong bok, celery cabbage)	36.67	115	680.14	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cilantro	5.46	26	122.5	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cucumber	0.64	1	33.7	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Endive (escarole)	28.34	158	568.35	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Fennel	101.12	40	394.4	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Garlic	120.97	82	1,069.15	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Grape, wine	4,036.03	1,465	40,895.49	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Kale	79.73	132	1,210.51	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Landscape maintenance	0.71	2	12.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Landscape maintenance	44.02	N/A	N/A	N/A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Leek	22.81	108	449.62	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Lemon	41.93	8	876.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Lettuce, head	3,105.38	2,932	30,581.18	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	8,692.21	5,498	58,391.39	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Mustard greens	0.84	8	34.23	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-outdr flower	79.12	770	945.91	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Onion, dry	112.87	39	490.5	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Peas	220.59	162	1,676.54	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Radicchio	11.61	36	154.76	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Radish	39.4	249	659.51	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rapini	669.62	148	2,853.7	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Research commodity	4.67	N/A	N/A	N/A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rights of way	30.35	N/A	N/A	N/A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Spinach	1.44	12	28.58	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Squash	0.33	1	11.6	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Strawberry	3,404.97	202	8,558.05	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Swiss chard	0.32	8	12.06	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Tomato	11.74	12	265.2	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Triticale	3.29	3	43.8	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Uncultivated ag	378.34	314	2,017.4	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	0.04	1	1.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Water area	0.08	N/A	0.75	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Watermelon	0.08	1	3.0	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Wheat	2.44	1	24.0	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Broccoli	0.72	1	17.3	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Cabbage	1.19	3	28.6	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Lettuce, head	2.37	7	59.3	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	3.13	9	87.1	A
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-grnhs flower	0.28	35	107,775.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Strawberry	104.54	116	1,157.0	A
Aluminum phosphide	Artichoke, globe	5.63	28	308.9	A
Aluminum phosphide	Commodity fumigation	69.54	N/A	N/A	N/A
Aluminum phosphide	Forage hay/silage	0.63	1	16.0	A
Aluminum phosphide	Fumigation, other	1.15	N/A	N/A	N/A
Aluminum phosphide	Grape, wine	440.42	24	1,330.79	A
Aluminum phosphide	Landscape maintenance	181.56	N/A	N/A	N/A
Aluminum phosphide	Rights of way	4.46	N/A	N/A	N/A
Aluminum phosphide	Uncultivated ag	0.85	10	6.5	A
Aluminum phosphide	Vertebrate control	66.38	N/A	N/A	N/A
Ametoctradin	Arugula	55.9	79	205.06	A
Ametoctradin	Cucumber	11.3	4	41.5	A
Ametoctradin	Kale	57.33	106	209.88	A
Ametoctradin	Lettuce, head	1,241.35	489	4,564.53	A
Ametoctradin	Lettuce, leaf	1,865.41	937	6,942.86	A
Ametoctradin	Mizuna	0.75	5	2.7	A
Ametoctradin	Mustard greens	4.62	40	17.37	A
Ametoctradin	N-grnhs plants in containers	2.88	3	10.35	A
Ametoctradin	N-outdr plants in containers	0.04	1	0.58	A
Ametoctradin	Onion, dry	70.93	15	260.3	A
Ametoctradin	Spinach	1,369.96	701	5,032.13	A
Ametoctradin	Swiss chard	15.42	27	56.32	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ametoctradin	Tomato	8.98	3	33.0	A
Ametoctradin	Upland cress	19.88	32	72.9	A
Amino ethoxy vinyl glycine hydrochloride	Cucumber	39.02	64	349.65	A
Aminocyclopyrachlor, potassium salt	Landscape maintenance	3.2	N/A	N/A	N/A
Aminocyclopyrachlor, potassium salt	Rights of way	5.15	N/A	N/A	N/A
Aminopyralid, triisopropanolamine salt	Airport	5.06	2	24.0	A
Aminopyralid, triisopropanolamine salt	Landscape maintenance	7.99	N/A	N/A	N/A
Aminopyralid, triisopropanolamine salt	Pastureland	9.86	33	240.66	A
Aminopyralid, triisopropanolamine salt	Rights of way	242.74	N/A	N/A	N/A
Aminopyralid, triisopropanolamine salt	Uncultivated ag	1.48	2	8.5	A
Aminopyralid, triisopropanolamine salt	Uncultivated non-ag	7.41	N/A	151.0	A
Ammonium nitrate	Alfalfa	5.8	26	159.7	A
Ammonium nitrate	Grape, wine	1,755.32	255	2,832.58	A
Ammonium nitrate	Landscape maintenance	2.81	N/A	N/A	N/A
Ammonium nitrate	Peas	7.93	35	327.3	A
Ammonium nitrate	Rights of way	7.91	N/A	N/A	N/A
Ammonium nitrate	Sunflower	0.3	3	24.6	A
Ammonium nitrate	Uncultivated ag	1,182.24	695	5,635.7	A
Ammonium nitrate	Uncultivated non-ag	36.3	2	244.0	A
Ammonium nitrate	Vertebrate control	843.24	N/A	N/A	N/A
Ammonium nitrate	Water area	157.4	15	62.0	A
Ammonium nonanoate	Broccoli	2.0	2	0.59	A
Ammonium nonanoate	Landscape maintenance	16.7	N/A	N/A	N/A
Ammonium nonanoate	Lettuce, head	195.18	10	66.56	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ammonium nonanoate	Lettuce, leaf	2,368.78	78	400.06	A
Ammonium propionate	Alfalfa	12.03	1	85.0	A
Ammonium propionate	Artichoke, globe	19.71	162	2,476.6	A
Ammonium propionate	Broccoli	383.66	1,027	11,973.98	A
Ammonium propionate	Brussels sprout	153.34	414	7,526.32	A
Ammonium propionate	Cabbage	47.69	125	1,151.8	A
Ammonium propionate	Cauliflower	168.58	573	5,453.9	A
Ammonium propionate	Celery	7.0	64	416.95	A
Ammonium propionate	Grape, wine	1,156.97	172	7,306.92	A
Ammonium propionate	Landscape maintenance	0.94	N/A	N/A	N/A
Ammonium propionate	Lemon	118.81	17	732.09	A
Ammonium propionate	Lettuce, head	20.43	176	1,842.6	A
Ammonium propionate	Lettuce, leaf	29.9	359	2,743.05	A
Ammonium propionate	Rangeland	2.58	1	200.0	A
Ammonium propionate	Rapini	16.23	26	607.6	A
Ammonium propionate	Research commodity	0.08	N/A	N/A	N/A
Ammonium propionate	Uncultivated ag	130.92	114	1,353.1	A
Ammonium sulfate	Alfalfa	335.09	28	344.7	A
Ammonium sulfate	Broccoli	294.93	128	1,011.6	A
Ammonium sulfate	Cauliflower	135.9	75	433.1	A
Ammonium sulfate	Grape, wine	19,613.93	868	22,025.53	A
Ammonium sulfate	Landscape maintenance	25.7	N/A	N/A	N/A
Ammonium sulfate	Lemon	29.7	17	732.09	A
Ammonium sulfate	Lettuce, head	84.18	67	289.2	A
Ammonium sulfate	Lettuce, leaf	160.2	104	543.9	A
Ammonium sulfate	Peas	196.28	35	327.3	A
Ammonium sulfate	Pistachio	81.75	1	108.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ammonium sulfate	Rangeland	0.64	1	200.0	A
Ammonium sulfate	Rights of way	51.49	N/A	N/A	N/A
Ammonium sulfate	Ryegrass	41.7	14	144.0	A
Ammonium sulfate	Strawberry	6.69	2	20.0	A
Ammonium sulfate	Sunflower	7.36	3	24.6	A
Ammonium sulfate	Tomato	77.77	28	391.1	A
Ammonium sulfate	Uncultivated ag	3,882.96	689	7,609.4	A
Ammonium sulfate	Uncultivated non-ag	107.53	2	680.0	A
Ammonium sulfate	Vertebrate control	1,686.47	N/A	N/A	N/A
Ammonium sulfate	Water area	4.49	2	6.0	A
Amyl acetate	Artichoke, globe	7.88	162	2,476.6	A
Amyl acetate	Broccoli	153.46	1,027	11,973.98	A
Amyl acetate	Brussels sprout	61.34	414	7,526.32	A
Amyl acetate	Cabbage	19.08	125	1,151.8	A
Amyl acetate	Cauliflower	67.43	573	5,453.9	A
Amyl acetate	Celery	2.8	64	416.95	A
Amyl acetate	Lettuce, head	8.17	176	1,842.6	A
Amyl acetate	Lettuce, leaf	11.96	359	2,743.05	A
Amyl acetate	Rapini	6.49	26	607.6	A
Amyl acetate	Research commodity	0.03	N/A	N/A	N/A
Amyl acetate	Uncultivated ag	13.66	92	647.4	A
Ancymidol	N-grnhs flower	<0.01	1	300.0	S
Aromatic 200	Corn, human consumption	36.65	1	24.0	A
Aromatic 200	Grape, wine	4,231.72	217	10,522.82	A
Aromatic 200	Lettuce, head	12.67	1	16.6	A
Aromatic 200	Uncultivated ag	466.13	58	610.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Azadirachtin	Artichoke, globe	1.26	9	55.5	A
Azadirachtin	Arugula	0.41	5	21.13	A
Azadirachtin	Beet	0.4	2	14.0	A
Azadirachtin	Blackberry	3.82	9	91.6	A
Azadirachtin	Blueberry	1.58	2	36.0	A
Azadirachtin	Bok choy (choy sum, pak choi)	0.19	8	9.31	A
Azadirachtin	Broccoli	23.38	130	936.0	A
Azadirachtin	Brussels sprout	4.28	7	102.2	A
Azadirachtin	Cabbage	1.61	18	98.67	A
Azadirachtin	Cannabis (all or unspecified)	30.97	676	2,165.45	A
Azadirachtin	Cannabis (all or unspecified)	4,560.71	1,590	25,089,415.0	S
Azadirachtin	Cannabis (all or unspecified)	1.27	50	708.0	U
Azadirachtin	Cauliflower	11.09	74	456.99	A
Azadirachtin	Celery	7.57	73	377.35	A
Azadirachtin	Kale	0.82	18	39.21	A
Azadirachtin	Landscape maintenance	0.03	N/A	N/A	N/A
Azadirachtin	Leek	0.84	4	17.07	A
Azadirachtin	Lettuce, head	6.2	102	314.37	A
Azadirachtin	Lettuce, leaf	43.13	350	2,163.87	A
Azadirachtin	Mizuna	0.04	6	1.5	A
Azadirachtin	Mushroom	7.47	179	2,720,657.0	S
Azadirachtin	Mustard greens	0.05	2	3.2	A
Azadirachtin	N-grnhs flower	4.74	57	62.9	A
Azadirachtin	N-grnhs flower	0.14	24	85,762.5	S
Azadirachtin	N-grnhs plants in containers	14.43	79	176.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Azadirachtin	N-grnhs plants in containers	0.96	42	1,385,000.0	S
Azadirachtin	N-grnhs transplants	0.29	10	5.63	A
Azadirachtin	N-outdr flower	0.16	18	24.5	A
Azadirachtin	N-outdr plants in containers	8.26	7	22.16	A
Azadirachtin	N-outdr plants in containers	0.03	1	20,000.0	S
Azadirachtin	N-outdr transplants	0.88	45	47.8	A
Azadirachtin	N-outdr transplants	3.49	43	1,800,192.0	S
Azadirachtin	Peas	0.61	6	33.77	A
Azadirachtin	Pumpkin	0.8	5	28.4	A
Azadirachtin	Radish	1.65	8	35.04	A
Azadirachtin	Raspberry	31.52	81	1,037.16	A
Azadirachtin	Research commodity	0.03	3	0.81	A
Azadirachtin	Research commodity	0.09	N/A	N/A	N/A
Azadirachtin	Shallot	0.27	1	16.0	A
Azadirachtin	Spinach	3.38	48	200.2	A
Azadirachtin	Strawberry	711.49	890	21,448.07	A
Azadirachtin	Swiss chard	1.33	38	63.05	A
Azadirachtin	Uncultivated ag	0.04	2	68,000.0	S
Azoxystrobin	Artichoke, globe	1,019.76	280	4,435.3	A
Azoxystrobin	Bean, succulent	5.59	6	28.63	A
Azoxystrobin	Beet	0.02	N/A	568.39	P
Azoxystrobin	Broccoli	2,568.05	1,163	13,247.66	A
Azoxystrobin	Brussels sprout	562.66	163	2,486.42	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Azoxystrobin	Cabbage	69.93	35	394.81	A
Azoxystrobin	Carrot	11.57	4	47.0	A
Azoxystrobin	Carrot	0.08	N/A	3,185.82	P
Azoxystrobin	Cauliflower	210.89	101	903.9	A
Azoxystrobin	Celery	153.52	99	714.15	A
Azoxystrobin	Cilantro	12.16	18	48.39	A
Azoxystrobin	Corn, human consumption	0.53	1	2.1	A
Azoxystrobin	Cucumber	6.48	1	33.7	A
Azoxystrobin	Cucumber	1.28	N/A	53,479.35	P
Azoxystrobin	Fennel	0.01	N/A	492.82	P
Azoxystrobin	Garlic	670.4	164	2,922.8	A
Azoxystrobin	Golf course turf	18.64	N/A	33.4	A
Azoxystrobin	Golf course turf	0.25	N/A	20,000.0	S
Azoxystrobin	Grape, wine	335.02	97	1,545.5	A
Azoxystrobin	Kale	26.63	17	113.28	A
Azoxystrobin	Landscape maintenance	77.73	N/A	N/A	N/A
Azoxystrobin	Leek	101.31	79	435.77	A
Azoxystrobin	Lettuce, leaf	31.59	14	130.19	A
Azoxystrobin	Lettuce, leaf	<0.01	N/A	151.0	P
Azoxystrobin	Melon	0.02	N/A	643.06	P
Azoxystrobin	N-grnhs flower	0.06	1	2.0	A
Azoxystrobin	N-grnhs flower	1.82	37	219,903.5	S
Azoxystrobin	N-grnhs plants in containers	157.67	99	174.61	A
Azoxystrobin	N-grnhs plants in containers	1.23	25	137,858.0	S
Azoxystrobin	N-outdr plants in containers	130.91	51	142.96	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Azoxystrobin	N-outdr plants in containers	0.05	2	10,000.0	S
Azoxystrobin	N-outdr transplants	4.9	9	17.25	A
Azoxystrobin	Onion, dry	0.79	N/A	31,911.64	P
Azoxystrobin	Parsnip	<0.01	N/A	33.3	P
Azoxystrobin	Peas	40.83	20	171.2	A
Azoxystrobin	Pepper, fruiting	<0.01	N/A	47.65	P
Azoxystrobin	Pumpkin	0.05	N/A	2,092.24	P
Azoxystrobin	Radish	6.26	12	24.84	A
Azoxystrobin	Raspberry	0.58	1	6.03	A
Azoxystrobin	Research commodity	0.76	N/A	N/A	N/A
Azoxystrobin	Spinach	291.8	86	1,177.2	A
Azoxystrobin	Squash	1.46	1	5.8	A
Azoxystrobin	Squash	0.15	N/A	5,805.69	P
Azoxystrobin	Strawberry	1,848.93	265	8,710.86	A
Azoxystrobin	Sunflower	0.88	1	3.5	A
Azoxystrobin	Tomato	3.24	3	31.0	A
Azoxystrobin	Tomato	<0.01	N/A	28.48	P
Azoxystrobin	Watermelon	0.07	N/A	3,011.21	P
Bacillus amyloliquefaciens strain d747	Arugula	168.46	8	60.14	A
Bacillus amyloliquefaciens strain d747	Asparagus	1.75	1	7.0	A
Bacillus amyloliquefaciens strain d747	Blackberry	88.11	1	10.0	A
Bacillus amyloliquefaciens strain d747	Blueberry	187.23	2	21.5	A
Bacillus amyloliquefaciens strain d747	Bok choy (choy sum, pak choi)	1.15	1	0.5	A
Bacillus amyloliquefaciens strain d747	Cannabis (all or unspecified)	645.41	44	27.3	A
Bacillus amyloliquefaciens strain d747	Cannabis (all or unspecified)	538.89	149	6,308,871.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus amyloliquefaciens strain d747	Grape, wine	1,715.12	80	1,229.21	A
Bacillus amyloliquefaciens strain d747	Kale	3.35	1	1.5	A
Bacillus amyloliquefaciens strain d747	Lettuce, leaf	332.69	18	135.16	A
Bacillus amyloliquefaciens strain d747	Mizuna	2.2	1	1.01	A
Bacillus amyloliquefaciens strain d747	N-grnhs flower	72.69	7	3.71	A
Bacillus amyloliquefaciens strain d747	N-grnhs plants in containers	14.01	1	34,000.0	S
Bacillus amyloliquefaciens strain d747	N-grnhs transplants	304.69	988	237.42	A
Bacillus amyloliquefaciens strain d747	N-outdr transplants	19.87	4	232,183.0	S
Bacillus amyloliquefaciens strain d747	Peas	77.09	3	17.5	A
Bacillus amyloliquefaciens strain d747	Raspberry	105.99	4	25.8	A
Bacillus amyloliquefaciens strain d747	Spinach	498.86	24	217.99	A
Bacillus amyloliquefaciens strain d747	Strawberry	19,044.6	209	3,555.2	A
Bacillus amyloliquefaciens strain d747	Swiss chard	17.75	2	8.5	A
Bacillus amyloliquefaciens strain d747	Tat soi (spinach mustard)	0.7	1	0.3	A
Bacillus amyloliquefaciens strain f727	Arugula	524.88	26	119.4	A
Bacillus amyloliquefaciens strain f727	Broccoli	190.62	3	23.7	A
Bacillus amyloliquefaciens strain f727	Cannabis (all or unspecified)	118.11	19	8.48	A
Bacillus amyloliquefaciens strain f727	Cannabis (all or unspecified)	40.64	7	164,500.0	S
Bacillus amyloliquefaciens strain f727	Lettuce, leaf	814.99	19	186.5	A
Bacillus amyloliquefaciens strain f727	Mizuna	46.65	3	11.6	A
Bacillus amyloliquefaciens strain f727	Spinach	1,829.05	107	411.5	A
Bacillus amyloliquefaciens strain f727	Strawberry	1,124.89	13	264.48	A
Bacillus amyloliquefaciens strain f727	Swiss chard	1.61	1	0.4	A
Bacillus amyloliquefaciens strain mbi 600	Blackberry	2.86	2	26.0	A
Bacillus amyloliquefaciens strain mbi 600	Blueberry	4.62	2	42.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus amyloliquefaciens strain mbi 600	Grape, wine	58.42	16	1,505.41	A
Bacillus amyloliquefaciens strain mbi 600	Strawberry	7.46	28	115.23	A
Bacillus mycoides isolate j	Arugula	1.63	1	16.3	A
Bacillus mycoides isolate j	Lettuce, leaf	16.92	15	169.05	A
Bacillus mycoides isolate j	N-outdr transplants	0.2	2	77,435.0	S
Bacillus mycoides isolate j	Spinach	36.97	26	369.55	A
Bacillus pumilus, strain qst 2808	Artichoke, globe	25.44	95	448.4	A
Bacillus pumilus, strain qst 2808	Arugula	2.36	5	37.43	A
Bacillus pumilus, strain qst 2808	Blackberry	<0.01	1	0.75	A
Bacillus pumilus, strain qst 2808	Bok choy (choy sum, pak choi)	0.47	7	7.91	A
Bacillus pumilus, strain qst 2808	Cannabis (all or unspecified)	1.18	19	8.48	A
Bacillus pumilus, strain qst 2808	Cannabis (all or unspecified)	0.5	8	197,400.0	S
Bacillus pumilus, strain qst 2808	Carrot	7.73	7	128.81	A
Bacillus pumilus, strain qst 2808	Celery	3.38	4	40.6	A
Bacillus pumilus, strain qst 2808	Chicory	9.48	7	79.0	A
Bacillus pumilus, strain qst 2808	Fennel	3.03	12	50.5	A
Bacillus pumilus, strain qst 2808	Grape, wine	22.1	33	190.06	A
Bacillus pumilus, strain qst 2808	Kale	1.78	9	19.18	A
Bacillus pumilus, strain qst 2808	Lettuce, head	2.61	7	43.5	A
Bacillus pumilus, strain qst 2808	Lettuce, leaf	24.48	57	366.51	A
Bacillus pumilus, strain qst 2808	Mizuna	0.5	7	4.9	A
Bacillus pumilus, strain qst 2808	N-grnhs transplants	28.57	989	238.21	A
Bacillus pumilus, strain qst 2808	N-outdr transplants	0.12	1	0.99	A
Bacillus pumilus, strain qst 2808	N-outdr transplants	0.3	7	216,776.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus pumilus, strain qst 2808	Peas	38.15	87	751.43	A
Bacillus pumilus, strain qst 2808	Radicchio	11.35	7	98.95	A
Bacillus pumilus, strain qst 2808	Raspberry	6.07	6	53.31	A
Bacillus pumilus, strain qst 2808	Spinach	77.39	51	703.8	A
Bacillus pumilus, strain qst 2808	Strawberry	4.2	5	68.5	A
Bacillus pumilus, strain qst 2808	Swiss chard	0.89	8	18.78	A
Bacillus subtilis strain iab/bs03	Arugula	0.03	4	18.4	A
Bacillus subtilis strain iab/bs03	Celery	0.07	21	102.0	A
Bacillus subtilis strain iab/bs03	Grape, wine	0.01	1	9.0	A
Bacillus subtilis strain iab/bs03	Raspberry	0.11	8	58.4	A
Bacillus subtilis strain iab/bs03	Spinach	0.08	15	48.7	A
Bacillus subtilis strain iab/bs03	Strawberry	17.86	61	2,434.64	A
Bacillus subtilis strain iab/bs03	Swiss chard	0.01	1	8.0	A
Bacillus thuringiensis (berliner)	Broccoli	0.26	2	8.0	A
Bacillus thuringiensis (berliner)	Cauliflower	0.06	1	2.0	A
Bacillus thuringiensis (berliner)	N-grnhs plants in containers	<0.01	1	3,000.0	S
Bacillus thuringiensis (berliner)	N-outdr plants in containers	<0.01	1	4,000.0	S
Bacillus thuringiensis (berliner)	Swiss chard	0.26	1	8.0	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Artichoke, globe	1,094.59	167	1,473.8	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Arugula	74.9	19	76.9	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Beet	19.15	13	19.8	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Blackberry	100.0	4	100.0	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Blueberry	21.0	1	21.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Bok choy (choy sum, pak choi)	0.38	1	0.17	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Broccoli	22,614.78	2,094	25,727.68	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Brussels sprout	4,287.73	363	5,432.06	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Cabbage	3,863.78	438	4,476.05	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Cauliflower	10,057.17	1,052	11,677.78	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Celery	1,159.13	127	1,191.55	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Collard	41.83	75	54.53	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Grape, wine	22.06	2	41.0	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Kale	461.83	135	495.48	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Kohlrabi	26.1	9	31.7	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Lettuce, head	460.3	68	479.1	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Lettuce, leaf	4,578.59	360	4,623.78	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Mustard greens	2.69	12	4.26	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	N-grnhs transplants	0.55	6	1.57	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Peas	240.0	17	240.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Pepper, fruiting	37.0	2	37.0	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Radish	88.36	35	88.36	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Rapini	2,339.95	151	2,990.1	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Spinach	388.78	36	395.18	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Strawberry	1,489.06	58	2,062.07	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Structural pest control	0.43	N/A	N/A	N/A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Swiss chard	41.1	5	41.1	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Turnip	0.25	1	0.5	A
Bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein	Turnip greens	0.25	1	0.5	A
Bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14	N-grnhs plants in containers	0.64	2	11,200.0	S
Bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14	Public health	781.53	N/A	N/A	N/A
Bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12	Cannabis (all or unspecified)	13.96	3	55,000.0	S
Bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b	Landscape maintenance	0.05	N/A	N/A	N/A
Bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b	N-grnhs flower	0.01	2	6,000.0	S
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Artichoke, globe	159.08	27	149.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Broccoli	5,987.66	359	4,818.56	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Brussels sprout	380.21	25	298.2	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Cabbage	1,969.51	139	1,547.53	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Cauliflower	812.66	80	693.71	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Celery	332.39	56	292.8	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Collard	0.74	1	0.58	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Kale	10.84	2	8.5	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Lettuce, head	69.12	20	74.72	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Lettuce, leaf	7,091.48	406	5,572.26	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Mustard greens	1,171.22	135	918.6	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	N-grnhs plants in containers	306.47	11	23.7	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	N-outdr plants in containers	4.69	1	2.3	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	N-outdr transplants	0.19	1	1.7	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	N-outdr transplants	5.17	6	191,170.0	S
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Rapini	130.56	4	102.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Spinach	6,678.78	394	5,238.26	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Strawberry	2,410.38	59	2,369.14	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Swiss chard	745.62	67	584.8	A
Bacillus thuringiensis ssp kurstaki, strain evb 113 19	Broccoli	105.56	61	508.8	A
Bacillus thuringiensis ssp kurstaki, strain evb 113 19	Brussels sprout	14.92	11	74.45	A
Bacillus thuringiensis ssp kurstaki, strain evb 113 19	Cabbage	93.68	92	538.8	A
Bacillus thuringiensis ssp kurstaki, strain evb 113 19	Cauliflower	51.92	38	251.15	A
Bacillus thuringiensis ssp kurstaki, strain evb 113 19	Chinese cabbage (napa, wong bok, celery cabbage)	66.96	97	303.45	A
Bacillus thuringiensis ssp kurstaki, strain evb 113 19	Corn, human consumption	15.99	6	92.0	A
Bacillus thuringiensis ssp kurstaki, strain evb 113 19	Pumpkin	3.51	2	10.1	A
Bacillus thuringiensis ssp kurstaki, strain evb 113 19	Research commodity	4.8	9	27.5	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Artichoke, globe	2,749.39	294	3,779.1	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Arugula	250.87	77	324.67	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Beet	2.7	1	5.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Bok choy (choy sum, pak choi)	109.38	40	126.22	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Broccoli	20,932.84	2,694	23,152.54	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Brussels sprout	12,253.39	1,353	15,544.65	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Cabbage	2,759.89	643	3,019.87	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Cauliflower	11,646.31	1,847	13,087.87	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Celery	2,609.14	563	2,552.42	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Chicory	25.35	3	31.3	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Chinese cabbage (napa, wong bok, celery cabbage)	31.56	6	29.22	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Cress, garden	5.08	3	7.0	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Endive (escarole)	7.02	7	11.5	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Kale	1,185.41	315	1,403.49	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Leek	15.12	9	21.1	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Lettuce, head	550.07	249	614.9	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Lettuce, leaf	2,286.94	572	3,087.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Mizuna	57.02	30	69.5	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Mustard greens	62.56	27	71.2	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	N-grnhs plants in containers	3.85	12	9.19	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	N-grnhs transplants	89.82	603	166.32	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	N-outdr transplants	1.08	2	2.0	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Peas	12.48	5	23.12	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Radicchio	29.54	13	34.0	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Radish	147.85	44	136.9	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Raspberry	59.46	6	66.39	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Spinach	218.75	86	349.96	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Strawberry	672.2	17	799.35	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Swiss chard	22.57	27	34.53	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Tomato	376.06	58	696.4	A
Bacillus thuringiensis, subsp. aizawai, strain abts-1857	Upland cress	46.01	31	69.5	A
Bacillus thuringiensis, subsp. israelensis, strain am 65-52	Cannabis (all or unspecified)	2.85	2	2.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus thuringiensis, subsp. israelensis, strain am 65-52	Cannabis (all or unspecified)	49.35	42	1,592,500.0	S
Bacillus thuringiensis, subsp. israelensis, strain am 65-52	N-grnhs plants in containers	54.87	5	6.66	A
Bacillus thuringiensis, subsp. israelensis, strain am 65-52	N-grnhs plants in containers	24.9	68	58,355.0	S
Bacillus thuringiensis, subsp. israelensis, strain am 65-52	N-grnhs transplants	0.54	7	1.56	A
Bacillus thuringiensis, subsp. israelensis, strain am 65-52	Public health	22.16	N/A	N/A	N/A
Bacillus thuringiensis, subsp. israelensis, strain am 65-52	Research commodity	0.15	N/A	N/A	N/A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Artichoke, globe	513.15	102	647.65	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Arugula	6.13	5	10.5	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Beet	7.56	2	14.0	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Blackberry	77.28	16	100.44	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Blueberry	11.88	2	21.5	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Broccoli	1,543.12	224	1,895.05	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Brussels sprout	839.76	44	906.4	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Cabbage	483.22	111	859.0	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Cannabis (all or unspecified)	25.33	30	31.2	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Cauliflower	1,756.54	261	1,916.97	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Celery	848.31	145	879.26	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Chicory	38.64	4	47.7	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Chinese cabbage (napa, wong bok, celery cabbage)	52.49	11	48.6	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Corn, human consumption	17.28	4	16.0	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Grape, wine	551.24	43	639.71	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Kale	126.84	25	152.11	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Landscape maintenance	5.97	N/A	N/A	N/A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Lettuce, head	81.73	15	142.1	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Lettuce, leaf	358.0	93	554.23	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Mustard greens	2.38	2	4.4	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	N-grnhs flower	4.86	4	1.94	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	N-grnhs flower	0.05	1	5,625.0	S
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	N-grnhs plants in containers	54.95	33	45.14	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	N-grnhs plants in containers	5.7	37	150,365.0	S
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	N-grnhs transplants	263.88	1,877	486.12	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	N-outdr flower	97.74	77	102.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	N-outdr plants in containers	24.72	5	11.25	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	N-outdr plants in containers	3.15	6	47,560.0	S
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	N-outdr transplants	10.73	12	40.0	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	N-outdr transplants	2.36	2	73,725.0	S
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Radicchio	19.58	2	27.5	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Radish	0.09	1	0.16	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Raspberry	387.01	26	380.44	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Spinach	23.25	6	37.3	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Strawberry	4,729.67	308	6,512.13	A
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Structural pest control	0.27	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Swiss chard	16.75	4	15.76	A
Bacillus thuringiensis, subsp. kurstaki, strain hd-1	N-grnhs plants in containers	0.03	1	10,560.0	S
Bacillus thuringiensis, subsp. kurstaki, strain hd-1	Strawberry	11.95	7	150.0	A
Beauveria bassiana strain ant-03	Cannabis (all or unspecified)	13.29	41	23.1	A
Beauveria bassiana strain ant-03	Cannabis (all or unspecified)	18.02	97	1,037,606.0	S
Beauveria bassiana strain gha	Broccoli	11.6	8	53.0	A
Beauveria bassiana strain gha	Cabbage	2.19	2	10.0	A
Beauveria bassiana strain gha	Cannabis (all or unspecified)	3.47	6	5.24	A
Beauveria bassiana strain gha	Cannabis (all or unspecified)	41.29	146	1,804,681.0	S
Beauveria bassiana strain gha	Cauliflower	27.67	23	126.5	A
Beauveria bassiana strain gha	N-grnhs flower	0.41	5	27,750.0	S
Beauveria bassiana strain gha	N-grnhs plants in containers	<0.01	1	84.0	C
Beauveria bassiana strain gha	N-grnhs plants in containers	0.64	7	86,000.0	S
Beauveria bassiana strain gha	N-outdr plants in containers	0.25	4	30,000.0	S
Beauveria bassiana strain gha	Research commodity	0.1	N/A	N/A	N/A
Beauveria bassiana strain gha	Strawberry	561.77	145	2,338.78	A
Beauveria bassiana strain gha	Structural pest control	0.05	N/A	N/A	N/A
Beauveria bassiana strain gha	Swiss chard	1.75	1	8.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Beauveria bassiana strain ppri 5339	Cannabis (all or unspecified)	4.93	53	46.92	A
Beauveria bassiana strain ppri 5339	Cannabis (all or unspecified)	17.23	178	1,445,400.0	S
Benefin	Lettuce, head	134.49	23	295.2	A
Benefin	Lettuce, leaf	220.43	44	433.2	A
Bensulide	Arugula	6,756.81	280	1,680.68	A
Bensulide	Bok choy (choy sum, pak choi)	34.88	7	15.65	A
Bensulide	Broccoli	28,357.52	876	8,700.76	A
Bensulide	Brussels sprout	334.21	10	115.5	A
Bensulide	Cabbage	3,847.33	120	967.23	A
Bensulide	Cauliflower	2,623.49	67	667.34	A
Bensulide	Chinese cabbage (napa, wong bok, celery cabbage)	8.33	1	4.2	A
Bensulide	Cress, garden	11.9	1	2.4	A
Bensulide	Cucumber	360.07	19	125.53	A
Bensulide	Endive (escarole)	675.79	69	183.98	A
Bensulide	Kale	2,083.11	239	506.0	A
Bensulide	Kohlrabi	3.17	1	0.8	A
Bensulide	Landscape maintenance	190.39	N/A	N/A	N/A
Bensulide	Lettuce, head	30,415.3	959	9,498.48	A
Bensulide	Lettuce, leaf	79,785.37	2,952	22,701.01	A
Bensulide	Mizuna	407.18	108	105.48	A
Bensulide	Mustard greens	261.36	41	82.57	A
Bensulide	Onion, dry	53.54	1	18.0	A
Bensulide	Pumpkin	69.64	6	19.29	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bensulide	Radicchio	176.48	9	44.5	A
Bensulide	Rapini	869.72	19	292.6	A
Bensulide	Research commodity	36.61	N/A	N/A	N/A
Bensulide	Squash	112.65	11	45.1	A
Bensulide	Squash, summer	47.83	5	24.13	A
Bensulide	Upland cress	525.71	54	127.1	A
Bensulide	Watermelon	11.9	1	3.0	A
Bentazon, sodium salt	Bean, dried	235.49	16	214.5	A
Bentazon, sodium salt	Bean, succulent	422.16	26	318.12	A
Bentazon, sodium salt	Bean, unspecified	151.49	26	120.55	A
Bentazon, sodium salt	Peas	3,084.53	287	2,439.66	A
Benzenesulfonic acid, c10-16-alkyl derivatives	Lettuce, head	9.43	27	296.5	A
Benzenesulfonic acid, c10-16-alkyl derivatives	Lettuce, leaf	11.15	31	353.5	A
Benzenesulfonic acid, c10-16-alkyl derivatives	N-outdr flower	0.32	3	16.89	A
Benzenesulfonic acid, c10-16-alkyl derivatives	Research commodity	0.09	N/A	N/A	N/A
Benzenesulfonic acid, c10-16-alkyl derivatives	Strawberry	242.48	188	2,615.36	A
Benzoic acid	Alfalfa	0.91	26	159.7	A
Benzoic acid	Artichoke, globe	5.6	107	1,657.4	A
Benzoic acid	Arugula	39.21	118	1,005.91	A
Benzoic acid	Bean, dried	4.76	22	321.5	A
Benzoic acid	Bean, succulent	0.5	6	84.45	A
Benzoic acid	Bean, unspecified	1.33	45	186.15	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Benzoic acid	Bok choy (choy sum, pak choi)	0.22	11	29.85	A
Benzoic acid	Broccoli	47.23	915	7,530.53	A
Benzoic acid	Brussels sprout	10.47	93	1,413.6	A
Benzoic acid	Cabbage	2.95	65	568.9	A
Benzoic acid	Cardoon	0.14	4	24.0	A
Benzoic acid	Carrot	7.58	133	2,046.0	A
Benzoic acid	Cauliflower	21.7	600	4,687.27	A
Benzoic acid	Celery	23.6	572	4,179.85	A
Benzoic acid	Cilantro	0.42	13	103.0	A
Benzoic acid	Cress, garden	0.1	1	2.4	A
Benzoic acid	Cucumber	0.28	7	49.84	A
Benzoic acid	Endive (escarole)	0.65	4	15.0	A
Benzoic acid	Fennel	1.63	71	286.7	A
Benzoic acid	Garlic	0.13	2	24.1	A
Benzoic acid	Grape, wine	0.74	16	135.3	A
Benzoic acid	Kale	7.09	71	174.2	A
Benzoic acid	Landscape maintenance	0.49	N/A	N/A	N/A
Benzoic acid	Lettuce, head	96.96	859	9,053.06	A
Benzoic acid	Lettuce, leaf	203.88	2,255	15,032.11	A
Benzoic acid	Mizuna	0.73	24	17.65	A
Benzoic acid	Mustard greens	<0.01	2	0.25	A
Benzoic acid	Oat	0.72	5	66.9	A
Benzoic acid	Onion, dry	1.47	16	334.2	A
Benzoic acid	Peas	11.58	253	2,068.23	A
Benzoic acid	Radicchio	0.54	5	95.0	A
Benzoic acid	Rights of way	30.84	N/A	N/A	N/A
Benzoic acid	Rye	0.23	9	39.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Benzoic acid	Spinach	52.78	296	2,511.77	A
Benzoic acid	Squash	0.13	6	23.5	A
Benzoic acid	Sunflower	1.06	6	49.2	A
Benzoic acid	Tomato	2.9	30	509.2	A
Benzoic acid	Triticale	0.83	9	145.1	A
Benzoic acid	Uncultivated ag	85.13	668	6,277.8	A
Benzoic acid	Uncultivated non-ag	0.1	1	18.0	A
Benzoic acid	Upland cress	5.0	54	127.1	A
Benzoic acid	Water area	0.74	7	24.0	A
Benzovindiflupyr	Garlic	2.14	1	38.5	A
Benzovindiflupyr	Golf course turf	3.39	N/A	50.5	A
Benzovindiflupyr	Landscape maintenance	0.9	N/A	N/A	N/A
Benzovindiflupyr	N-grnhs plants in containers	3.13	9	17.83	A
Benzovindiflupyr	N-outdr plants in containers	19.0	9	29.63	A
Beta-conglutin	Grape, wine	1,842.12	193	4,200.27	A
Beta-conglutin	Strawberry	753.97	65	1,366.39	A
Beta-cyfluthrin	Alfalfa	0.89	3	38.0	A
Beta-cyfluthrin	Arugula	0.68	18	22.4	A
Beta-cyfluthrin	Bean, succulent	0.74	2	27.4	A
Beta-cyfluthrin	Bean, unspecified	1.71	5	62.9	A
Beta-cyfluthrin	Bok choy (choy sum, pak choi)	1.09	10	40.17	A
Beta-cyfluthrin	Broccoli	85.5	284	3,263.18	A
Beta-cyfluthrin	Brussels sprout	6.65	27	246.7	A
Beta-cyfluthrin	Cabbage	11.64	42	434.2	A
Beta-cyfluthrin	Cauliflower	37.59	157	1,417.01	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Beta-cyfluthrin	Celery	7.27	36	272.51	A
Beta-cyfluthrin	Chinese cabbage (napa, wong bok, celery cabbage)	0.94	7	34.93	A
Beta-cyfluthrin	Collard	0.47	10	17.7	A
Beta-cyfluthrin	Endive (escarole)	2.53	22	94.3	A
Beta-cyfluthrin	Kale	15.07	107	557.22	A
Beta-cyfluthrin	Landscape maintenance	3.55	N/A	N/A	N/A
Beta-cyfluthrin	Lemon	5.66	10	197.0	A
Beta-cyfluthrin	Lettuce, head	61.58	200	2,408.98	A
Beta-cyfluthrin	Lettuce, leaf	143.86	461	5,708.35	A
Beta-cyfluthrin	Mustard greens	0.13	11	5.5	A
Beta-cyfluthrin	Parsley	1.03	4	38.0	A
Beta-cyfluthrin	Pepper, fruiting	0.82	5	35.0	A
Beta-cyfluthrin	Radish	0.06	1	2.57	A
Beta-cyfluthrin	Rapini	34.84	76	1,349.2	A
Beta-cyfluthrin	Regulatory pest control	0.23	N/A	N/A	N/A
Beta-cyfluthrin	Spinach	16.61	120	615.98	A
Beta-cyfluthrin	Structural pest control	23.49	N/A	N/A	N/A
Beta-cyfluthrin	Swiss chard	4.83	41	179.99	A
Beta-cyfluthrin	Turnip	0.02	2	1.0	A
Beta-cyfluthrin	Turnip greens	0.12	10	5.0	A
Beta-cyfluthrin	Walnut	2.22	1	100.0	A
Bifenazate	Blackberry	34.24	19	68.46	A
Bifenazate	Grape, wine	99.88	1	199.96	A
Bifenazate	N-grnhs flower	4.2	11	568,778.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bifenazate	N-grnhs plants in containers	13.08	13	34.81	A
Bifenazate	N-grnhs plants in containers	3.12	43	829,384.0	S
Bifenazate	N-outdr flower	5.33	43	52.0	A
Bifenazate	N-outdr plants in containers	12.05	2	7.95	A
Bifenazate	Raspberry	105.16	12	210.31	A
Bifenazate	Research commodity	0.7	N/A	N/A	N/A
Bifenazate	Strawberry	5,962.3	554	12,167.84	A
Bifenthrin	Artichoke, globe	363.17	248	3,652.03	A
Bifenthrin	Bean, dried	5.0	5	50.0	A
Bifenthrin	Blackberry	2.48	4	24.77	A
Bifenthrin	Broccoli	846.35	745	8,609.88	A
Bifenthrin	Brussels sprout	205.75	97	2,067.1	A
Bifenthrin	Cabbage	136.45	147	1,387.78	A
Bifenthrin	Cannabis (all or unspecified)	0.07	4	4,064.0	S
Bifenthrin	Carrot	7.5	4	80.0	A
Bifenthrin	Cauliflower	342.74	361	3,454.9	A
Bifenthrin	Celery	344.04	410	3,474.35	A
Bifenthrin	Cucumber	2.33	5	39.5	A
Bifenthrin	Fennel	27.31	22	279.0	A
Bifenthrin	Kale	58.66	91	591.85	A
Bifenthrin	Kohlrabi	0.16	1	1.6	A
Bifenthrin	Landscape maintenance	37.12	N/A	N/A	N/A
Bifenthrin	Lemon	29.33	4	302.01	A
Bifenthrin	Lettuce, head	205.29	150	2,082.5	A
Bifenthrin	N-grnhs flower	0.58	18	260,572.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bifenthrin	N-grnhs flower	0.06	1	40,000.0	U
Bifenthrin	N-grnhs plants in containers	1.82	18	19.68	A
Bifenthrin	N-grnhs plants in containers	11.77	99	2,735,997.0	S
Bifenthrin	N-grnhs transplants	0.08	1	0.75	A
Bifenthrin	N-outdr flower	3.68	15	45.89	A
Bifenthrin	N-outdr transplants	0.88	6	17.5	A
Bifenthrin	Peas	64.29	58	657.6	A
Bifenthrin	Radish	0.03	2	0.32	A
Bifenthrin	Rapini	145.47	77	1,480.9	A
Bifenthrin	Raspberry	4.46	3	44.57	A
Bifenthrin	Research commodity	0.34	N/A	N/A	N/A
Bifenthrin	Squash, summer	0.1	1	1.0	A
Bifenthrin	Strawberry	2,510.65	781	21,397.84	A
Bifenthrin	Structural pest control	174.69	N/A	N/A	N/A
Bifenthrin	Swiss chard	8.14	17	82.18	A
Bifenthrin	Tomato	17.44	15	174.8	A
Borax	Rights of way	428.03	N/A	N/A	N/A
Borax	Strawberry	204.81	96	3,378.43	A
Borax	Structural pest control	13.64	N/A	N/A	N/A
Boric acid	Landscape maintenance	97.28	N/A	N/A	N/A
Boric acid	Structural pest control	7,657.48	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Boscalid	Blackberry	14.33	15	39.54	A
Boscalid	Broccoli	537.68	150	1,411.8	A
Boscalid	Brussels sprout	53.39	10	135.6	A
Boscalid	Carrot	123.28	20	424.85	A
Boscalid	Cauliflower	232.05	74	607.45	A
Boscalid	Celery	141.32	32	358.9	A
Boscalid	Grape, wine	10,043.65	688	31,871.66	A
Boscalid	Landscape maintenance	2.24	N/A	N/A	N/A
Boscalid	Lettuce, head	6,955.8	1,529	16,455.8	A
Boscalid	Lettuce, leaf	10,204.8	2,358	23,353.16	A
Boscalid	N-grnhs plants in containers	100.42	156	251.91	A
Boscalid	N-grnhs plants in containers	0.01	1	3,000.0	S
Boscalid	N-grnhs transplants	167.46	1,418	423.53	A
Boscalid	N-outdr flower	5.67	26	27.0	A
Boscalid	N-outdr plants in containers	72.59	31	69.39	A
Boscalid	N-outdr plants in containers	0.04	2	8,000.0	S
Boscalid	N-outdr transplants	0.06	1	0.5	A
Boscalid	Onion, dry	188.64	42	702.35	A
Boscalid	Radicchio	23.63	13	67.5	A
Boscalid	Raspberry	109.76	18	302.99	A
Boscalid	Research commodity	0.03	N/A	N/A	N/A
Boscalid	Strawberry	3,204.03	213	8,906.48	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Brodifacoum	Structural pest control	<0.01	N/A	N/A	N/A
Brodifacoum	Vertebrate control	<0.01	4	4.0	A
Bromadiolone	Landscape maintenance	<0.01	N/A	N/A	N/A
Bromadiolone	N-grnhs flower	<0.01	1	540,960.0	S
Bromadiolone	Structural pest control	0.06	N/A	N/A	N/A
Bromadiolone	Uncultivated ag	<0.01	1	1.0	A
Bromethalin	Landscape maintenance	0.09	N/A	N/A	N/A
Bromethalin	Structural pest control	0.9	N/A	N/A	N/A
Bromethalin	Vertebrate control	0.01	N/A	N/A	N/A
Bromoxynil heptanoate	Barley	359.97	3	1,046.0	A
Bromoxynil heptanoate	Forage hay/silage	4.65	2	13.5	A
Bromoxynil heptanoate	Garlic	48.07	14	178.3	A
Bromoxynil heptanoate	Oat	25.23	9	90.4	A
Bromoxynil heptanoate	Onion, dry	264.39	94	1,452.55	A
Bromoxynil heptanoate	Rye	14.5	10	42.2	A
Bromoxynil heptanoate	Ryegrass	79.35	29	289.0	A
Bromoxynil heptanoate	Triticale	52.58	12	188.9	A
Bromoxynil heptanoate	Uncultivated ag	8.05	3	25.1	A
Bromoxynil heptanoate	Wheat	20.65	N/A	60.0	A
Bromoxynil octanoate	Barley	373.3	3	1,046.0	A
Bromoxynil octanoate	Forage hay/silage	4.82	2	13.5	A
Bromoxynil octanoate	Garlic	49.85	14	178.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bromoxynil octanoate	Oat	132.15	21	289.5	A
Bromoxynil octanoate	Onion, dry	277.13	95	1,474.65	A
Bromoxynil octanoate	Rye	15.04	10	42.2	A
Bromoxynil octanoate	Ryegrass	82.28	29	289.0	A
Bromoxynil octanoate	Triticale	54.53	12	188.9	A
Bromoxynil octanoate	Uncultivated ag	8.34	3	25.1	A
Bromoxynil octanoate	Wheat	51.21	3	116.0	A
Buprofezin	Grape, wine	1,125.92	31	1,213.86	A
Buprofezin	N-grnhs plants in containers	1.68	8	241,000.0	S
Buprofezin	N-outdr plants in containers	6.78	2	4.19	A
Buprofezin	Research commodity	0.02	N/A	N/A	N/A
Buprofezin	Strawberry	39.17	18	101.0	A
Burkholderia rinojensis strain a396	Artichoke, globe	1,944.6	38	325.7	A
Burkholderia rinojensis strain a396	Arugula	1,067.99	47	246.74	A
Burkholderia rinojensis strain a396	Beet	30.29	2	14.0	A
Burkholderia rinojensis strain a396	Bok choy (choy sum, pak choi)	2.16	1	0.5	A
Burkholderia rinojensis strain a396	Broccoli	8,189.11	171	1,341.54	A
Burkholderia rinojensis strain a396	Cabbage	45.44	6	21.0	A
Burkholderia rinojensis strain a396	Cannabis (all or unspecified)	3,362.84	322	181.32	A
Burkholderia rinojensis strain a396	Cannabis (all or unspecified)	1,336.75	158	2,241,489.0	S
Burkholderia rinojensis strain a396	Cannabis (all or unspecified)	96.7	17	230.0	U
Burkholderia rinojensis strain a396	Cauliflower	2,834.02	87	481.82	A
Burkholderia rinojensis strain a396	Celery	1,837.73	65	383.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Burkholderia rinojensis strain a396	Chinese cabbage (napa, wong bok, celery cabbage)	1,011.38	59	178.4	A
Burkholderia rinojensis strain a396	Cilantro	251.6	18	76.63	A
Burkholderia rinojensis strain a396	Collard	36.35	25	5.56	A
Burkholderia rinojensis strain a396	Kale	316.53	13	60.7	A
Burkholderia rinojensis strain a396	Leek	582.85	14	77.16	A
Burkholderia rinojensis strain a396	Lettuce, head	691.98	25	94.0	A
Burkholderia rinojensis strain a396	Lettuce, leaf	14,307.23	335	2,347.48	A
Burkholderia rinojensis strain a396	Mizuna	396.5	25	87.61	A
Burkholderia rinojensis strain a396	Parsley	134.85	11	28.8	A
Burkholderia rinojensis strain a396	Peas	32.89	1	7.6	A
Burkholderia rinojensis strain a396	Radish	80.67	2	21.29	A
Burkholderia rinojensis strain a396	Raspberry	1,201.54	40	230.37	A
Burkholderia rinojensis strain a396	Research commodity	2.5	N/A	N/A	N/A
Burkholderia rinojensis strain a396	Spinach	1,200.41	67	277.34	A
Burkholderia rinojensis strain a396	Strawberry	13,892.11	162	2,518.96	A
Burkholderia rinojensis strain a396	Swiss chard	379.95	59	88.6	A
Burkholderia rinojensis strain a396	Tat soi (spinach mustard)	1.3	1	0.3	A
Butyl alcohol	Grape, wine	1.96	5	39.0	A
Butyl alcohol	Landscape maintenance	0.01	N/A	N/A	N/A
Butyl alcohol	Rights of way	0.11	N/A	N/A	N/A
Butyl lactate	Bean, dried	5.08	8	130.0	A
Butyl lactate	Bean, succulent	2.43	3	72.0	A
Butyl lactate	Bean, unspecified	2.38	22	83.55	A
Butyl lactate	Grape, wine	103.3	91	2,159.66	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Butyl lactate	Peas	11.23	53	398.03	A
Butyl lactate	Rights of way	146.02	N/A	N/A	N/A
Butyl lactate	Rye	3.84	10	42.2	A
Butyl lactate	Tomato	0.5	2	22.0	A
Butyl lactate	Uncultivated ag	1.14	1	5.0	A
Calcium carbonate	Water (industrial)	21,952.0	N/A	2,647.0	U
Calcium chloride	Artichoke, globe	3.85	41	172.55	A
Calcium chloride	Bean, succulent	0.33	1	34.0	A
Calcium chloride	Broccoli	7.57	36	223.49	A
Calcium chloride	Brussels sprout	0.05	1	1.0	A
Calcium chloride	Cauliflower	4.79	31	108.3	A
Calcium chloride	Lettuce, head	4.04	25	135.4	A
Calcium chloride	Lettuce, leaf	40.13	121	799.98	A
Calcium chloride	Onion, dry	0.94	1	15.0	A
Calcium chloride	Pepper, fruiting	0.94	1	15.0	A
Calcium chloride	Radicchio	0.69	1	17.5	A
Calcium chloride	Shallot	2.02	3	32.0	A
Calcium chloride	Spinach	0.18	1	3.6	A
Calcium chloride	Strawberry	2.54	1	48.0	A
Calcium chloride	Uncultivated ag	2.01	8	24.5	A
Calcium hydroxide	Lemon	3,645.07	3	674.0	A
Calcium hypochlorite	Ditch bank	3,604.0	N/A	8.19	A
Canola oil	Broccoli	8.46	1	8.7	A
Canola oil	Cannabis (all or unspecified)	2.16	2	2.0	A
Canola oil	Cannabis (all or unspecified)	1.97	4	50,580.0	S
Canola oil	Raspberry	97.55	18	120.13	A
Canola oil	Strawberry	594.77	139	576.95	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Capric acid	Blackberry	80.62	2	9.6	A
Capric acid	Broccoli	153.53	4	9.59	A
Capric acid	Brussels sprout	5.04	1	1.0	A
Capric acid	Carrot	140.75	6	22.0	A
Capric acid	Cilantro	455.05	20	81.29	A
Capric acid	Dill	41.03	1	3.8	A
Capric acid	Endive (escarole)	47.05	15	23.37	A
Capric acid	Grape, wine	2,862.74	16	348.6	A
Capric acid	Landscape maintenance	253.32	N/A	N/A	N/A
Capric acid	Lettuce, head	364.13	62	222.5	A
Capric acid	Lettuce, leaf	977.26	120	532.58	A
Capric acid	Onion, dry	75.58	1	15.0	A
Capric acid	Parsley	182.73	9	25.35	A
Capric acid	Pepper, fruiting	75.58	1	15.0	A
Capric acid	Raspberry	4,794.45	63	548.09	A
Capric acid	Rights of way	1,096.27	15	88.33	A
Capric acid	Rights of way	852.77	N/A	N/A	N/A
Capric acid	Shallot	161.23	3	32.0	A
Capric acid	Strawberry	2,967.86	19	364.12	A
Capric acid	Uncultivated ag	3,631.27	54	273.3	A
Capric acid	Uncultivated non-ag	186.24	4	11.0	A
Caprylic acid	Blackberry	118.41	2	9.6	A
Caprylic acid	Broccoli	187.93	4	9.59	A
Caprylic acid	Brussels sprout	7.4	1	1.0	A
Caprylic acid	Carrot	172.03	6	22.0	A
Caprylic acid	Cilantro	668.36	20	81.29	A
Caprylic acid	Dill	60.26	1	3.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Caprylic acid	Endive (escarole)	69.11	15	23.37	A
Caprylic acid	Grape, wine	3,827.1	16	348.6	A
Caprylic acid	Landscape maintenance	372.07	N/A	N/A	N/A
Caprylic acid	Lettuce, head	526.82	62	222.5	A
Caprylic acid	Lettuce, leaf	1,430.24	120	532.58	A
Caprylic acid	Onion, dry	111.01	1	15.0	A
Caprylic acid	Parsley	268.39	9	25.35	A
Caprylic acid	Pepper, fruiting	111.01	1	15.0	A
Caprylic acid	Raspberry	6,326.72	63	548.09	A
Caprylic acid	Rights of way	1,339.88	15	88.33	A
Caprylic acid	Rights of way	1,221.21	N/A	N/A	N/A
Caprylic acid	Shallot	236.81	3	32.0	A
Caprylic acid	Strawberry	3,678.28	19	364.12	A
Caprylic acid	Uncultivated ag	4,641.52	54	273.3	A
Caprylic acid	Uncultivated non-ag	227.63	4	11.0	A
Capsicum oleoresin	Broccoli	1.17	1	8.7	A
Capsicum oleoresin	Cannabis (all or unspecified)	0.17	16	37,031.0	S
Capsicum oleoresin	Landscape maintenance	<0.01	N/A	N/A	N/A
Capsicum oleoresin	N-grnhs plants in containers	0.09	3	1.4	A
Capsicum oleoresin	Raspberry	13.48	18	120.13	A
Capsicum oleoresin	Strawberry	83.5	140	611.95	A
Capsicum oleoresin	Structural pest control	<0.01	N/A	N/A	N/A
Captan	N-grnhs plants in containers	0.08	1	600.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Captan	Raspberry	228.14	14	109.62	A
Captan	Research commodity	1.52	N/A	N/A	N/A
Captan	Strawberry	30,010.18	614	18,007.45	A
Captan, other related	Research commodity	0.01	N/A	N/A	N/A
Captan, other related	Strawberry	83.12	124	2,273.13	A
Carbaryl	Broccoli	27.07	3	13.5	A
Carbaryl	Cabbage	223.62	17	176.7	A
Carbaryl	Cauliflower	16.04	1	8.0	A
Carbaryl	Celery	973.01	91	969.5	A
Carbaryl	Landscape maintenance	0.28	N/A	N/A	N/A
Carbaryl	Lemon	236.01	10	78.4	A
Carbaryl	Radish	468.76	86	245.61	A
Carbaryl	Rangeland	5.0	1	5.0	A
Carbaryl	Strawberry	378.6	5	190.0	A
Carbo methoxy ether cellulose, sodium salt	Cannabis (all or unspecified)	0.2	14	18.8	A
Carbo methoxy ether cellulose, sodium salt	Water area	0.02	2	7.0	A
Carbon	Landscape maintenance	0.03	N/A	N/A	N/A
Carboxin	Onion, dry	3.36	N/A	378.93	P
Carfentrazone-ethyl	Bok choy (choy sum, pak choi)	0.02	16	74.66	A
Carfentrazone-ethyl	Broccoli	0.01	1	18.42	A
Carfentrazone-ethyl	Chinese cabbage (napa, wong bok, celery cabbage)	0.04	22	122.04	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Carfentrazone-ethyl	Corn (forage - fodder)	0.41	1	14.0	A
Carfentrazone-ethyl	Corn, human consumption	1.37	3	46.0	A
Carfentrazone-ethyl	Endive (escarole)	0.01	27	70.68	A
Carfentrazone-ethyl	Golf course turf	3.57	N/A	109.4	A
Carfentrazone-ethyl	Golf course turf	0.94	N/A	714,000.0	S
Carfentrazone-ethyl	Grape, wine	406.32	770	23,599.18	A
Carfentrazone-ethyl	Landscape maintenance	42.02	N/A	N/A	N/A
Carfentrazone-ethyl	Lettuce, head	3.36	820	8,664.42	A
Carfentrazone-ethyl	Lettuce, leaf	5.72	1,723	13,170.48	A
Carfentrazone-ethyl	Pastureland	0.15	1	5.0	A
Carfentrazone-ethyl	Radish	0.45	4	15.5	A
Carfentrazone-ethyl	Raspberry	37.52	18	454.63	A
Carfentrazone-ethyl	Rights of way	0.1	N/A	N/A	N/A
Carfentrazone-ethyl	Rye	0.62	10	42.2	A
Carfentrazone-ethyl	Ryegrass	3.79	25	257.5	A
Carfentrazone-ethyl	Strawberry	41.68	41	1,521.8	A
Carfentrazone-ethyl	Triticale	0.66	3	43.8	A
Carfentrazone-ethyl	Uncultivated ag	60.49	255	2,229.91	A
Carfentrazone-ethyl	Uncultivated non-ag	1.39	8	61.8	A
Carfentrazone-ethyl	Wheat	0.17	1	24.0	A
Castor oil ethoxylate	Grape, wine	229.5	96	4,343.26	A
Castor oil ethoxylate	Water area	11.7	8	34.0	A
Chlorantraniliprole	Artichoke, globe	373.85	240	3,402.45	A
Chlorantraniliprole	Arugula	78.76	109	933.01	A
Chlorantraniliprole	Broccoli	142.38	167	1,620.4	A
Chlorantraniliprole	Brussels sprout	59.05	35	466.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chlorantraniliprole	Cabbage	52.42	56	687.5	A
Chlorantraniliprole	Cardoon	0.48	1	4.8	A
Chlorantraniliprole	Cauliflower	39.69	48	555.7	A
Chlorantraniliprole	Celery	745.08	1,165	8,684.5	A
Chlorantraniliprole	Corn, human consumption	0.31	1	2.1	A
Chlorantraniliprole	Endive (escarole)	2.27	37	34.25	A
Chlorantraniliprole	Golf course turf	13.12	N/A	90.0	A
Chlorantraniliprole	Kale	3.57	17	42.5	A
Chlorantraniliprole	Landscape maintenance	41.3	N/A	N/A	N/A
Chlorantraniliprole	Lettuce, head	412.62	648	6,075.4	A
Chlorantraniliprole	Lettuce, leaf	500.93	928	7,657.2	A
Chlorantraniliprole	Mizuna	0.4	6	5.1	A
Chlorantraniliprole	Onion, dry	2.06	1	20.6	A
Chlorantraniliprole	Peas	245.79	250	2,505.75	A
Chlorantraniliprole	Pepper, fruiting	3.93	6	56.16	A
Chlorantraniliprole	Radish	11.27	44	117.12	A
Chlorantraniliprole	Research commodity	0.42	N/A	N/A	N/A
Chlorantraniliprole	Spinach	374.89	392	3,485.68	A
Chlorantraniliprole	Strawberry	78.6	32	1,245.74	A
Chlorantraniliprole	Structural pest control	10.23	N/A	N/A	N/A
Chlorantraniliprole	Swiss chard	11.57	38	122.59	A
Chlorantraniliprole	Tomato	90.32	53	720.3	A
Chlorantraniliprole	Upland cress	1.31	6	14.1	A
Chlorantraniliprole	Walnut	8.75	1	100.0	A
Chlorfenapyr	N-grnhs flower	9.93	22	1,090,429.5	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chlorfenapyr	N-grnhs plants in containers	1.7	6	10.3	A
Chlorfenapyr	N-grnhs plants in containers	2.93	36	1,021,000.0	S
Chlorfenapyr	N-outdr plants in containers	0.15	7	29,000.0	S
Chlorfenapyr	Research commodity	0.02	N/A	N/A	N/A
Chlorfenapyr	Structural pest control	21.45	N/A	N/A	N/A
Chlorine	Water (industrial)	169,199.75	N/A	20,734.0	U
Chlorine dioxide	Structural pest control	<0.01	N/A	N/A	N/A
Chlormequat chloride	N-grnhs flower	7.16	4	7.67	A
Chlormequat chloride	N-grnhs flower	0.04	15	900.0	S
Chlormequat chloride	N-grnhs plants in containers	108.12	28	64.72	A
Chlormequat chloride	N-outdr plants in containers	18.61	7	12.12	A
Chlorophacinone	Artichoke, globe	0.29	13	161.2	A
Chlorophacinone	Landscape maintenance	0.03	N/A	N/A	N/A
Chlorophacinone	Rangeland	0.04	9	450.0	A
Chlorophacinone	Structural pest control	<0.01	N/A	N/A	N/A
Chlorophacinone	Uncultivated ag	0.1	70	800.0	A
Chlorophacinone	Vertebrate control	0.65	N/A	N/A	N/A
Chloropicrin	N-outdr flower	310.18	1	1.0	A
Chloropicrin	Raspberry	56,540.64	11	212.73	A
Chloropicrin	Strawberry	2,133,111.88	533	9,083.12	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chloropicrin	Structural pest control	2.55	N/A	N/A	N/A
Chlorothalonil	Broccoli	3,526.95	296	3,101.52	A
Chlorothalonil	Brussels sprout	1,544.36	99	1,310.3	A
Chlorothalonil	Cabbage	444.21	53	510.96	A
Chlorothalonil	Carrot	311.43	22	286.4	A
Chlorothalonil	Cauliflower	1,224.06	108	1,042.88	A
Chlorothalonil	Celery	7,325.81	660	5,360.74	A
Chlorothalonil	Chinese cabbage (napa, wong bok, celery cabbage)	44.34	6	29.6	A
Chlorothalonil	Golf course turf	676.24	N/A	77.7	A
Chlorothalonil	Golf course turf	32.46	N/A	154,000.0	S
Chlorothalonil	Landscape maintenance	4,738.81	N/A	N/A	N/A
Chlorothalonil	N-grnhs flower	3.19	10	41,400.0	S
Chlorothalonil	N-grnhs plants in containers	143.88	42	57.73	A
Chlorothalonil	N-grnhs plants in containers	0.58	3	11,200.0	S
Chlorothalonil	N-grnhs transplants	110.2	207	58.94	A
Chlorothalonil	N-outdr plants in containers	216.33	19	35.53	A
Chlorothalonil	N-outdr plants in containers	1.02	5	20,000.0	S
Chlorothalonil	N-outdr transplants	46.37	17	38.8	A
Chlorothalonil	N-outdr transplants	4.72	5	181,785.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chlorothalonil	Onion, dry	2,562.99	143	2,501.1	A
Chlorothalonil	Pumpkin	7.19	2	4.8	A
Chlorothalonil	Tomato	3,859.4	154	2,291.4	A
Chlorsulfuron	Barley	9.22	2	983.0	A
Chlorsulfuron	Rights of way	13.67	N/A	N/A	N/A
Chlorsulfuron	Uncultivated ag	2.91	1	4.0	A
Chlorthal-dimethyl	Bok choy (choy sum, pak choi)	591.77	34	136.97	A
Chlorthal-dimethyl	Broccoli	52,709.79	1,718	16,679.63	A
Chlorthal-dimethyl	Brussels sprout	2,021.99	60	734.8	A
Chlorthal-dimethyl	Cabbage	1,495.85	62	423.32	A
Chlorthal-dimethyl	Cauliflower	4,275.86	210	1,424.9	A
Chlorthal-dimethyl	Chinese cabbage (napa, wong bok, celery cabbage)	893.52	35	191.94	A
Chlorthal-dimethyl	Kale	448.15	31	162.16	A
Chlorthal-dimethyl	Kohlrabi	148.46	49	39.5	A
Chlorthal-dimethyl	Leek	760.0	21	125.88	A
Chlorthal-dimethyl	Mustard greens	0.57	1	0.12	A
Chlorthal-dimethyl	Onion, dry	8,293.53	91	1,367.42	A
Chlorthal-dimethyl	Radish	1,435.05	112	277.25	A
Chlorthal-dimethyl	Rapini	6,215.24	114	1,463.9	A
Chlorthal-dimethyl	Research commodity	2.26	N/A	N/A	N/A
Chlorthal-dimethyl	Uncultivated ag	23.57	3	26.3	A
Cholecalciferol	Landscape maintenance	<0.01	N/A	N/A	N/A
Cholecalciferol	Structural pest control	8.87	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cholecalciferol	Vertebrate control	0.04	N/A	N/A	N/A
Chromobacterium subtsugae strain praa4-1	Artichoke, globe	154.29	27	193.6	A
Chromobacterium subtsugae strain praa4-1	Arugula	5.59	7	19.82	A
Chromobacterium subtsugae strain praa4-1	Asparagus	3.3	1	5.5	A
Chromobacterium subtsugae strain praa4-1	Beet	7.2	2	12.0	A
Chromobacterium subtsugae strain praa4-1	Blackberry	110.94	25	148.45	A
Chromobacterium subtsugae strain praa4-1	Blueberry	37.8	2	42.0	A
Chromobacterium subtsugae strain praa4-1	Bok choy (choy sum, pak choi)	0.32	2	0.34	A
Chromobacterium subtsugae strain praa4-1	Broccoli	670.34	89	1,101.75	A
Chromobacterium subtsugae strain praa4-1	Cabbage	61.2	10	115.95	A
Chromobacterium subtsugae strain praa4-1	Cannabis (all or unspecified)	126.77	127	79.16	A
Chromobacterium subtsugae strain praa4-1	Cannabis (all or unspecified)	56.61	122	1,520,069.0	S
Chromobacterium subtsugae strain praa4-1	Cauliflower	135.22	30	193.79	A
Chromobacterium subtsugae strain praa4-1	Celery	186.65	23	331.0	A
Chromobacterium subtsugae strain praa4-1	Cilantro	29.81	9	49.69	A
Chromobacterium subtsugae strain praa4-1	Corn, human consumption	9.9	3	11.0	A
Chromobacterium subtsugae strain praa4-1	Fava bean	7.2	1	8.0	A
Chromobacterium subtsugae strain praa4-1	Kale	0.66	4	1.87	A
Chromobacterium subtsugae strain praa4-1	Lettuce, head	135.9	55	322.3	A
Chromobacterium subtsugae strain praa4-1	Lettuce, leaf	332.59	82	578.07	A
Chromobacterium subtsugae strain praa4-1	N-grnhs plants in containers	1.2	2	1.28	A
Chromobacterium subtsugae strain praa4-1	Parsley	12.84	4	21.4	A
Chromobacterium subtsugae strain praa4-1	Raspberry	172.92	28	220.83	A
Chromobacterium subtsugae strain praa4-1	Spinach	19.2	5	29.5	A
Chromobacterium subtsugae strain praa4-1	Strawberry	6,253.01	514	7,546.44	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cinnamaldehyde	Grape, wine	177.95	7	493.52	A
Cinnamaldehyde	Strawberry	13.8	1	28.24	A
Citric acid	Alfalfa	6.02	1	85.0	A
Citric acid	Artichoke, globe	69.83	203	2,649.15	A
Citric acid	Bean, succulent	0.93	1	34.0	A
Citric acid	Blackberry	2.79	1	6.9	A
Citric acid	Broccoli	1,188.51	1,191	13,209.07	A
Citric acid	Brussels sprout	460.16	415	7,527.32	A
Citric acid	Cabbage	143.07	125	1,151.8	A
Citric acid	Cauliflower	526.66	679	5,995.3	A
Citric acid	Celery	21.0	64	416.95	A
Citric acid	Corn, human consumption	1.05	1	24.0	A
Citric acid	Grape, wine	1,052.51	848	17,743.01	A
Citric acid	Landscape maintenance	0.66	N/A	N/A	N/A
Citric acid	Lemon	59.41	17	732.09	A
Citric acid	Lettuce, head	78.94	295	2,563.7	A
Citric acid	Lettuce, leaf	212.2	615	4,440.43	A
Citric acid	N-outdr flower	0.06	3	16.89	A
Citric acid	Onion, dry	2.61	1	15.0	A
Citric acid	Pepper, fruiting	2.61	1	15.0	A
Citric acid	Radicchio	1.91	1	17.5	A
Citric acid	Rangeland	1.29	1	200.0	A
Citric acid	Rapini	48.69	26	607.6	A
Citric acid	Raspberry	343.36	24	218.39	A
Citric acid	Research commodity	0.26	N/A	N/A	N/A
Citric acid	Rights of way	0.03	N/A	N/A	N/A
Citric acid	Ryegrass	2.34	14	144.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Citric acid	Shallot	5.6	3	32.0	A
Citric acid	Spinach	0.49	1	3.6	A
Citric acid	Strawberry	1,558.04	479	3,994.66	A
Citric acid	Tomato	4.36	28	391.1	A
Citric acid	Uncultivated ag	290.1	252	2,730.3	A
Citric acid	Uncultivated non-ag	7.91	5	481.0	A
Clarified hydrophobic extract of neem oil	Cannabis (all or unspecified)	2,116.29	199	1,270.0	A
Clarified hydrophobic extract of neem oil	Cannabis (all or unspecified)	1,962.11	394	4,457,541.0	S
Clarified hydrophobic extract of neem oil	Landscape maintenance	0.63	N/A	N/A	N/A
Clarified hydrophobic extract of neem oil	Lettuce, leaf	1.91	2	1.0	A
Clarified hydrophobic extract of neem oil	N-grnhs flower	5.37	8	14,250.0	S
Clarified hydrophobic extract of neem oil	Raspberry	111.0	6	38.71	A
Clarified hydrophobic extract of neem oil	Strawberry	82.15	5	29.0	A
Clethodim	Alfalfa	27.08	2	103.0	A
Clethodim	Broccoli	1.84	2	15.0	A
Clethodim	Grape, wine	12.78	3	196.52	A
Clethodim	Landscape maintenance	0.22	N/A	N/A	N/A
Clethodim	Lettuce, leaf	0.26	1	3.5	A
Clethodim	Peas	0.49	4	3.5	A
Clethodim	Raspberry	7.09	4	73.45	A
Clethodim	Strawberry	55.68	10	459.6	A
Clethodim	Uncultivated ag	0.85	1	7.0	A
Clethodim	Uncultivated non-ag	0.48	1	2.0	A
Clonostachys rosea strain j1446	Lettuce, head	0.37	1	2.0	A
Clopyralid, monoethanolamine salt	Golf course turf	0.01	N/A	1,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Clopyralid, monoethanolamine salt	Landscape maintenance	33.9	N/A	N/A	N/A
Clopyralid, monoethanolamine salt	Rights of way	62.66	N/A	N/A	N/A
Clopyralid, monoethanolamine salt	Vertebrate control	24.08	N/A	N/A	N/A
Clopyralid, triethylamine salt	Landscape maintenance	1.08	N/A	N/A	N/A
Clothianidin	Bok choy (choy sum, pak choi)	26.73	36	152.07	A
Clothianidin	Broccoli	814.24	472	5,220.31	A
Clothianidin	Broccoli	2,456.96	N/A	10,895.55	P
Clothianidin	Brussels sprout	71.55	34	512.1	A
Clothianidin	Cabbage	52.81	41	331.72	A
Clothianidin	Cauliflower	61.64	67	433.3	A
Clothianidin	Celery	1.98	3	19.8	A
Clothianidin	Chinese cabbage (napa, wong bok, celery cabbage)	54.0	91	399.67	A
Clothianidin	Cucumber	0.4	1	2.7	A
Clothianidin	Endive (escarole)	3.81	12	57.5	A
Clothianidin	Grape, wine	2,234.18	118	11,125.54	A
Clothianidin	Kale	5.69	7	85.55	A
Clothianidin	Landscape maintenance	3.46	N/A	N/A	N/A
Clothianidin	Lettuce, head	170.77	122	1,358.4	A
Clothianidin	Lettuce, leaf	334.9	319	3,433.95	A
Clothianidin	Lettuce, leaf	1,581.38	N/A	7,400.88	P
Clothianidin	N-grnhs plants in containers	5.11	42	49.46	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Clothianidin	N-grnhs transplants	27.76	486	139.22	A
Clothianidin	N-outdr transplants	1.75	7	17.75	A
Clothianidin	N-outdr transplants	0.02	1	9,990.0	S
Clothianidin	Onion, dry	45.03	N/A	2,240.43	P
Clothianidin	Parsley	5.28	5	53.0	A
Clothianidin	Research commodity	2.87	23	44.5	A
Clothianidin	Research commodity	0.06	N/A	N/A	N/A
Clothianidin	Spinach	48.0	38	359.7	A
Clothianidin	Squash	0.3	1	2.0	A
Clothianidin	Structural pest control	0.68	N/A	N/A	N/A
Coconut diethanolamide	Broccoli	0.14	1	17.3	A
Coconut diethanolamide	Cabbage	0.23	3	28.6	A
Coconut diethanolamide	Grape, wine	227.66	18	743.08	A
Coconut diethanolamide	Lettuce, head	0.47	7	59.3	A
Coconut diethanolamide	Lettuce, leaf	0.62	9	87.1	A
Coconut diethanolamide	N-grnhs flower	0.06	35	107,775.0	S
Coconut diethanolamide	Strawberry	41.21	118	1,209.0	A
Coniothyrium minitans strain con/m/91-08	Broccoli	9.6	8	69.6	A
Coniothyrium minitans strain con/m/91-08	Cauliflower	4.92	4	37.7	A
Coniothyrium minitans strain con/m/91-08	Lettuce, head	25.53	20	137.59	A
Coniothyrium minitans strain con/m/91-08	Lettuce, leaf	40.18	32	248.19	A
Coniothyrium minitans strain con/m/91-08	Uncultivated ag	2.72	2	25.7	A
Copper carbonate, basic	Rights of way	13.5	N/A	N/A	N/A
Copper diammonium diacetate complex	Landscape maintenance	2.22	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Copper ethanolamine complexes, mixed	Landscape maintenance	54.26	N/A	N/A	N/A
Copper ethanolamine complexes, mixed	Uncultivated ag	16.58	2	3.0	A
Copper ethanolamine complexes, mixed	Water area	148.26	18	27.58	A
Copper ethylenediamine complex	Landscape maintenance	0.13	N/A	N/A	N/A
Copper hydroxide	Blackberry	12.72	1	10.6	A
Copper hydroxide	Broccoli	52.48	17	161.97	A
Copper hydroxide	Brussels sprout	13.84	4	40.0	A
Copper hydroxide	Cabbage	30.6	10	94.15	A
Copper hydroxide	Cauliflower	99.03	22	285.4	A
Copper hydroxide	Celery	1,838.43	509	3,802.01	A
Copper hydroxide	Cilantro	19.87	20	61.64	A
Copper hydroxide	Cucumber	69.07	N/A	9,974.77	P
Copper hydroxide	Grape, wine	14,262.51	598	34,069.91	A
Copper hydroxide	Kale	1.02	2	4.75	A
Copper hydroxide	Landscape maintenance	1.23	N/A	N/A	N/A
Copper hydroxide	Leek	35.98	16	69.74	A
Copper hydroxide	Lemon	387.91	6	305.8	A
Copper hydroxide	Lettuce, head	14.95	3	26.7	A
Copper hydroxide	Lettuce, leaf	333.8	111	977.3	A
Copper hydroxide	Mustard greens	1.73	1	5.0	A
Copper hydroxide	N-grnhs plants in containers	5.65	14	15.77	A
Copper hydroxide	N-grnhs transplants	430.9	1,959	627.48	A
Copper hydroxide	N-outdr plants in containers	0.08	1	0.72	A
Copper hydroxide	N-outdr transplants	35.72	29	80.96	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Copper hydroxide	N-outdr transplants	27.7	32	1,566,927.0	S
Copper hydroxide	Onion, dry	1,612.58	148	2,612.8	A
Copper hydroxide	Parsley	19.83	16	95.7	A
Copper hydroxide	Peas	50.93	7	88.4	A
Copper hydroxide	Rights of way	6.2	N/A	N/A	N/A
Copper hydroxide	Spinach	29.52	2	24.6	A
Copper hydroxide	Spinach	1,104.39	N/A	156,262.55	P
Copper hydroxide	Swiss chard	11.67	21	54.85	A
Copper hydroxide	Tomato	324.58	30	538.3	A
Copper hydroxide	Walnut	2,203.11	4	455.0	A
Copper octanoate	Artichoke, globe	162.26	53	353.3	A
Copper octanoate	Beet	14.18	6	40.0	A
Copper octanoate	Blackberry	40.02	5	27.0	A
Copper octanoate	Broccoli	545.67	141	1,437.5	A
Copper octanoate	Brussels sprout	8.21	1	19.7	A
Copper octanoate	Cabbage	64.76	27	144.56	A
Copper octanoate	Cauliflower	11.99	4	30.0	A
Copper octanoate	Celery	1,364.88	265	1,967.7	A
Copper octanoate	Chicory	32.94	7	79.0	A
Copper octanoate	Cilantro	240.82	61	191.82	A
Copper octanoate	Grape, wine	565.85	74	732.43	A
Copper octanoate	Kale	1.58	1	1.9	A
Copper octanoate	Landscape maintenance	1.69	N/A	N/A	N/A
Copper octanoate	Leek	238.01	29	197.48	A
Copper octanoate	Lettuce, head	99.8	71	151.99	A
Copper octanoate	Lettuce, leaf	207.87	68	325.91	A
Copper octanoate	Mustard greens	7.75	2	9.3	A
Copper octanoate	N-grnhs flower	3.4	16	29,137.5	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Copper octanoate	N-grnhs plants in containers	80.49	55	74.14	A
Copper octanoate	N-grnhs transplants	93.52	414	114.05	A
Copper octanoate	N-outdr plants in containers	11.82	6	7.79	A
Copper octanoate	N-outdr transplants	7.88	55	41.87	A
Copper octanoate	N-outdr transplants	6.58	16	687,339.0	S
Copper octanoate	Parsley	55.62	13	44.9	A
Copper octanoate	Peas	10.54	4	12.64	A
Copper octanoate	Raspberry	32.52	6	21.0	A
Copper octanoate	Research commodity	1.2	6	1.64	A
Copper octanoate	Spinach	173.6	59	308.62	A
Copper octanoate	Strawberry	396.51	27	502.36	A
Copper octanoate	Swiss chard	18.5	29	77.89	A
Copper oxychloride	Broccoli	10.2	2	23.8	A
Copper oxychloride	Cauliflower	3.56	1	8.3	A
Copper oxychloride	Celery	752.23	178	1,232.96	A
Copper oxychloride	Cilantro	22.03	20	61.64	A
Copper oxychloride	Grape, wine	492.19	5	688.76	A
Copper oxychloride	Kale	1.13	2	4.75	A
Copper oxychloride	Leek	39.88	16	69.74	A
Copper oxychloride	Lettuce, leaf	108.96	43	442.3	A
Copper oxychloride	Parsley	21.98	16	95.7	A
Copper oxychloride	Swiss chard	12.93	21	54.85	A
Copper sulfate (basic)	Lemon	1,919.73	3	674.0	A
Copper sulfate (pentahydrate)	Celery	22.46	24	182.8	A
Copper sulfate (pentahydrate)	Grape, wine	3,960.0	2	763.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Copper sulfate (pentahydrate)	Landscape maintenance	2,821.5	N/A	N/A	N/A
Copper sulfate (pentahydrate)	N-grnhs plants in containers	43.77	10	31.06	A
Copper sulfate (pentahydrate)	N-grnhs plants in containers	4.1	9	181,500.0	S
Copper sulfate (pentahydrate)	N-outdr plants in containers	2.06	4	2.72	A
Copper sulfate (pentahydrate)	Public health	1,188.0	N/A	N/A	N/A
Copper sulfate (pentahydrate)	Regulatory pest control	1,782.0	N/A	N/A	N/A
Copper sulfate (pentahydrate)	Rights of way	11,048.4	N/A	N/A	N/A
Copper sulfate (pentahydrate)	Water area	9,701.31	56	665.0	A
Copper triethanolamine complex	Landscape maintenance	0.14	N/A	N/A	N/A
Cuprous oxide	Blackberry	103.2	8	48.0	A
Cuprous oxide	Cabbage	149.89	19	178.65	A
Cuprous oxide	Cauliflower	14.01	1	16.7	A
Cuprous oxide	Celery	1,251.33	116	918.6	A
Cuprous oxide	Grape, wine	1,737.57	148	2,132.92	A
Cuprous oxide	Landscape maintenance	27.27	N/A	N/A	N/A
Cuprous oxide	N-grnhs transplants	4.81	7	3.45	A
Cuprous oxide	N-outdr transplants	1.48	2	77,020.0	S
Cuprous oxide	Raspberry	89.61	11	45.9	A
Cyantraniliprole	Arugula	0.57	7	8.0	A
Cyantraniliprole	Blackberry	2.6	15	34.93	A
Cyantraniliprole	Bok choy (choy sum, pak choi)	29.29	46	198.07	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyantraniliprole	Broccoli	2,064.95	1,465	16,542.64	A
Cyantraniliprole	Brussels sprout	521.92	377	5,680.67	A
Cyantraniliprole	Cabbage	542.43	418	4,714.75	A
Cyantraniliprole	Cauliflower	617.74	502	5,341.84	A
Cyantraniliprole	Celery	203.22	231	2,071.15	A
Cyantraniliprole	Chinese cabbage (napa, wong bok, celery cabbage)	49.01	55	345.46	A
Cyantraniliprole	Collard	3.66	12	27.2	A
Cyantraniliprole	Endive (escarole)	16.64	55	185.03	A
Cyantraniliprole	Fennel	4.08	3	42.9	A
Cyantraniliprole	Kale	95.95	156	797.62	A
Cyantraniliprole	Kohlrabi	4.3	45	48.2	A
Cyantraniliprole	Leek	14.35	35	137.67	A
Cyantraniliprole	Lettuce, head	1,179.4	1,352	14,781.67	A
Cyantraniliprole	Lettuce, leaf	2,894.86	3,135	33,312.5	A
Cyantraniliprole	Mustard greens	1.55	9	12.07	A
Cyantraniliprole	N-grnhs flower	2.61	29	410,600.0	S
Cyantraniliprole	N-grnhs plants in containers	1,023.55	136	156.88	A
Cyantraniliprole	N-grnhs plants in containers	6.49	69	1,976,350.0	S
Cyantraniliprole	N-grnhs transplants	3,398.1	573	106.65	A
Cyantraniliprole	N-outdr plants in containers	19.59	9	24.57	A
Cyantraniliprole	N-outdr plants in containers	0.11	3	18,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyantraniliprole	N-outdr transplants	2,311.39	126	154.46	A
Cyantraniliprole	N-outdr transplants	71.12	37	72,237.0	S
Cyantraniliprole	Onion, dry	81.65	45	751.5	A
Cyantraniliprole	Peas	74.49	68	733.45	A
Cyantraniliprole	Radicchio	3.31	13	54.52	A
Cyantraniliprole	Rapini	61.13	98	608.3	A
Cyantraniliprole	Raspberry	19.95	7	176.66	A
Cyantraniliprole	Research commodity	1.31	N/A	N/A	N/A
Cyantraniliprole	Spinach	162.46	173	1,980.8	A
Cyantraniliprole	Strawberry	586.49	162	5,117.99	A
Cyantraniliprole	Turnip greens	0.07	1	0.5	A
Cyantraniliprole	Uncultivated ag	0.25	4	126,000.0	S
Cyazofamid	Arugula	40.97	69	575.11	A
Cyazofamid	Bok choy (choy sum, pak choi)	0.07	3	1.0	A
Cyazofamid	Broccoli	180.75	32	348.6	A
Cyazofamid	Brussels sprout	67.19	4	164.0	A
Cyazofamid	Cress, garden	0.33	2	4.6	A
Cyazofamid	Cucumber	2.55	4	36.0	A
Cyazofamid	Kale	4.72	22	66.2	A
Cyazofamid	Lettuce, head	40.19	67	563.7	A
Cyazofamid	Lettuce, leaf	41.75	105	585.25	A
Cyazofamid	Mizuna	0.58	9	8.1	A
Cyazofamid	N-grnhs transplants	44.41	1,420	424.16	A
Cyazofamid	Spinach	110.89	235	1,557.23	A
Cyazofamid	Squash	1.09	2	18.0	A
Cyazofamid	Tomato	33.74	37	473.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyazofamid	Upland cress	5.51	34	77.3	A
Cyazofamid	Watermelon	0.17	1	2.5	A
Cyclaniliprole	Broccoli	161.54	326	3,204.39	A
Cyclaniliprole	Brussels sprout	71.37	85	1,365.03	A
Cyclaniliprole	Cabbage	87.63	173	1,689.62	A
Cyclaniliprole	Cauliflower	65.31	156	1,287.53	A
Cyclaniliprole	Chinese cabbage (napa, wong bok, celery cabbage)	9.79	59	197.7	A
Cyclaniliprole	Collard	1.19	9	22.7	A
Cyclaniliprole	Kale	2.51	11	47.9	A
Cyclaniliprole	Lettuce, head	9.49	24	217.5	A
Cyclaniliprole	Lettuce, leaf	8.41	26	215.4	A
Cyclaniliprole	Mustard greens	0.03	1	0.5	A
Cyclaniliprole	Research commodity	1.86	23	44.5	A
Cyclaniliprole	Strawberry	40.77	36	685.74	A
Cyclaniliprole	Turnip	0.03	1	0.5	A
Cycloate	Beet	25.5	6	19.9	A
Cycloate	Research commodity	6.08	N/A	N/A	N/A
Cycloate	Spinach	25,023.91	1,555	13,063.21	A
Cyflufenamid	Grape, wine	1,132.17	926	40,703.21	A
Cyflufenamid	N-grnhs plants in containers	9.03	19	45.1	A
Cyflufenamid	N-grnhs plants in containers	0.06	25	48,175.0	S
Cyflufenamid	N-outdr plants in containers	20.68	12	42.57	A
Cyflufenamid	Strawberry	155.95	245	6,760.71	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyflumetofen	Grape, wine	778.74	127	4,261.76	A
Cyflumetofen	Lemon	14.35	10	78.4	A
Cyflumetofen	N-grnhs flower	0.25	7	20,737.5	S
Cyflumetofen	N-grnhs plants in containers	0.89	25	307,425.0	S
Cyflumetofen	Research commodity	0.23	N/A	N/A	N/A
Cyflumetofen	Strawberry	2,422.62	498	13,287.04	A
Cyflumetofen	Walnut	47.55	2	260.0	A
Cyfluthrin	Broccoli	52.11	64	1,019.19	A
Cyfluthrin	Brussels sprout	50.26	64	976.51	A
Cyfluthrin	Cauliflower	18.52	25	357.2	A
Cyfluthrin	Grape, wine	11.31	6	420.94	A
Cyfluthrin	Lettuce, head	25.03	39	490.2	A
Cyfluthrin	Lettuce, leaf	176.48	170	3,415.58	A
Cyfluthrin	N-grnhs flower	<0.01	1	37.5	S
Cyfluthrin	N-grnhs plants in containers	0.78	21	583,120.0	S
Cyfluthrin	N-outdr flower	0.45	14	15.0	A
Cyfluthrin	N-outdr plants in containers	0.02	3	16,000.0	S
Cyfluthrin	Research commodity	0.03	N/A	N/A	N/A
Cyfluthrin	Structural pest control	0.42	N/A	N/A	N/A
Cymoxanil	Cilantro	13.41	28	87.23	A
Cymoxanil	Lettuce, head	261.74	149	1,399.6	A
Cymoxanil	Lettuce, leaf	489.77	270	2,620.88	A
Cymoxanil	N-grnhs transplants	0.11	3	0.96	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cymoxanil	Research commodity	0.22	N/A	N/A	N/A
Cymoxanil	Spinach	67.92	82	366.9	A
Cymoxanil	Tomato	8.43	6	67.4	A
Cypermethrin	Broccoli	408.17	279	4,446.69	A
Cypermethrin	Brussels sprout	0.6	2	6.0	A
Cypermethrin	Cabbage	43.71	51	449.5	A
Cypermethrin	Cauliflower	177.7	155	1,996.57	A
Cypermethrin	Landscape maintenance	0.31	N/A	N/A	N/A
Cypermethrin	Lettuce, head	51.95	40	571.7	A
Cypermethrin	Rapini	2.61	1	27.0	A
Cypermethrin	Structural pest control	0.81	N/A	N/A	N/A
Cyprodinil	Artichoke, globe	11.84	17	302.6	A
Cyprodinil	Broccoli	31.16	10	94.95	A
Cyprodinil	Grape, wine	5,881.83	618	14,818.64	A
Cyprodinil	Kale	0.06	1	2.0	A
Cyprodinil	Lettuce, leaf	78.69	27	246.4	A
Cyprodinil	N-grnhs flower	22.78	65	70.25	A
Cyprodinil	N-grnhs plants in containers	18.23	23	47.91	A
Cyprodinil	N-grnhs plants in containers	0.94	45	75,000.0	S
Cyprodinil	N-grnhs transplants	8.29	20	25.67	A
Cyprodinil	N-outdr flower	0.09	1	1.0	A
Cyprodinil	N-outdr plants in containers	47.11	15	45.21	A
Cyprodinil	N-outdr transplants	3.94	5	532,460.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyprodinil	Raspberry	49.59	8	151.11	A
Cyprodinil	Research commodity	0.32	N/A	N/A	N/A
Cyprodinil	Strawberry	4,403.2	417	13,720.98	A
Cyromazine	Arugula	0.62	3	5.0	A
Cyromazine	Celery	439.04	461	3,533.29	A
Cyromazine	Chinese cabbage (napa, wong bok, celery cabbage)	5.78	9	46.25	A
Cyromazine	Endive (escarole)	2.95	12	23.55	A
Cyromazine	Kale	0.49	3	4.0	A
Cyromazine	Lettuce, head	108.48	67	870.0	A
Cyromazine	Lettuce, leaf	43.0	38	345.01	A
Cyromazine	N-grnhs flower	7.9	7	9.32	A
Cyromazine	N-grnhs plants in containers	207.56	30	45.32	A
Cyromazine	N-grnhs plants in containers	0.39	3	83,000.0	S
Cyromazine	N-grnhs transplants	1.27	1	0.41	A
Cyromazine	N-outdr plants in containers	1.4	1	0.75	A
Cyromazine	Onion, dry	404.42	N/A	7,850.89	P
Cyromazine	Peas	146.09	106	1,172.34	A
Cyromazine	Radish	4.27	7	34.21	A
Cyromazine	Research commodity	0.72	3	5.75	A
Cyromazine	Spinach	279.96	306	2,251.67	A
Cyromazine	Swiss chard	12.83	23	102.91	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
D-trans allethrin	Landscape maintenance	0.01	N/A	N/A	N/A
D-trans allethrin	Structural pest control	<0.01	N/A	N/A	N/A
Daminozide	N-grnhs flower	5.67	4	7.67	A
Daminozide	N-grnhs flower	0.25	26	1,837.5	S
Daminozide	N-grnhs plants in containers	398.94	117	267.13	A
Daminozide	N-outdr plants in containers	1,516.72	83	196.83	A
Ddvp	Commodity fumigation	3.44	N/A	N/A	N/A
Ddvp	Landscape maintenance	0.19	N/A	N/A	N/A
Ddvp	Research commodity	0.08	N/A	N/A	N/A
Ddvp	Storage area/box	5.73	N/A	145,000.0	S
Ddvp	Structural pest control	0.21	N/A	N/A	N/A
Ddvp, other related	Commodity fumigation	0.09	N/A	N/A	N/A
Ddvp, other related	Landscape maintenance	0.01	N/A	N/A	N/A
Ddvp, other related	Research commodity	0.01	N/A	N/A	N/A
Ddvp, other related	Storage area/box	0.2	N/A	145,000.0	S
Ddvp, other related	Structural pest control	0.02	N/A	N/A	N/A
Deltamethrin	Landscape maintenance	0.28	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Deltamethrin	Public health	0.1	N/A	N/A	N/A
Deltamethrin	Structural pest control	70.14	N/A	N/A	N/A
Diatomaceous earth	Arugula	1,679.6	47	104.55	A
Diatomaceous earth	Beet	204.0	3	6.0	A
Diatomaceous earth	Broccoli	70,904.45	567	4,946.81	A
Diatomaceous earth	Brussels sprout	5,124.48	13	227.1	A
Diatomaceous earth	Cabbage	19,074.55	360	1,183.38	A
Diatomaceous earth	Cauliflower	26,026.19	277	1,627.65	A
Diatomaceous earth	Celery	2,294.32	29	135.33	A
Diatomaceous earth	Cilantro	3,360.05	37	197.65	A
Diatomaceous earth	Collard	221.0	3	13.0	A
Diatomaceous earth	Kale	1,917.77	56	112.35	A
Diatomaceous earth	Landscape maintenance	0.13	N/A	N/A	N/A
Diatomaceous earth	Leek	4,979.51	45	260.94	A
Diatomaceous earth	Lettuce, head	2,709.97	45	282.54	A
Diatomaceous earth	Lettuce, leaf	95,110.79	777	7,113.14	A
Diatomaceous earth	Mizuna	1,298.8	21	76.4	A
Diatomaceous earth	Mustard greens	409.7	13	25.3	A
Diatomaceous earth	Parsley	982.6	21	65.0	A
Diatomaceous earth	Peas	2,144.55	26	130.9	A
Diatomaceous earth	Spinach	3,865.21	64	274.73	A
Diatomaceous earth	Structural pest control	4.77	N/A	N/A	N/A
Diatomaceous earth	Swiss chard	222.7	28	12.6	A
Dicamba	Golf course turf	1.04	N/A	50.0	A
Dicamba	Golf course turf	0.13	N/A	220,000.0	S
Dicamba	Landscape maintenance	24.96	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dicamba	Rights of way	0.13	N/A	N/A	N/A
Dicamba, dimethylamine salt	Cannabis (all or unspecified)	7.7	117	1,170,000.0	S
Dicamba, dimethylamine salt	Landscape maintenance	0.47	N/A	N/A	N/A
Dicamba, dimethylamine salt	Rights of way	<0.01	N/A	N/A	N/A
Dicloran	Cannabis (all or unspecified)	11.88	42	1,804,695.0	S
Dicloran	Celery	1,224.0	89	602.35	A
Dicloran	Endive (escarole)	16.53	28	23.97	A
Dicloran	Lettuce, head	1,897.36	287	2,748.58	A
Dicloran	Lettuce, leaf	2,285.57	398	3,604.53	A
Dicloran	Research commodity	1.17	N/A	N/A	N/A
Didecyl dimethyl ammonium chloride	N-grnhs plants in containers	28.55	37	137.22	A
Didecyl dimethyl ammonium chloride	Structural pest control	<0.01	N/A	N/A	N/A
Diethylene glycol	Artichoke, globe	6.14	5	69.9	A
Diethylene glycol	Broccoli	1.24	3	28.1	A
Diethylene glycol	Brussels sprout	257.69	34	412.6	A
Diethylene glycol	Cabbage	0.35	1	10.0	A
Diethylene glycol	Cauliflower	1.41	6	33.6	A
Diethylene glycol	Celery	1.66	6	26.0	A
Diethylene glycol	Garlic	21.94	4	60.6	A
Diethylene glycol	Grape, wine	28,744.62	2,393	60,934.49	A
Diethylene glycol	Lettuce, head	98.29	367	3,369.3	A
Diethylene glycol	Lettuce, leaf	134.78	717	4,775.8	A
Diethylene glycol	Rights of way	4.64	N/A	N/A	N/A
Diethylene glycol	Strawberry	2.62	1	26.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Diethylene glycol	Uncultivated ag	10.46	4	460.0	A
Difenoconazole	Artichoke, globe	54.0	49	765.1	A
Difenoconazole	Broccoli	4.51	5	65.9	A
Difenoconazole	Garlic	3.21	1	38.5	A
Difenoconazole	Golf course turf	11.32	N/A	50.5	A
Difenoconazole	Grape, wine	134.57	69	1,594.8	A
Difenoconazole	Kale	0.02	1	2.0	A
Difenoconazole	Landscape maintenance	2.99	N/A	N/A	N/A
Difenoconazole	Research commodity	0.28	N/A	N/A	N/A
Difenoconazole	Strawberry	133.39	38	1,167.08	A
Difenoconazole	Tomato	2.03	3	31.0	A
Difethialone	Farm/ag building	<0.01	N/A	3.0	A
Difethialone	Structural pest control	0.01	N/A	N/A	N/A
Diflubenzuron	Artichoke, globe	1,235.95	462	5,547.61	A
Diflubenzuron	N-outdr flower	0.69	18	21.0	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Landscape maintenance	4.62	N/A	N/A	N/A
Dikegulac sodium	Landscape maintenance	0.31	N/A	N/A	N/A
Dikegulac sodium	N-grnhs plants in containers	108.44	87	119.66	A
Dikegulac sodium	N-outdr plants in containers	4.07	35	39.03	A
Dikegulac sodium	Rights of way	0.03	N/A	N/A	N/A
Dimethenamid-p	Garlic	227.96	24	387.6	A
Dimethenamid-p	Onion, dry	376.85	37	598.8	A
Dimethoate	Bean, succulent	130.25	20	283.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethoate	Bean, unspecified	62.16	8	126.8	A
Dimethoate	Broccoli	549.75	97	1,160.5	A
Dimethoate	Brussels sprout	89.47	20	335.6	A
Dimethoate	Cauliflower	106.22	34	243.04	A
Dimethoate	Celery	1,139.36	444	3,023.0	A
Dimethoate	Endive (escarole)	15.15	14	62.04	A
Dimethoate	Lettuce, leaf	1,112.39	436	4,531.49	A
Dimethoate	Mustard greens	1.23	1	5.0	A
Dimethoate	Peas	179.52	115	1,118.25	A
Dimethoate	Tomato	15.32	3	31.0	A
Dimethomorph	Arugula	41.97	79	205.06	A
Dimethomorph	Broccoli	14.35	9	72.3	A
Dimethomorph	Cauliflower	2.69	2	13.5	A
Dimethomorph	Cucumber	8.48	4	41.5	A
Dimethomorph	Kale	50.4	110	247.18	A
Dimethomorph	Lettuce, head	4,178.48	2,146	21,048.75	A
Dimethomorph	Lettuce, leaf	5,277.31	3,280	26,626.08	A
Dimethomorph	Mizuna	0.57	5	2.7	A
Dimethomorph	Mustard greens	3.47	40	17.37	A
Dimethomorph	N-grnhs flower	2.95	9	15.25	A
Dimethomorph	N-grnhs plants in containers	7.06	9	29.96	A
Dimethomorph	N-outdr plants in containers	2.52	4	9.59	A
Dimethomorph	Onion, dry	74.67	20	369.2	A
Dimethomorph	Spinach	1,028.74	701	5,032.13	A
Dimethomorph	Swiss chard	11.58	27	56.32	A
Dimethomorph	Tomato	29.44	11	148.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethomorph	Upland cress	14.93	32	72.9	A
Dimethyl alkyl tertiary amines	Alfalfa	0.99	26	159.7	A
Dimethyl alkyl tertiary amines	Artichoke, globe	6.11	107	1,657.4	A
Dimethyl alkyl tertiary amines	Arugula	42.7	118	1,005.91	A
Dimethyl alkyl tertiary amines	Bean, dried	5.18	22	321.5	A
Dimethyl alkyl tertiary amines	Bean, succulent	0.54	6	84.45	A
Dimethyl alkyl tertiary amines	Bean, unspecified	1.45	45	186.15	A
Dimethyl alkyl tertiary amines	Bok choy (choy sum, pak choi)	0.24	11	29.85	A
Dimethyl alkyl tertiary amines	Broccoli	51.51	915	7,530.53	A
Dimethyl alkyl tertiary amines	Brussels sprout	11.43	93	1,413.6	A
Dimethyl alkyl tertiary amines	Cabbage	3.22	65	568.9	A
Dimethyl alkyl tertiary amines	Cardoon	0.15	4	24.0	A
Dimethyl alkyl tertiary amines	Carrot	8.26	133	2,046.0	A
Dimethyl alkyl tertiary amines	Cauliflower	23.68	600	4,687.27	A
Dimethyl alkyl tertiary amines	Celery	25.78	572	4,179.85	A
Dimethyl alkyl tertiary amines	Cilantro	0.45	13	103.0	A
Dimethyl alkyl tertiary amines	Cress, garden	0.11	1	2.4	A
Dimethyl alkyl tertiary amines	Cucumber	0.31	7	49.84	A
Dimethyl alkyl tertiary amines	Endive (escarole)	0.7	4	15.0	A
Dimethyl alkyl tertiary amines	Fennel	1.78	71	286.7	A
Dimethyl alkyl tertiary amines	Garlic	0.14	2	24.1	A
Dimethyl alkyl tertiary amines	Grape, wine	0.81	16	135.3	A
Dimethyl alkyl tertiary amines	Kale	7.72	71	174.2	A
Dimethyl alkyl tertiary amines	Landscape maintenance	0.53	N/A	N/A	N/A
Dimethyl alkyl tertiary amines	Lettuce, head	105.71	859	9,053.06	A
Dimethyl alkyl tertiary amines	Lettuce, leaf	222.23	2,255	15,032.11	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethyl alkyl tertiary amines	Mizuna	0.8	24	17.65	A
Dimethyl alkyl tertiary amines	Mustard greens	<0.01	2	0.25	A
Dimethyl alkyl tertiary amines	Oat	0.79	5	66.9	A
Dimethyl alkyl tertiary amines	Onion, dry	1.61	16	334.2	A
Dimethyl alkyl tertiary amines	Peas	12.65	253	2,068.23	A
Dimethyl alkyl tertiary amines	Radicchio	0.59	5	95.0	A
Dimethyl alkyl tertiary amines	Rights of way	33.7	N/A	N/A	N/A
Dimethyl alkyl tertiary amines	Rye	0.25	9	39.7	A
Dimethyl alkyl tertiary amines	Spinach	57.48	296	2,511.77	A
Dimethyl alkyl tertiary amines	Squash	0.15	6	23.5	A
Dimethyl alkyl tertiary amines	Sunflower	1.15	6	49.2	A
Dimethyl alkyl tertiary amines	Tomato	3.16	30	509.2	A
Dimethyl alkyl tertiary amines	Triticale	0.9	9	145.1	A
Dimethyl alkyl tertiary amines	Uncultivated ag	92.71	668	6,277.8	A
Dimethyl alkyl tertiary amines	Uncultivated non-ag	0.11	1	18.0	A
Dimethyl alkyl tertiary amines	Upland cress	5.44	54	127.1	A
Dimethyl alkyl tertiary amines	Water area	0.81	7	24.0	A
Dimethyl dicocoalkyl ammonium salt with naphthalenesulfonic acid, formaldehyde condensate	Lettuce, head	6.16	6	63.6	A
Dimethyl dicocoalkyl ammonium salt with naphthalenesulfonic acid, formaldehyde condensate	Lettuce, leaf	15.26	19	157.7	A
Dimethyl silicone fluid emulsion	Artichoke, globe	4.14	96	823.5	A
Dimethyl silicone fluid emulsion	Arugula	4.66	251	985.33	A
Dimethyl silicone fluid emulsion	Bean, dried	0.11	2	32.8	A
Dimethyl silicone fluid emulsion	Bean, succulent	0.24	11	57.13	A
Dimethyl silicone fluid emulsion	Bean, unspecified	1.13	17	242.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethyl silicone fluid emulsion	Beet	0.18	11	57.35	A
Dimethyl silicone fluid emulsion	Bok choy (choy sum, pak choi)	1.94	104	436.91	A
Dimethyl silicone fluid emulsion	Broccoli	26.84	584	5,690.86	A
Dimethyl silicone fluid emulsion	Brussels sprout	8.17	109	1,449.6	A
Dimethyl silicone fluid emulsion	Cabbage	3.45	109	715.84	A
Dimethyl silicone fluid emulsion	Carrot	0.91	38	222.0	A
Dimethyl silicone fluid emulsion	Cauliflower	6.87	192	1,379.18	A
Dimethyl silicone fluid emulsion	Celery	8.82	257	1,830.7	A
Dimethyl silicone fluid emulsion	Chinese cabbage (napa, wong bok, celery cabbage)	3.68	141	814.98	A
Dimethyl silicone fluid emulsion	Cilantro	1.76	130	392.26	A
Dimethyl silicone fluid emulsion	Cucumber	0.38	8	152.4	A
Dimethyl silicone fluid emulsion	Endive (escarole)	3.07	186	726.5	A
Dimethyl silicone fluid emulsion	Garlic	1.16	14	259.7	A
Dimethyl silicone fluid emulsion	Grape, wine	7.58	140	1,314.73	A
Dimethyl silicone fluid emulsion	Kale	4.8	102	745.77	A
Dimethyl silicone fluid emulsion	Leek	3.96	177	778.17	A
Dimethyl silicone fluid emulsion	Lemon	2.42	2	76.0	A
Dimethyl silicone fluid emulsion	Lettuce, head	24.83	514	5,367.4	A
Dimethyl silicone fluid emulsion	Lettuce, leaf	74.39	2,048	16,260.66	A
Dimethyl silicone fluid emulsion	Mizuna	0.1	23	18.47	A
Dimethyl silicone fluid emulsion	Mustard greens	1.51	68	357.94	A
Dimethyl silicone fluid emulsion	Onion, dry	4.87	77	1,026.6	A
Dimethyl silicone fluid emulsion	Peas	5.29	150	1,252.55	A
Dimethyl silicone fluid emulsion	Radish	7.26	506	1,359.3	A
Dimethyl silicone fluid emulsion	Rights of way	0.04	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethyl silicone fluid emulsion	Spinach	35.68	1,169	7,584.38	A
Dimethyl silicone fluid emulsion	Squash	0.21	7	55.1	A
Dimethyl silicone fluid emulsion	Strawberry	2.15	15	162.45	A
Dimethyl silicone fluid emulsion	Swiss chard	1.14	110	231.46	A
Dimethyl silicone fluid emulsion	Tomato	5.27	45	853.0	A
Dimethyl silicone fluid emulsion	Uncultivated ag	8.3	168	1,866.96	A
Dimethyl silicone fluid emulsion	Uncultivated non-ag	2.63	77	384.65	A
Dimethyl silicone fluid emulsion	Watermelon	0.03	2	6.0	A
Dimethylpolysiloxane	Alfalfa	0.24	2	200.0	A
Dimethylpolysiloxane	Artichoke, globe	0.14	5	69.9	A
Dimethylpolysiloxane	Avocado	31.66	4	94.56	A
Dimethylpolysiloxane	Broccoli	2,514.98	1,444	17,276.39	A
Dimethylpolysiloxane	Brussels sprout	0.7	35	425.9	A
Dimethylpolysiloxane	Cabbage	458.72	235	2,666.73	A
Dimethylpolysiloxane	Cactus pear	0.05	1	8.8	A
Dimethylpolysiloxane	Carrot	27.5	16	140.0	A
Dimethylpolysiloxane	Cauliflower	735.44	458	4,232.45	A
Dimethylpolysiloxane	Celery	127.64	281	1,815.0	A
Dimethylpolysiloxane	Garlic	232.97	38	938.85	A
Dimethylpolysiloxane	Grape, wine	1,270.36	4,521	119,622.85	A
Dimethylpolysiloxane	Kohlrabi	18.83	51	72.7	A
Dimethylpolysiloxane	Landscape maintenance	0.11	2	12.0	A
Dimethylpolysiloxane	Landscape maintenance	0.01	N/A	N/A	N/A
Dimethylpolysiloxane	Lemon	42.34	15	260.4	A
Dimethylpolysiloxane	Lettuce, head	1,704.6	1,712	18,986.95	A
Dimethylpolysiloxane	Lettuce, leaf	2,445.82	3,165	26,152.27	A
Dimethylpolysiloxane	N-grnhs flower	0.58	5	17,287.5	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethylpolysiloxane	N-grnhs plants in containers	339.87	94	284.49	A
Dimethylpolysiloxane	N-grnhs plants in containers	1.06	2	22,400.0	S
Dimethylpolysiloxane	N-outdr plants in containers	169.07	38	85.29	A
Dimethylpolysiloxane	N-outdr plants in containers	0.13	2	20,000.0	S
Dimethylpolysiloxane	Onion, dry	4.07	4	76.0	A
Dimethylpolysiloxane	Peas	4.24	4	53.5	A
Dimethylpolysiloxane	Pistachio	0.04	1	108.0	A
Dimethylpolysiloxane	Pumpkin	2.46	8	35.6	A
Dimethylpolysiloxane	Rapini	252.36	24	583.3	A
Dimethylpolysiloxane	Raspberry	1.23	20	464.03	A
Dimethylpolysiloxane	Research commodity	0.06	1	0.5	A
Dimethylpolysiloxane	Rights of way	0.11	N/A	N/A	N/A
Dimethylpolysiloxane	Strawberry	30,639.23	2,227	85,045.85	A
Dimethylpolysiloxane	Structural pest control	0.01	N/A	N/A	N/A
Dimethylpolysiloxane	Tomato	38.03	12	143.2	A
Dimethylpolysiloxane	Uncultivated ag	170.24	511	5,349.53	A
Dimethylpolysiloxane	Uncultivated non-ag	3.53	13	313.8	A
Dimethylpolysiloxane	Vertebrate control	1.69	N/A	N/A	N/A
Dimethylpolysiloxane	Walnut	4.11	12	1,435.0	A
Dimethylpolysiloxane	Wheat	0.01	N/A	60.0	A
Dinotefuran	Broccoli	131.89	92	735.15	A
Dinotefuran	Brussels sprout	19.87	10	128.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dinotefuran	Chinese cabbage (napa, wong bok, celery cabbage)	1.11	2	8.5	A
Dinotefuran	Endive (escarole)	1.4	9	5.2	A
Dinotefuran	Landscape maintenance	11.79	N/A	N/A	N/A
Dinotefuran	Lettuce, head	667.36	332	3,662.45	A
Dinotefuran	Lettuce, leaf	461.86	209	1,831.63	A
Dinotefuran	N-grnhs flower	1.0	4	13.42	A
Dinotefuran	N-grnhs flower	0.09	9	27,075.0	S
Dinotefuran	N-grnhs plants in containers	20.47	40	29.43	A
Dinotefuran	N-grnhs plants in containers	4.33	20	258,800.0	S
Dinotefuran	N-grnhs transplants	0.25	2	2.48	A
Dinotefuran	N-outdr flower	1.06	12	14.0	A
Dinotefuran	N-outdr plants in containers	0.2	15	13.5	A
Dinotefuran	N-outdr plants in containers	1.58	4	8,200.0	S
Dinotefuran	Research commodity	0.01	1	0.03	A
Dinotefuran	Research commodity	0.15	N/A	N/A	N/A
Dinotefuran	Structural pest control	101.95	N/A	N/A	N/A
Diocetyl dimethyl ammonium chloride	Structural pest control	<0.01	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Diphacinone	Farm/ag building	0.01	N/A	46.84	A
Diphacinone	Forage hay/silage	0.05	1	324.8	A
Diphacinone	Grape, wine	0.04	40	228.89	A
Diphacinone	Landscape maintenance	0.24	N/A	N/A	N/A
Diphacinone	N-grnhs flower	<0.01	3	30.53	A
Diphacinone	Olive	<0.01	1	7.0	A
Diphacinone	Pasture (forage - fodder)	<0.01	N/A	5.0	A
Diphacinone	Rangeland	0.04	3	151.0	A
Diphacinone	Regulatory pest control	<0.01	N/A	N/A	N/A
Diphacinone	Research commodity	0.01	N/A	N/A	N/A
Diphacinone	Rights of way	0.01	24	329.0	A
Diphacinone	Rights of way	<0.01	3	72.0	U
Diphacinone	Rights of way	0.05	N/A	N/A	N/A
Diphacinone	Structural pest control	0.57	N/A	N/A	N/A
Diphacinone	Uncultivated ag	0.43	123	1,540.0	A
Diphacinone	Uncultivated ag	<0.01	1	15.0	S
Diphacinone	Uncultivated non-ag	0.07	12	1,362.5	A
Diphacinone	Vertebrate control	0.71	N/A	N/A	N/A
Diphacinone, sodium salt	Landscape maintenance	0.01	N/A	N/A	N/A
Diphacinone, sodium salt	Structural pest control	0.01	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Diquat dibromide	Landscape maintenance	52.3	N/A	N/A	N/A
Diquat dibromide	N-grnhs plants in containers	283.37	64	156.19	A
Diquat dibromide	N-outdr flower	19.96	20	10.45	A
Diquat dibromide	N-outdr plants in containers	328.21	50	126.21	A
Diquat dibromide	Rights of way	1,279.29	N/A	N/A	N/A
Diquat dibromide	Uncultivated ag	2,574.31	316	3,004.44	A
Diquat dibromide	Uncultivated ag	2.33	N/A	204,000.0	S
Diquat dibromide	Uncultivated non-ag	154.43	39	140.5	A
Diquat dibromide	Water area	116.54	14	60.75	A
Disodium octaborate anhydrous	Regulatory pest control	11.6	N/A	N/A	N/A
Disodium octaborate anhydrous	Rights of way	79.91	N/A	N/A	N/A
Disodium octaborate tetrahydrate	Structural pest control	1,635.06	N/A	N/A	N/A
Dithiopyr	Landscape maintenance	16.09	N/A	N/A	N/A
Dithiopyr	N-grnhs plants in containers	0.01	1	10,560.0	S
Dithiopyr	N-outdr plants in containers	0.03	3	2.15	A
Dithiopyr	N-outdr plants in containers	1.49	52	518,100.0	S
Dithiopyr	Rights of way	32.93	N/A	N/A	N/A
Diuron	Grape, wine	653.83	39	327.0	A
Diuron	Landscape maintenance	56.9	N/A	N/A	N/A
Diuron	Rights of way	1.74	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dodecylbenzene sulfonic acid	Broccoli	0.61	1	17.3	A
Dodecylbenzene sulfonic acid	Cabbage	1.02	3	28.6	A
Dodecylbenzene sulfonic acid	Lettuce, head	2.02	7	59.3	A
Dodecylbenzene sulfonic acid	Lettuce, leaf	2.67	9	87.1	A
Dodecylbenzene sulfonic acid	N-grnhs flower	0.24	35	107,775.0	S
Dodecylbenzene sulfonic acid	Strawberry	89.17	116	1,157.0	A
E,e-8,10-dodecadien-1-ol	Apple	0.57	1	9.0	A
Edta	Uncultivated ag	16.88	67	566.7	A
Edta	Uncultivated non-ag	0.97	5	30.0	A
Edta, tetrasodium salt	Broccoli	0.04	1	17.3	A
Edta, tetrasodium salt	Cabbage	0.06	3	28.6	A
Edta, tetrasodium salt	Lettuce, head	0.12	7	59.3	A
Edta, tetrasodium salt	Lettuce, leaf	0.16	9	87.1	A
Edta, tetrasodium salt	N-grnhs flower	0.01	35	107,775.0	S
Edta, tetrasodium salt	Strawberry	5.49	116	1,157.0	A
Emamectin benzoate	Artichoke, globe	2.25	20	151.9	A
Emamectin benzoate	Arugula	0.1	2	6.4	A
Emamectin benzoate	Bok choy (choy sum, pak choi)	0.59	12	39.17	A
Emamectin benzoate	Broccoli	526.23	3,489	36,554.8	A
Emamectin benzoate	Brussels sprout	216.72	1,134	14,798.51	A
Emamectin benzoate	Cabbage	95.72	675	6,806.44	A
Emamectin benzoate	Cauliflower	229.69	1,777	15,622.07	A
Emamectin benzoate	Celery	23.76	209	1,794.7	A
Emamectin benzoate	Chinese cabbage (napa, wong bok, celery cabbage)	3.56	56	239.21	A
Emamectin benzoate	Collard	0.28	8	18.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Emamectin benzoate	Kale	10.53	105	708.07	A
Emamectin benzoate	Landscape maintenance	1.08	N/A	N/A	N/A
Emamectin benzoate	Lettuce, head	73.66	495	6,368.59	A
Emamectin benzoate	Lettuce, leaf	28.86	219	2,418.54	A
Emamectin benzoate	Mustard greens	0.12	4	8.0	A
Emamectin benzoate	Pepper, fruiting	0.59	7	63.0	A
Emamectin benzoate	Rapini	4.19	16	279.1	A
Emamectin benzoate	Research commodity	0.37	6	24.5	A
Emamectin benzoate	Tomato	1.71	14	161.5	A
Emamectin benzoate	Turnip greens	0.03	4	2.0	A
Emulsifiable methylated vegetable oil	Artichoke, globe	49.33	15	181.2	A
Emulsifiable methylated vegetable oil	Arugula	6.58	7	27.89	A
Emulsifiable methylated vegetable oil	Bean, succulent	14.88	6	28.63	A
Emulsifiable methylated vegetable oil	Bean, unspecified	49.13	11	165.3	A
Emulsifiable methylated vegetable oil	Beet	9.57	2	18.45	A
Emulsifiable methylated vegetable oil	Bok choy (choy sum, pak choi)	157.71	80	326.64	A
Emulsifiable methylated vegetable oil	Broccoli	8,034.25	1,569	15,697.32	A
Emulsifiable methylated vegetable oil	Brussels sprout	3,419.64	400	5,887.3	A
Emulsifiable methylated vegetable oil	Cabbage	304.33	107	715.01	A
Emulsifiable methylated vegetable oil	Carrot	83.86	30	143.4	A
Emulsifiable methylated vegetable oil	Cauliflower	3,188.14	783	5,973.01	A
Emulsifiable methylated vegetable oil	Celery	2,287.08	569	4,039.7	A
Emulsifiable methylated vegetable oil	Chinese cabbage (napa, wong bok, celery cabbage)	338.3	115	680.14	A
Emulsifiable methylated vegetable oil	Cilantro	50.35	26	122.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Emulsifiable methylated vegetable oil	Cucumber	5.86	1	33.7	A
Emulsifiable methylated vegetable oil	Endive (escarole)	261.46	158	568.35	A
Emulsifiable methylated vegetable oil	Garlic	510.84	54	728.0	A
Emulsifiable methylated vegetable oil	Grape, wine	2,716.38	63	1,949.4	A
Emulsifiable methylated vegetable oil	Kale	735.49	132	1,210.51	A
Emulsifiable methylated vegetable oil	Landscape maintenance	6.58	2	12.0	A
Emulsifiable methylated vegetable oil	Leek	210.4	108	449.62	A
Emulsifiable methylated vegetable oil	Lettuce, head	10,517.53	1,930	20,470.85	A
Emulsifiable methylated vegetable oil	Lettuce, leaf	11,543.99	2,766	23,943.11	A
Emulsifiable methylated vegetable oil	Mustard greens	7.74	8	34.23	A
Emulsifiable methylated vegetable oil	Onion, dry	98.37	15	203.1	A
Emulsifiable methylated vegetable oil	Peas	89.38	89	615.44	A
Emulsifiable methylated vegetable oil	Radicchio	107.06	36	154.76	A
Emulsifiable methylated vegetable oil	Radish	363.48	249	659.51	A
Emulsifiable methylated vegetable oil	Rights of way	11.07	N/A	N/A	N/A
Emulsifiable methylated vegetable oil	Spinach	5.42	2	10.43	A
Emulsifiable methylated vegetable oil	Squash	3.04	1	11.6	A
Emulsifiable methylated vegetable oil	Swiss chard	2.96	8	12.06	A
Emulsifiable methylated vegetable oil	Tomato	108.28	12	265.2	A
Emulsifiable methylated vegetable oil	Triticale	30.32	3	43.8	A
Emulsifiable methylated vegetable oil	Uncultivated ag	958.67	192	1,131.4	A
Emulsifiable methylated vegetable oil	Uncultivated non-ag	0.33	1	1.0	A
Emulsifiable methylated vegetable oil	Watermelon	0.77	1	3.0	A
Eptc	Bean, dried	417.29	13	189.8	A
Eptc	Bean, succulent	45.17	1	14.8	A
Eptc	Carrot	528.53	8	173.3	A
Esfenvalerate	Artichoke, globe	401.46	694	8,479.56	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Esfenvalerate	Bean, dried	1.31	2	32.8	A
Esfenvalerate	Bean, unspecified	0.19	1	4.0	A
Esfenvalerate	Broccoli	270.46	624	6,236.7	A
Esfenvalerate	Cabbage	40.61	100	920.77	A
Esfenvalerate	Cauliflower	73.9	197	1,708.67	A
Esfenvalerate	Chinese cabbage (napa, wong bok, celery cabbage)	1.51	6	38.05	A
Esfenvalerate	Corn, human consumption	0.9	3	18.2	A
Esfenvalerate	Cucumber	2.27	3	53.7	A
Esfenvalerate	Landscape maintenance	0.03	N/A	N/A	N/A
Esfenvalerate	Lettuce, head	140.44	295	3,199.05	A
Esfenvalerate	Mustard greens	0.46	2	10.0	A
Esfenvalerate	N-grnhs transplants	0.04	2	0.84	A
Esfenvalerate	Peas	54.42	117	1,256.8	A
Esfenvalerate	Radish	23.88	187	500.62	A
Esfenvalerate	Research commodity	0.2	N/A	N/A	N/A
Esfenvalerate	Squash	0.65	2	13.8	A
Esfenvalerate	Structural pest control	10.19	N/A	N/A	N/A
Esfenvalerate	Sunflower	1.4	4	28.1	A
Esfenvalerate	Walnut	9.87	1	100.0	A
Esfenvalerate	Watermelon	0.12	1	2.5	A
Ethalfuralin	Bean, dried	43.98	6	58.5	A
Ethalfuralin	Bean, succulent	25.57	1	34.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ethalfuralin	Cucumber	123.7	18	138.06	A
Ethalfuralin	Pumpkin	24.82	7	23.91	A
Ethalfuralin	Squash	42.66	10	43.1	A
Ethalfuralin	Squash, summer	20.7	5	24.13	A
Ethanolamine	Lettuce, head	1.71	27	296.5	A
Ethanolamine	Lettuce, leaf	2.02	31	353.5	A
Ethanolamine	N-outdr flower	0.06	3	16.89	A
Ethanolamine	Research commodity	0.02	N/A	N/A	N/A
Ethanolamine	Strawberry	43.9	188	2,615.36	A
Ethephon	Cucumber	27.57	29	166.91	A
Ethephon	Golf course turf	39.93	N/A	12.0	A
Ethephon	Golf course turf	9.98	N/A	142,000.0	S
Ethephon	Landscape maintenance	866.51	N/A	N/A	N/A
Ethephon	N-grnhs flower	0.35	4	2.3	A
Ethephon	N-grnhs flower	1.01	39	106,106.25	S
Ethephon	N-grnhs plants in containers	58.5	121	194.66	A
Ethephon	N-grnhs plants in containers	0.03	1	1,000.0	S
Ethephon	N-outdr plants in containers	1.16	3	1.95	A
Ethephon	Squash	30.28	25	179.5	A
Ethephon	Squash, summer	15.35	16	94.56	A
Ethephon	Tomato	58.67	8	121.4	A
Ethephon	Walnut	321.44	2	320.0	A
Ethofumesate	Golf course turf	557.9	N/A	149.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ethofumesate	Landscape maintenance	213.38	N/A	N/A	N/A
Ethoprop	Cabbage	9.88	7	81.9	A
Ethylene glycol	Bok choy (choy sum, pak choi)	12.9	16	74.66	A
Ethylene glycol	Broccoli	5.48	2	27.72	A
Ethylene glycol	Chinese cabbage (napa, wong bok, celery cabbage)	22.88	22	122.04	A
Ethylene glycol	Endive (escarole)	23.26	34	94.84	A
Ethylene glycol	Grape, wine	9,771.01	842	26,563.78	A
Ethylene glycol	Lettuce, head	2,381.75	899	9,507.86	A
Ethylene glycol	Lettuce, leaf	3,932.92	1,885	14,384.53	A
Ethylene glycol	Tomato	22.06	3	36.4	A
Etofenprox	Landscape maintenance	0.01	N/A	N/A	N/A
Etofenprox	Public health	0.29	N/A	N/A	N/A
Etofenprox	Structural pest control	14.68	N/A	N/A	N/A
Etoxazole	Grape, wine	417.18	106	3,141.76	A
Etoxazole	N-grnhs flower	0.45	16	273,300.0	S
Etoxazole	N-grnhs plants in containers	0.97	4	9.12	A
Etoxazole	Raspberry	5.26	2	38.94	A
Etoxazole	Research commodity	0.06	N/A	N/A	N/A
Etoxazole	Strawberry	470.61	164	3,485.95	A
Famoxadone	Cilantro	13.41	28	87.23	A
Famoxadone	Lettuce, leaf	8.5	7	54.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Famoxadone	N-grnhs transplants	0.11	3	0.96	A
Famoxadone	Research commodity	0.22	N/A	N/A	N/A
Famoxadone	Spinach	4.34	3	27.8	A
Famoxadone	Tomato	8.43	6	67.4	A
Fatty acids derived from tallow	Lettuce, leaf	1.23	3	15.8	A
Fatty acids derived from tallow	Ryegrass	26.19	14	144.0	A
Fatty acids derived from tallow	Strawberry	21.73	1	140.0	A
Fatty acids derived from tallow	Tomato	222.92	91	1,126.9	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Artichoke, globe	694.39	147	2,353.0	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Broccoli	15.57	7	54.55	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Brussels sprout	113.46	33	431.65	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Carrot	91.12	4	80.0	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Cauliflower	9.65	3	35.7	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Celery	130.79	60	463.65	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Fennel	4.96	4	17.5	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Grape, wine	241.59	63	1,218.21	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Lettuce, head	72.45	22	264.0	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Lettuce, leaf	78.23	28	282.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Rights of way	117.29	N/A	N/A	N/A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Strawberry	3,098.6	303	7,363.42	A
Fatty acids, methyl esters	Carrot	930.12	59	935.6	A
Fatty acids, methyl esters	Celery	616.54	102	753.9	A
Fatty acids, methyl esters	Cilantro	14.95	16	45.96	A
Fatty acids, methyl esters	Grape, wine	20,290.08	516	26,190.13	A
Fatty acids, methyl esters	Oat	41.79	3	48.0	A
Fatty acids, methyl esters	Peas	16.69	3	19.1	A
Fatty acids, methyl esters	Uncultivated ag	4,378.26	260	2,651.6	A
Fatty acids, methyl esters	Uncultivated non-ag	45.2	4	157.0	A
Fatty acids, mixed	Alfalfa	1.72	6	128.0	A
Fatty acids, mixed	Artichoke, globe	16.19	62	649.1	A
Fatty acids, mixed	Bean, succulent	0.03	1	19.5	A
Fatty acids, mixed	Broccoli	122.64	987	11,440.2	A
Fatty acids, mixed	Brussels sprout	7.09	16	192.2	A
Fatty acids, mixed	Cabbage	22.67	215	2,210.41	A
Fatty acids, mixed	Carrot	0.26	2	34.3	A
Fatty acids, mixed	Cauliflower	43.79	291	3,260.67	A
Fatty acids, mixed	Celery	16.65	233	1,800.7	A
Fatty acids, mixed	Collard	0.07	3	12.6	A
Fatty acids, mixed	Corn, human consumption	0.29	2	9.0	A
Fatty acids, mixed	Cucumber	0.12	2	13.0	A
Fatty acids, mixed	Endive (escarole)	0.07	10	18.75	A
Fatty acids, mixed	Fennel	1.02	9	98.28	A
Fatty acids, mixed	Garlic	37.6	178	3,559.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fatty acids, mixed	Kale	0.24	7	64.1	A
Fatty acids, mixed	Lemon	4.44	30	235.2	A
Fatty acids, mixed	Lettuce, head	187.95	1,492	17,885.65	A
Fatty acids, mixed	Lettuce, leaf	343.05	3,553	34,321.34	A
Fatty acids, mixed	Mustard greens	0.03	2	10.0	A
Fatty acids, mixed	N-grnhs plants in containers	3.36	64	156.19	A
Fatty acids, mixed	N-grnhs transplants	0.21	43	13.08	A
Fatty acids, mixed	N-outdr plants in containers	4.42	50	126.21	A
Fatty acids, mixed	Onion, dry	3.09	45	744.7	A
Fatty acids, mixed	Peas	18.26	180	2,046.8	A
Fatty acids, mixed	Pepper, fruiting	0.2	3	25.0	A
Fatty acids, mixed	Radicchio	0.29	15	76.74	A
Fatty acids, mixed	Rapini	17.45	171	1,597.3	A
Fatty acids, mixed	Rights of way	8.26	N/A	N/A	N/A
Fatty acids, mixed	Spinach	0.27	10	39.9	A
Fatty acids, mixed	Squash	0.05	1	10.0	A
Fatty acids, mixed	Squash, summer	0.19	4	23.64	A
Fatty acids, mixed	Strawberry	16.89	18	615.8	A
Fatty acids, mixed	Tomato	0.36	6	63.0	A
Fatty acids, mixed	Uncultivated ag	8.39	45	921.18	A
Fenamidone	Arugula	189.85	174	754.9	A
Fenamidone	Beet	4.38	2	17.0	A
Fenamidone	Broccoli	190.93	79	735.64	A
Fenamidone	Brussels sprout	9.74	6	37.75	A
Fenamidone	Cabbage	92.17	67	355.8	A
Fenamidone	Cauliflower	69.59	33	272.75	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fenamidone	Chinese cabbage (napa, wong bok, celery cabbage)	8.63	10	32.6	A
Fenamidone	Endive (escarole)	4.0	10	15.3	A
Fenamidone	Fennel	8.67	3	32.76	A
Fenamidone	Kale	19.94	51	85.95	A
Fenamidone	Lettuce, head	1,385.77	543	5,463.64	A
Fenamidone	Lettuce, leaf	2,788.21	1,295	10,953.32	A
Fenamidone	Mizuna	10.55	19	42.35	A
Fenamidone	Mustard greens	56.63	47	226.89	A
Fenamidone	N-grnhs plants in containers	22.13	46	68.1	A
Fenamidone	N-grnhs transplants	0.7	6	2.5	A
Fenamidone	Onion, dry	62.98	25	359.9	A
Fenamidone	Radicchio	23.24	21	88.14	A
Fenamidone	Radish	3.05	3	11.89	A
Fenamidone	Rapini	77.47	20	300.2	A
Fenamidone	Research commodity	0.41	1	1.5	A
Fenamidone	Research commodity	0.77	N/A	N/A	N/A
Fenamidone	Spinach	1,073.01	643	4,192.4	A
Fenamidone	Swiss chard	32.63	68	129.32	A
Fenazaquin	Strawberry	18.61	2	48.24	A
Fenbutatin-oxide	Strawberry	476.54	43	423.54	A
Fenhexamid	Grape, wine	1,579.26	140	3,156.75	A
Fenhexamid	N-grnhs flower	0.15	1	4,500.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fenhexamid	N-grnhs plants in containers	51.68	12	32.32	A
Fenhexamid	N-grnhs plants in containers	0.03	1	10,000.0	S
Fenhexamid	N-outdr flower	4.5	6	9.0	A
Fenhexamid	N-outdr plants in containers	11.68	6	9.28	A
Fenhexamid	Strawberry	1,982.68	113	2,855.39	A
Fenpropathrin	N-outdr flower	0.7	5	5.0	A
Fenpropathrin	Research commodity	0.3	N/A	N/A	N/A
Fenpropathrin	Strawberry	2,551.09	277	7,197.5	A
Fenpyroximate	Blackberry	1.9	12	17.68	A
Fenpyroximate	Grape, wine	15.89	3	147.88	A
Fenpyroximate	N-grnhs flower	0.12	11	23,100.0	S
Fenpyroximate	Research commodity	0.1	N/A	N/A	N/A
Fenpyroximate	Strawberry	212.59	177	2,100.82	A
Ferric sodium edta	Artichoke, globe	268.75	13	141.0	A
Ferric sodium edta	Rights of way	12.5	N/A	N/A	N/A
Fipronil	Landscape maintenance	0.07	N/A	N/A	N/A
Fipronil	Structural pest control	67.43	N/A	N/A	N/A
Flazasulfuron	Grape, wine	36.43	79	1,745.34	A
Flonicamid	Arugula	75.12	170	862.1	A
Flonicamid	Bean, succulent	1.3	6	14.9	A
Flonicamid	Bok choy (choy sum, pak choi)	0.9	5	10.25	A
Flonicamid	Broccoli	71.12	66	807.1	A
Flonicamid	Brussels sprout	96.02	100	1,100.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flonicamid	Cabbage	24.61	29	282.9	A
Flonicamid	Carrot	8.43	15	100.0	A
Flonicamid	Cauliflower	14.2	21	168.95	A
Flonicamid	Celery	211.02	363	2,541.19	A
Flonicamid	Chinese cabbage (napa, wong bok, celery cabbage)	1.17	4	13.3	A
Flonicamid	Cress, garden	0.4	2	4.6	A
Flonicamid	Cucumber	5.14	3	58.7	A
Flonicamid	Fennel	3.15	12	35.7	A
Flonicamid	Kale	53.55	174	618.2	A
Flonicamid	Lemon	2.19	1	25.0	A
Flonicamid	Lettuce, head	519.07	625	6,636.35	A
Flonicamid	Lettuce, leaf	832.2	1,355	10,706.13	A
Flonicamid	Mizuna	3.6	34	41.38	A
Flonicamid	Mustard greens	8.71	42	99.85	A
Flonicamid	N-grnhs flower	0.35	2	3.0	A
Flonicamid	N-grnhs flower	0.38	2	120,000.0	S
Flonicamid	N-grnhs plants in containers	5.02	14	32.23	A
Flonicamid	N-grnhs plants in containers	0.4	3	60,000.0	S
Flonicamid	N-outdr flower	1.13	9	9.0	A
Flonicamid	N-outdr plants in containers	0.79	2	6.58	A
Flonicamid	Peas	33.18	26	379.15	A
Flonicamid	Radicchio	1.59	2	25.5	A
Flonicamid	Radish	14.67	58	168.89	A
Flonicamid	Rapini	39.02	51	446.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flonicamid	Research commodity	0.43	N/A	N/A	N/A
Flonicamid	Spinach	260.64	409	3,020.8	A
Flonicamid	Squash	0.91	1	10.4	A
Flonicamid	Strawberry	1,720.54	635	19,668.04	A
Flonicamid	Swiss chard	20.34	78	234.2	A
Flonicamid	Tomato	16.73	9	143.8	A
Flonicamid	Upland cress	5.75	29	68.0	A
Fluazifop-butyl	Landscape maintenance	2.8	N/A	N/A	N/A
Fluazifop-p-butyl	Carrot	426.08	116	1,857.0	A
Fluazifop-p-butyl	Grape, wine	488.09	86	3,190.6	A
Fluazifop-p-butyl	Landscape maintenance	0.73	N/A	N/A	N/A
Fluazifop-p-butyl	Lettuce, leaf	11.66	10	43.8	A
Fluazifop-p-butyl	N-outdr flower	0.3	4	0.3	A
Fluazifop-p-butyl	Rights of way	12.55	N/A	N/A	N/A
Fluazifop-p-butyl	Uncultivated ag	1.26	1	5.0	A
Fluazifop-p-butyl	Uncultivated non-ag	2.01	1	135.0	A
Fluazinam	Broccoli	2,190.74	142	1,604.75	A
Fluazinam	Brussels sprout	322.16	23	233.65	A
Fluazinam	Cabbage	50.47	3	37.0	A
Fluazinam	Cauliflower	500.9	44	368.5	A
Fluazinam	Chinese cabbage (napa, wong bok, celery cabbage)	14.33	1	10.4	A
Fluazinam	Golf course turf	22.81	N/A	29.2	A
Fluazinam	Landscape maintenance	108.87	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fludioxonil	Beet	0.01	N/A	568.39	P
Fludioxonil	Broccoli	20.78	10	94.95	A
Fludioxonil	Carrot	8.84	4	80.0	A
Fludioxonil	Carrot	0.09	N/A	3,370.97	P
Fludioxonil	Celery	10.62	6	48.7	A
Fludioxonil	Cucumber	1.33	N/A	54,290.31	P
Fludioxonil	Endive (escarole)	3.27	4	15.0	A
Fludioxonil	Fennel	0.01	N/A	492.82	P
Fludioxonil	Golf course turf	23.51	N/A	50.7	A
Fludioxonil	Grape, wine	497.48	100	2,556.66	A
Fludioxonil	Landscape maintenance	69.79	N/A	N/A	N/A
Fludioxonil	Lettuce, head	343.97	165	1,586.16	A
Fludioxonil	Lettuce, leaf	746.75	378	3,425.64	A
Fludioxonil	Lettuce, leaf	<0.01	N/A	188.8	P
Fludioxonil	Melon	0.02	N/A	643.06	P
Fludioxonil	N-grnhs flower	15.19	65	70.25	A
Fludioxonil	N-grnhs flower	<0.01	1	37.5	S
Fludioxonil	N-grnhs plants in containers	134.92	156	191.3	A
Fludioxonil	N-grnhs plants in containers	16.98	116	1,850,361.0	S
Fludioxonil	N-grnhs transplants	5.53	20	25.67	A
Fludioxonil	N-outdr flower	0.06	1	1.0	A
Fludioxonil	N-outdr plants in containers	35.87	26	54.49	A
Fludioxonil	N-outdr transplants	2.63	5	532,460.0	S
Fludioxonil	Onion, dry	6.2	N/A	31,111.16	P

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fludioxonil	Parsnip	<0.01	N/A	33.3	P
Fludioxonil	Pepper, fruiting	<0.01	N/A	47.65	P
Fludioxonil	Pumpkin	0.05	N/A	1,885.2	P
Fludioxonil	Raspberry	33.06	8	151.11	A
Fludioxonil	Research commodity	0.27	1	1.25	A
Fludioxonil	Research commodity	0.21	N/A	N/A	N/A
Fludioxonil	Spinach	<0.01	N/A	67.0	P
Fludioxonil	Squash	0.16	N/A	5,940.74	P
Fludioxonil	Strawberry	3,206.56	453	14,973.24	A
Fludioxonil	Tomato	0.01	N/A	553.24	P
Fludioxonil	Watermelon	0.08	N/A	3,011.21	P
Flumioxazin	Alfalfa	12.42	1	100.0	A
Flumioxazin	Artichoke, globe	98.78	94	1,101.4	A
Flumioxazin	Celery	4.7	7	50.8	A
Flumioxazin	Garlic	40.65	27	373.1	A
Flumioxazin	Grape, wine	3,205.23	395	15,990.9	A
Flumioxazin	Landscape maintenance	2.24	N/A	N/A	N/A
Flumioxazin	Lemon	6.89	3	74.0	A
Flumioxazin	Raspberry	2.38	1	12.75	A
Flumioxazin	Rights of way	2.52	N/A	N/A	N/A
Flumioxazin	Strawberry	177.05	46	1,899.8	A
Flumioxazin	Uncultivated ag	62.56	25	569.72	A
Flumioxazin	Uncultivated non-ag	6.19	3	16.5	A
Fluopicolide	Arugula	147.58	171	1,194.91	A
Fluopicolide	Bok choy (choy sum, pak choi)	0.09	2	0.7	A
Fluopicolide	Carrot	4.23	2	34.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fluopicolide	Cauliflower	0.12	1	1.0	A
Fluopicolide	Cress, garden	0.3	1	2.4	A
Fluopicolide	Cucumber	0.63	1	5.0	A
Fluopicolide	Kale	29.97	95	268.79	A
Fluopicolide	Lettuce, head	892.81	757	7,785.21	A
Fluopicolide	Lettuce, leaf	1,047.01	1,030	8,669.4	A
Fluopicolide	Mizuna	0.77	9	6.2	A
Fluopicolide	Mustard greens	2.56	4	20.68	A
Fluopicolide	N-grnhs plants in containers	11.38	22	58.65	A
Fluopicolide	N-grnhs plants in containers	0.28	7	53,400.0	S
Fluopicolide	N-outdr flower	2.18	14	18.0	A
Fluopicolide	N-outdr plants in containers	7.61	21	50.6	A
Fluopicolide	Onion, dry	9.71	7	78.7	A
Fluopicolide	Radish	6.67	19	54.43	A
Fluopicolide	Spinach	1,022.76	996	8,463.44	A
Fluopicolide	Swiss chard	14.58	56	127.65	A
Fluopicolide	Upland cress	7.07	22	57.3	A
Fluopyram	Artichoke, globe	414.77	247	3,413.28	A
Fluopyram	Broccoli	5.4	10	43.79	A
Fluopyram	Brussels sprout	603.54	345	4,933.03	A
Fluopyram	Carrot	6.33	8	51.6	A
Fluopyram	Cauliflower	10.4	14	102.98	A
Fluopyram	Celery	72.29	98	798.25	A
Fluopyram	Chinese cabbage (napa, wong bok, celery cabbage)	2.76	4	22.27	A
Fluopyram	Cucumber	1.87	2	15.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fluopyram	Endive (escarole)	1.0	5	8.1	A
Fluopyram	Fennel	14.83	18	157.0	A
Fluopyram	Golf course turf	4.61	N/A	12.0	A
Fluopyram	Grape, wine	3,125.41	646	29,369.71	A
Fluopyram	Kale	13.06	11	116.2	A
Fluopyram	Landscape maintenance	53.86	N/A	N/A	N/A
Fluopyram	Leek	5.42	9	33.09	A
Fluopyram	Lettuce, head	697.78	590	5,970.59	A
Fluopyram	Lettuce, leaf	1,324.92	1,371	11,101.77	A
Fluopyram	N-grnhs transplants	0.7	3	5.62	A
Fluopyram	Parsley	10.92	9	88.0	A
Fluopyram	Research commodity	0.67	4	5.5	A
Fluopyram	Research commodity	0.04	N/A	N/A	N/A
Fluopyram	Squash	3.78	4	30.5	A
Fluopyram	Strawberry	1,352.4	379	10,664.82	A
Fluopyram	Sunflower	4.08	3	24.6	A
Fluopyram	Tomato	82.14	50	662.3	A
Fluopyram	Watermelon	0.38	1	3.0	A
Flupyradifurone	Arugula	21.5	40	154.33	A
Flupyradifurone	Beet	3.37	2	18.45	A
Flupyradifurone	Bok choy (choy sum, pak choi)	6.11	9	33.52	A
Flupyradifurone	Broccoli	1,023.47	605	6,655.03	A
Flupyradifurone	Brussels sprout	374.73	180	2,165.21	A
Flupyradifurone	Cabbage	342.42	207	2,177.29	A
Flupyradifurone	Carrot	12.82	6	70.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flupyradifurone	Cauliflower	300.02	254	1,959.14	A
Flupyradifurone	Celery	607.66	496	3,804.23	A
Flupyradifurone	Chinese cabbage (napa, wong bok, celery cabbage)	31.01	47	173.39	A
Flupyradifurone	Cilantro	70.09	58	407.36	A
Flupyradifurone	Collard	1.7	3	12.6	A
Flupyradifurone	Cucumber	1.1	1	8.0	A
Flupyradifurone	Endive (escarole)	7.3	32	42.37	A
Flupyradifurone	Fennel	7.06	7	51.52	A
Flupyradifurone	Grape, wine	33.1	11	251.38	A
Flupyradifurone	Kale	66.36	92	432.39	A
Flupyradifurone	Lettuce, head	2,157.97	1,305	13,528.15	A
Flupyradifurone	Lettuce, leaf	3,577.35	2,507	22,432.06	A
Flupyradifurone	Mizuna	3.25	6	18.68	A
Flupyradifurone	Mustard greens	15.3	34	117.69	A
Flupyradifurone	N-grnhs flower	0.26	9	21,600.0	S
Flupyradifurone	N-grnhs plants in containers	15.06	13	29.3	A
Flupyradifurone	N-grnhs plants in containers	0.07	3	22,000.0	S
Flupyradifurone	N-outdr flower	5.55	44	47.0	A
Flupyradifurone	N-outdr plants in containers	17.3	2	12.31	A
Flupyradifurone	Parsley	5.91	4	43.2	A
Flupyradifurone	Peas	41.99	26	308.43	A
Flupyradifurone	Radicchio	9.07	11	67.5	A
Flupyradifurone	Rapini	104.17	39	726.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flupyradifurone	Research commodity	4.54	11	26.0	A
Flupyradifurone	Research commodity	0.26	N/A	N/A	N/A
Flupyradifurone	Spinach	324.91	311	2,310.86	A
Flupyradifurone	Squash	1.37	1	10.0	A
Flupyradifurone	Strawberry	2,360.59	492	13,429.15	A
Flupyradifurone	Structural pest control	1.94	N/A	N/A	N/A
Flupyradifurone	Swiss chard	2.36	4	17.1	A
Flupyradifurone	Upland cress	1.57	5	11.6	A
Fluridone	Landscape maintenance	2.03	N/A	N/A	N/A
Flurprimidol	Golf course turf	20.56	N/A	262.7	A
Flurprimidol	Golf course turf	0.08	N/A	22,000.0	S
Flurprimidol	Landscape maintenance	453.14	N/A	N/A	N/A
Flurprimidol	N-grnhs flower	<0.01	3	112.5	S
Flurprimidol	N-grnhs plants in containers	0.02	6	3.9	A
Flurprimidol	N-outdr plants in containers	0.06	7	6.27	A
Flutianil	Grape, wine	15.03	89	691.35	A
Flutolanil	Golf course turf	17.5	N/A	185,000.0	S
Flutolanil	Landscape maintenance	174.3	N/A	N/A	N/A
Flutriafol	Grape, wine	1,531.5	344	19,375.26	A
Flutriafol	Strawberry	729.89	177	6,686.85	A
Fluxapyroxad	Broccoli	143.37	160	1,649.6	A
Fluxapyroxad	Brussels sprout	126.7	59	1,428.06	A
Fluxapyroxad	Cabbage	6.19	9	79.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fluxapyroxad	Cauliflower	44.98	54	518.8	A
Fluxapyroxad	Celery	6.33	3	35.1	A
Fluxapyroxad	Endive (escarole)	2.46	9	18.85	A
Fluxapyroxad	Fennel	1.73	3	9.6	A
Fluxapyroxad	Golf course turf	6.31	N/A	27.2	A
Fluxapyroxad	Golf course turf	0.21	N/A	42,000.0	S
Fluxapyroxad	Grape, wine	31.38	3	347.04	A
Fluxapyroxad	Landscape maintenance	0.95	N/A	N/A	N/A
Fluxapyroxad	Lettuce, head	236.67	116	1,365.05	A
Fluxapyroxad	Lettuce, leaf	545.75	272	3,066.05	A
Fluxapyroxad	Onion, dry	16.54	5	91.5	A
Fluxapyroxad	Pepper, fruiting	2.18	3	25.0	A
Fluxapyroxad	Radicchio	1.33	2	8.6	A
Fluxapyroxad	Research commodity	0.21	N/A	N/A	N/A
Fluxapyroxad	Strawberry	913.87	232	5,177.01	A
Fluxapyroxad	Tomato	16.45	9	189.4	A
Foramsulfuron	Golf course turf	0.25	N/A	300,000.0	S
Foramsulfuron	Landscape maintenance	0.43	N/A	N/A	N/A
Forchlorfenuron	Grape, wine	5.38	18	1,229.54	A
Fosetyl-al	Arugula	164.8	21	89.3	A
Fosetyl-al	Kale	792.35	63	318.5	A
Fosetyl-al	Landscape maintenance	326.18	N/A	N/A	N/A
Fosetyl-al	Lettuce, head	33,304.34	986	11,580.02	A
Fosetyl-al	Lettuce, leaf	43,926.98	1,557	15,951.28	A
Fosetyl-al	N-grnhs flower	12.2	4	2.33	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fosetyl-al	N-grnhs plants in containers	194.48	20	24.78	A
Fosetyl-al	N-grnhs plants in containers	7.5	5	16,800.0	S
Fosetyl-al	N-grnhs transplants	3,471.13	1,430	426.21	A
Fosetyl-al	N-outdr flower	18.8	21	24.0	A
Fosetyl-al	N-outdr plants in containers	181.23	16	31.16	A
Fosetyl-al	N-outdr plants in containers	0.63	2	14,800.0	S
Fosetyl-al	N-outdr transplants	142.2	28	58.75	A
Fosetyl-al	N-outdr transplants	12.93	6	243,786.0	S
Fosetyl-al	Research commodity	3.2	N/A	N/A	N/A
Fosetyl-al	Spinach	3,558.54	146	1,442.82	A
Fosetyl-al	Strawberry	14,588.75	141	3,994.79	A
Fosetyl-al	Swiss chard	3.6	1	1.5	A
Free fatty acids and/or amine salts	Landscape maintenance	0.3	N/A	N/A	N/A
Gamma-cyhalothrin	Structural pest control	0.17	N/A	N/A	N/A
Garlic	Broccoli	3.6	1	8.7	A
Garlic	Cannabis (all or unspecified)	0.54	16	37,031.0	S
Garlic	N-grnhs plants in containers	0.27	3	1.4	A
Garlic	Raspberry	41.5	18	120.13	A
Garlic	Strawberry	257.09	140	611.95	A
Gibberellins	Artichoke, globe	43.59	241	2,179.86	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Gibberellins	Lemon	6.55	2	129.0	A
Gibberellins	N-grnhs flower	0.88	39	41,425.0	S
Gibberellins	N-grnhs plants in containers	2.75	63	122.82	A
Gibberellins	N-grnhs plants in containers	<0.01	12	19,470.0	S
Gibberellins	N-outdr flower	<0.01	1	1.0	A
Gibberellins	N-outdr plants in containers	0.02	4	3.97	A
Glufosinate-ammonium	Corn (forage - fodder)	29.49	6	75.0	A
Glufosinate-ammonium	Grape, wine	61,879.31	2,094	71,026.15	A
Glufosinate-ammonium	Landscape maintenance	7.51	1	5.0	A
Glufosinate-ammonium	Landscape maintenance	175.0	N/A	N/A	N/A
Glufosinate-ammonium	Lemon	327.77	9	347.5	A
Glufosinate-ammonium	Rights of way	1,104.93	N/A	N/A	N/A
Glufosinate-ammonium	Structural pest control	26.62	N/A	N/A	N/A
Glufosinate-ammonium	Uncultivated ag	8,780.7	1,280	11,717.65	A
Glufosinate-ammonium	Uncultivated non-ag	236.93	59	431.55	A
Glufosinate-ammonium	Walnut	152.69	2	130.0	A
Glufosinate-ammonium	Water area	0.88	1	3.0	A
Glycerol	Broccoli	0.01	2	0.59	A
Glycerol	Endive (escarole)	0.55	15	23.37	A
Glycerol	Grape, wine	526.67	63	1,218.21	A
Glycerol	Lettuce, head	5.94	72	290.64	A
Glycerol	Lettuce, leaf	21.6	196	950.45	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Glycerol	Strawberry	8.15	4	74.78	A
Glycerol	Uncultivated ag	0.78	3	5.3	A
Glycerol	Uncultivated non-ag	1.22	4	11.0	A
Glyphosate, dimethylamine salt	Rights of way	56.95	N/A	N/A	N/A
Glyphosate, isopropylamine salt	Airport	65.95	3	44.0	A
Glyphosate, isopropylamine salt	Alfalfa	243.92	8	121.9	A
Glyphosate, isopropylamine salt	Bok choy (choy sum, pak choi)	15.23	1	4.75	A
Glyphosate, isopropylamine salt	Broccoli	19.95	2	9.95	A
Glyphosate, isopropylamine salt	Cabbage	6.8	1	3.4	A
Glyphosate, isopropylamine salt	Chinese cabbage (napa, wong bok, celery cabbage)	22.92	1	7.15	A
Glyphosate, isopropylamine salt	Grape, wine	20,692.02	767	22,736.83	A
Glyphosate, isopropylamine salt	Landscape maintenance	48.01	2	12.0	A
Glyphosate, isopropylamine salt	Landscape maintenance	986.66	N/A	N/A	N/A
Glyphosate, isopropylamine salt	Lemon	18.56	1	34.0	A
Glyphosate, isopropylamine salt	Lettuce, leaf	150.53	8	74.25	A
Glyphosate, isopropylamine salt	N-grnhs flower	19.94	1	10.0	A
Glyphosate, isopropylamine salt	N-grnhs plants in containers	1.35	3	6,400.0	S
Glyphosate, isopropylamine salt	N-outdr plants in containers	49.27	3	5.68	A
Glyphosate, isopropylamine salt	Public health	83.24	N/A	N/A	N/A
Glyphosate, isopropylamine salt	Rangeland	49.45	7	206.25	A
Glyphosate, isopropylamine salt	Raspberry	139.22	1	34.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Glyphosate, isopropylamine salt	Research commodity	203.08	N/A	N/A	N/A
Glyphosate, isopropylamine salt	Rights of way	21,394.42	N/A	N/A	N/A
Glyphosate, isopropylamine salt	Strawberry	8.99	1	3.0	A
Glyphosate, isopropylamine salt	Structural pest control	0.04	N/A	N/A	N/A
Glyphosate, isopropylamine salt	Uncultivated ag	64,246.72	2,244	20,641.51	A
Glyphosate, isopropylamine salt	Uncultivated ag	3.81	14	49,400.0	S
Glyphosate, isopropylamine salt	Uncultivated non-ag	2,721.67	86	785.85	A
Glyphosate, isopropylamine salt	Water area	333.26	49	111.0	A
Glyphosate, monoammonium salt	Landscape maintenance	1.83	N/A	N/A	N/A
Glyphosate, potassium salt	Alfalfa	250.76	21	144.8	A
Glyphosate, potassium salt	Broccoli	54.35	2	19.3	A
Glyphosate, potassium salt	Chinese cabbage (napa, wong bok, celery cabbage)	20.96	1	7.6	A
Glyphosate, potassium salt	Corn, human consumption	81.76	3	33.0	A
Glyphosate, potassium salt	Farm/ag building	355.83	26	27.7	A
Glyphosate, potassium salt	Grape, wine	22,099.24	641	18,329.26	A
Glyphosate, potassium salt	Landscape maintenance	82.75	7	6.45	A
Glyphosate, potassium salt	Landscape maintenance	6,321.29	N/A	N/A	N/A
Glyphosate, potassium salt	Lemon	3,138.24	24	1,139.21	A
Glyphosate, potassium salt	Lettuce, head	259.56	7	94.1	A
Glyphosate, potassium salt	Lettuce, leaf	18.64	2	13.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Glyphosate, potassium salt	N-outdr flower	8.28	2	1.92	A
Glyphosate, potassium salt	N-outdr plants in containers	0.34	1	0.75	A
Glyphosate, potassium salt	Onion, dry	11.03	1	4.0	A
Glyphosate, potassium salt	Pistachio	242.91	1	108.0	A
Glyphosate, potassium salt	Radish	58.23	21	13.73	A
Glyphosate, potassium salt	Raspberry	52.74	1	12.75	A
Glyphosate, potassium salt	Research commodity	33.6	N/A	N/A	N/A
Glyphosate, potassium salt	Rights of way	2,261.36	N/A	N/A	N/A
Glyphosate, potassium salt	Strawberry	894.45	4	79.0	A
Glyphosate, potassium salt	Uncultivated ag	16,167.82	491	6,025.84	A
Glyphosate, potassium salt	Uncultivated non-ag	2,022.49	34	257.8	A
Glyphosate, potassium salt	Vertebrate control	8.27	N/A	N/A	N/A
Glyphosate, potassium salt	Walnut	16.81	2	130.0	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Artichoke, globe	32.91	62	767.64	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Broccoli	359.87	563	8,423.78	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Brussels sprout	37.26	77	873.4	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Cabbage	49.39	144	1,183.8	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Cauliflower	145.11	276	3,381.3	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Chinese cabbage (napa, wong bok, celery cabbage)	9.57	71	222.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Corn, human consumption	3.95	6	92.0	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Kohlrabi	1.12	7	26.1	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Rapini	92.14	97	2,157.7	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Research commodity	1.18	9	27.5	A
Gs-omega/kappa-hctx-hv1a (versitide peptide)	Structural pest control	0.49	N/A	N/A	N/A
Halosulfuron-methyl	Landscape maintenance	0.09	N/A	N/A	N/A
Halosulfuron-methyl	Rights of way	2.72	N/A	N/A	N/A
Halosulfuron-methyl	Tomato	0.05	1	1.0	A
Halosulfuron-methyl	Uncultivated ag	8.91	4	19.0	A
Heptamethyltrisiloxane ethoxylated	Celery	39.73	39	452.7	A
Heptamethyltrisiloxane ethoxylated	Grape, wine	596.54	53	6,685.61	A
Heptamethyltrisiloxane ethoxylated	Strawberry	2,367.38	208	9,452.16	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Artichoke, globe	104.95	289	4,206.4	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Beet	4.7	6	40.0	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Blackberry	67.89	15	141.71	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Blueberry	59.74	4	84.0	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Broccoli	974.85	1,291	14,654.39	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Brussels sprout	431.38	504	8,677.37	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cabbage	151.12	197	1,617.25	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cannabis (all or unspecified)	163.27	228	188.1	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cannabis (all or unspecified)	281.74	215	8,837,888.0	S
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Carrot	0.93	7	26.0	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cauliflower	451.54	747	6,518.04	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Celery	101.55	318	2,075.07	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cilantro	0.98	4	26.61	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Grape, wine	466.24	180	8,055.4	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Kale	1.78	11	21.06	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Landscape maintenance	0.51	N/A	N/A	N/A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Leek	0.64	3	22.6	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Lemon	2.66	1	6.0	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Lettuce, head	143.63	354	3,724.14	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Lettuce, leaf	333.18	794	7,592.52	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Mustard greens	0.27	2	3.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	N-grnhs flower	583.76	361	452.71	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	N-grnhs plants in containers	14.55	12	14.31	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	N-outdr plants in containers	62.4	14	18.72	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Onion, dry	9.37	26	456.7	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Peas	41.52	107	1,029.52	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Rapini	32.46	26	607.6	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Raspberry	37.85	62	269.61	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Research commodity	0.16	N/A	N/A	N/A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Ryegrass	5.46	3	27.3	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Spinach	1.88	4	22.6	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Strawberry	4,028.15	485	6,835.71	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Swiss chard	0.54	3	6.3	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Tomato	34.69	24	427.4	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Uncultivated ag	74.49	99	688.0	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Uncultivated non-ag	0.34	1	1.5	A
Hexylene glycol	Rights of way	122.52	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Hexythiazox	Blackberry	3.32	12	17.68	A
Hexythiazox	Grape, wine	32.54	2	169.79	A
Hexythiazox	N-grnhs flower	0.02	5	6,150.0	S
Hexythiazox	N-grnhs plants in containers	14.92	25	46.84	A
Hexythiazox	N-grnhs plants in containers	0.1	10	13,025.0	S
Hexythiazox	N-outdr plants in containers	0.69	4	1.95	A
Hexythiazox	Raspberry	2.74	2	14.6	A
Hexythiazox	Strawberry	751.06	151	3,909.62	A
Humic acid	Uncultivated ag	33.42	67	566.7	A
Humic acid	Uncultivated non-ag	1.93	5	30.0	A
Hydramethylnon	Structural pest control	0.08	N/A	N/A	N/A
Hydrogen cyanamide	Grape, wine	253.77	1	14.37	A
Hydrogen peroxide	Bean, unspecified	68.72	7	27.8	A
Hydrogen peroxide	Broccoli	3.88	4	20.0	A
Hydrogen peroxide	Cannabis (all or unspecified)	280.52	114	52.7	A
Hydrogen peroxide	Cannabis (all or unspecified)	1,409.73	584	5,608,891.0	S
Hydrogen peroxide	Celery	25.36	6	41.5	A
Hydrogen peroxide	Grape, wine	8,042.9	183	9,341.37	A
Hydrogen peroxide	Leek	21.26	2	8.6	A
Hydrogen peroxide	Lettuce, head	1,284.85	58	570.04	A
Hydrogen peroxide	Lettuce, leaf	2,492.84	96	1,080.66	A
Hydrogen peroxide	Mustard greens	86.65	9	34.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Hydrogen peroxide	N-grnhs plants in containers	16.55	9	14.89	A
Hydrogen peroxide	N-grnhs plants in containers	0.29	2	1,200.0	S
Hydrogen peroxide	N-grnhs transplants	1.56	3	1.0	A
Hydrogen peroxide	N-outdr plants in containers	2.22	1	1.19	A
Hydrogen peroxide	N-outdr plants in containers	0.48	1	2,000.0	S
Hydrogen peroxide	N-outdr transplants	0.17	1	9,537.0	S
Hydrogen peroxide	Raspberry	256.04	22	146.57	A
Hydrogen peroxide	Research commodity	3.31	8	1.66	A
Hydrogen peroxide	Spinach	616.01	25	270.3	A
Hydrogen peroxide	Strawberry	5,991.61	216	2,431.58	A
Hydrogen peroxide	Swiss chard	38.35	4	15.4	A
Hydrogen peroxide	Uncultivated ag	5.69	2	1.0	A
Hydrogen peroxide	Uncultivated ag	1.06	3	6,000.0	S
Hydrogen peroxide	Water (industrial)	520.21	N/A	2.0	U
Hydrogen peroxide	Water area	67.21	N/A	27.09	U
Hydroprene	N-grnhs plants in containers	0.01	2	10,400.0	S
Hydroprene	N-outdr plants in containers	0.01	1	400.0	S
Hydroprene	Structural pest control	3.15	N/A	N/A	N/A
Iba	Cannabis (all or unspecified)	0.02	11	87,120.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Iba	Cannabis (all or unspecified)	0.24	165	411,151.0	U
Iba	N-grnhs plants in containers	0.24	2	3.62	A
Imazamox, ammonium salt	Alfalfa	6.35	5	151.0	A
Imazamox, ammonium salt	Landscape maintenance	1.26	N/A	N/A	N/A
Imazapyr, isopropylamine salt	Landscape maintenance	11.5	N/A	N/A	N/A
Imazapyr, isopropylamine salt	Pastureland	0.03	3	0.37	A
Imazapyr, isopropylamine salt	Rights of way	78.32	N/A	N/A	N/A
Imazapyr, isopropylamine salt	Uncultivated non-ag	0.32	N/A	2.0	A
Imazapyr, isopropylamine salt	Vertebrate control	5.68	N/A	N/A	N/A
Imazethapyr, ammonium salt	Alfalfa	2.57	4	51.0	A
Imidacloprid	Artichoke, globe	232.51	179	2,065.1	A
Imidacloprid	Arugula	17.09	87	369.49	A
Imidacloprid	Bean, succulent	1.2	6	28.63	A
Imidacloprid	Bean, unspecified	7.48	13	177.51	A
Imidacloprid	Beet	0.8	2	18.45	A
Imidacloprid	Bok choy (choy sum, pak choi)	4.08	22	88.57	A
Imidacloprid	Broccoli	730.11	1,372	15,044.0	A
Imidacloprid	Brussels sprout	749.24	396	5,195.77	A
Imidacloprid	Cabbage	63.51	173	1,344.46	A
Imidacloprid	Carrot	25.35	32	588.0	A
Imidacloprid	Cauliflower	265.62	559	4,442.76	A
Imidacloprid	Celery	2.12	8	45.35	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Imidacloprid	Chinese cabbage (napa, wong bok, celery cabbage)	17.12	78	367.87	A
Imidacloprid	Cilantro	4.07	42	94.51	A
Imidacloprid	Endive (escarole)	8.79	41	183.66	A
Imidacloprid	Fennel	0.49	2	3.0	A
Imidacloprid	Grape, wine	11,052.82	246	23,007.65	A
Imidacloprid	Kale	13.26	36	287.59	A
Imidacloprid	Landscape maintenance	35.21	N/A	N/A	N/A
Imidacloprid	Lemon	284.77	28	666.8	A
Imidacloprid	Lettuce, head	1,377.96	2,240	23,557.25	A
Imidacloprid	Lettuce, leaf	1,883.22	3,893	36,252.87	A
Imidacloprid	Mizuna	1.12	7	23.9	A
Imidacloprid	Mustard greens	4.88	19	106.6	A
Imidacloprid	N-grnhs flower	0.5	2	1.58	A
Imidacloprid	N-grnhs plants in containers	12.63	4	7.5	A
Imidacloprid	N-grnhs plants in containers	3.73	58	173,190.0	S
Imidacloprid	N-grnhs transplants	4.7	2	0.79	A
Imidacloprid	N-outdr flower	0.3	8	8.0	A
Imidacloprid	N-outdr plants in containers	0.26	4	5.75	A
Imidacloprid	N-outdr plants in containers	0.11	5	37,120.0	S
Imidacloprid	N-outdr transplants	0.55	1	1.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Imidacloprid	N-outdr transplants	1.88	5	174,825.0	S
Imidacloprid	Onion, dry	15.01	N/A	2,240.43	P
Imidacloprid	Peas	76.61	209	1,772.38	A
Imidacloprid	Pepper, fruiting	2.25	6	49.16	A
Imidacloprid	Radicchio	30.4	31	232.82	A
Imidacloprid	Radish	5.11	37	117.6	A
Imidacloprid	Rapini	41.54	47	877.7	A
Imidacloprid	Regulatory pest control	0.13	N/A	N/A	N/A
Imidacloprid	Research commodity	1.17	15	25.0	A
Imidacloprid	Research commodity	3.14	N/A	N/A	N/A
Imidacloprid	Rights of way	0.12	22	328.5	A
Imidacloprid	Rights of way	<0.01	3	72.0	U
Imidacloprid	Spinach	246.0	852	5,362.95	A
Imidacloprid	Strawberry	578.11	17	1,143.87	A
Imidacloprid	Structural pest control	26.87	N/A	N/A	N/A
Imidacloprid	Tomato	33.91	33	594.1	A
Imidacloprid	Vertebrate control	0.02	N/A	N/A	N/A
Imidacloprid	Walnut	4.44	1	100.0	A
Indaziflam	Grape, wine	135.16	118	3,785.76	A
Indaziflam	Landscape maintenance	2.06	N/A	N/A	N/A
Indaziflam	N-grnhs plants in containers	1.2	55	130.94	A
Indaziflam	N-outdr plants in containers	<0.01	45	10.24	?

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Indaziflam	N-outdr plants in containers	1.06	31	69.53	A
Indaziflam	Pistachio	4.93	1	108.0	A
Indaziflam	Research commodity	<0.01	N/A	N/A	N/A
Indaziflam	Rights of way	43.09	N/A	N/A	N/A
Indaziflam	Uncultivated ag	6.01	8	177.41	A
Indoxacarb	Arugula	6.6	28	100.4	A
Indoxacarb	Bok choy (choy sum, pak choi)	5.0	17	76.17	A
Indoxacarb	Broccoli	796.65	1,141	12,156.71	A
Indoxacarb	Brussels sprout	286.05	279	4,399.65	A
Indoxacarb	Cabbage	161.47	250	2,463.14	A
Indoxacarb	Cauliflower	348.84	583	5,329.43	A
Indoxacarb	Celery	13.62	29	208.3	A
Indoxacarb	Chinese cabbage (napa, wong bok, celery cabbage)	10.16	27	155.53	A
Indoxacarb	Collard	0.39	2	6.0	A
Indoxacarb	Endive (escarole)	0.36	2	5.46	A
Indoxacarb	Golf course turf	0.12	N/A	16,000.0	S
Indoxacarb	Kale	25.77	55	392.5	A
Indoxacarb	Lettuce, head	50.19	50	699.5	A
Indoxacarb	Lettuce, leaf	18.56	23	250.47	A
Indoxacarb	Mustard greens	4.04	11	61.5	A
Indoxacarb	N-grnhs transplants	12.42	539	165.61	A
Indoxacarb	Rapini	11.63	16	177.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Indoxacarb	Structural pest control	4.14	N/A	N/A	N/A
Indoxacarb	Turnip greens	0.03	1	0.5	A
Iprodione	Broccoli	123.77	15	122.0	A
Iprodione	Carrot	3.49	N/A	702.9	P
Iprodione	Golf course turf	68.25	N/A	29.5	A
Iprodione	Golf course turf	10.82	N/A	154,000.0	S
Iprodione	Landscape maintenance	586.13	N/A	N/A	N/A
Iprodione	Lettuce, head	89.74	13	89.0	A
Iprodione	Lettuce, leaf	749.43	120	761.85	A
Iprodione	N-grnhs plants in containers	391.13	69	149.88	A
Iprodione	N-grnhs plants in containers	72.8	103	2,788,739.0	S
Iprodione	N-outdr flower	77.75	118	165.0	A
Iprodione	N-outdr plants in containers	64.12	25	64.88	A
Iprodione	N-outdr plants in containers	1.22	1	4,800.0	S
Iprodione	Onion, dry	50.02	6	80.5	A
Iprodione	Research commodity	0.03	N/A	N/A	N/A
Iron phosphate	Blackberry	1.8	2	9.0	A
Iron phosphate	Cabbage	1.6	1	8.0	A
Iron phosphate	Celery	9.8	8	46.5	A
Iron phosphate	Grape, wine	54.03	8	1,019.44	A
Iron phosphate	Landscape maintenance	9.12	N/A	N/A	N/A
Iron phosphate	N-grnhs plants in containers	401.8	5	225,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Iron phosphate	N-outdr plants in containers	0.2	1	20,000.0	S
Iron phosphate	Raspberry	3.0	4	20.0	A
Iron phosphate	Strawberry	125.45	27	561.0	A
Iron phosphate	Structural pest control	0.01	N/A	N/A	N/A
Iron phosphate	Uncultivated ag	1.45	4	8.5	A
Isaria fumosorosea strain fe 9901	Cannabis (all or unspecified)	63.84	151	873,700.0	S
Isaria fumosorosea strain fe 9901	Strawberry	10.98	3	30.5	A
Isofetamid	Golf course turf	0.67	N/A	65,000.0	S
Isofetamid	Grape, wine	761.01	77	3,019.64	A
Isofetamid	Lettuce, head	378.8	104	1,180.2	A
Isofetamid	Lettuce, leaf	283.3	93	880.7	A
Isofetamid	Research commodity	0.4	1	1.25	A
Isofetamid	Strawberry	1,251.7	109	3,192.62	A
Isopropyl alcohol	Bok choy (choy sum, pak choy)	2.34	16	74.66	A
Isopropyl alcohol	Broccoli	1.18	3	45.02	A
Isopropyl alcohol	Cabbage	0.31	3	28.6	A
Isopropyl alcohol	Chinese cabbage (napa, wong bok, celery cabbage)	4.16	22	122.04	A
Isopropyl alcohol	Endive (escarole)	4.23	34	94.84	A
Isopropyl alcohol	Grape, wine	1,776.55	842	26,563.78	A
Isopropyl alcohol	Landscape maintenance	0.07	N/A	N/A	N/A
Isopropyl alcohol	Lettuce, head	436.87	933	9,863.66	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Isopropyl alcohol	Lettuce, leaf	719.67	1,925	14,825.13	A
Isopropyl alcohol	N-grnhs flower	0.07	35	107,775.0	S
Isopropyl alcohol	N-outdr flower	0.11	3	16.89	A
Isopropyl alcohol	Research commodity	0.08	51	229,500.0	S
Isopropyl alcohol	Research commodity	0.03	N/A	N/A	N/A
Isopropyl alcohol	Strawberry	361.68	432	7,205.5	A
Isopropyl alcohol	Tomato	4.01	3	36.4	A
Isopropylamine dodecylbenzene sulfonate	Landscape maintenance	0.06	N/A	N/A	N/A
Isopropylamine dodecylbenzene sulfonate	Uncultivated non-ag	0.2	N/A	115.0	A
Isoxaben	Grape, wine	14.75	2	65.1	A
Isoxaben	Landscape maintenance	22.7	N/A	N/A	N/A
Isoxaben	N-outdr plants in containers	6.9	45	614,070.0	S
Isoxaben	Rights of way	31.97	N/A	N/A	N/A
Kaolin	Artichoke, globe	532.48	4	46.7	A
Kaolin	Cabbage	142.5	1	3.0	A
Kaolin	Grape, wine	22,758.35	30	1,015.49	A
Kaolin	Onion, dry	16,862.5	27	428.4	A
Kaolin	Pepper, fruiting	5,440.65	14	127.9	A
Kinoprene	N-grnhs flower	0.06	1	2,250.0	S
Kresoxim-methyl	Grape, wine	48.47	14	272.87	A
Lambda-cyhalothrin	Alfalfa	0.73	3	23.4	A
Lambda-cyhalothrin	Bean, dried	8.27	19	276.3	A
Lambda-cyhalothrin	Bean, succulent	4.44	19	165.33	A
Lambda-cyhalothrin	Bean, unspecified	8.07	28	274.09	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Lambda-cyhalothrin	Bok choy (choy sum, pak choi)	0.11	1	3.7	A
Lambda-cyhalothrin	Broccoli	852.41	2,723	27,842.46	A
Lambda-cyhalothrin	Brussels sprout	319.52	920	10,428.5	A
Lambda-cyhalothrin	Cabbage	100.83	397	3,370.28	A
Lambda-cyhalothrin	Cauliflower	307.75	1,158	10,085.57	A
Lambda-cyhalothrin	Chinese cabbage (napa, wong bok, celery cabbage)	13.81	129	464.4	A
Lambda-cyhalothrin	Corn, human consumption	2.78	6	92.0	A
Lambda-cyhalothrin	Cucumber	0.78	3	25.0	A
Lambda-cyhalothrin	Garlic	10.22	19	399.65	A
Lambda-cyhalothrin	Landscape maintenance	0.05	N/A	N/A	N/A
Lambda-cyhalothrin	Lettuce, head	2,248.21	7,160	74,253.32	A
Lambda-cyhalothrin	Lettuce, leaf	2,729.54	10,803	90,323.93	A
Lambda-cyhalothrin	N-grnhs plants in containers	1.22	7	14.73	A
Lambda-cyhalothrin	N-outdr flower	0.14	5	6.0	A
Lambda-cyhalothrin	N-outdr plants in containers	0.75	8	21.92	A
Lambda-cyhalothrin	Onion, dry	37.89	77	1,222.89	A
Lambda-cyhalothrin	Peas	79.42	278	2,590.62	A
Lambda-cyhalothrin	Pepper, fruiting	3.21	12	103.16	A
Lambda-cyhalothrin	Pumpkin	0.07	1	2.4	A
Lambda-cyhalothrin	Research commodity	1.89	33	63.5	A
Lambda-cyhalothrin	Research commodity	0.04	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Lambda-cyhalothrin	Squash	0.4	2	13.0	A
Lambda-cyhalothrin	Structural pest control	14.24	N/A	N/A	N/A
Lambda-cyhalothrin	Sunflower	0.11	1	3.5	A
Lambda-cyhalothrin	Tomato	61.46	152	1,976.8	A
Lambda-cyhalothrin	Walnut	3.93	1	100.0	A
Laminarin	Lettuce, head	44.52	94	965.7	A
Laminarin	Lettuce, leaf	41.67	101	925.45	A
Lauric acid	Grape, wine	45.53	18	743.08	A
Lauric acid	Strawberry	4.13	2	52.0	A
Lauryl alcohol	Apple	0.32	1	9.0	A
Lavandulyl senecioate	Grape, wine	590.18	610	49,944.02	A
Lecithin	Alfalfa	64.52	8	223.0	A
Lecithin	Artichoke, globe	1,439.93	470	5,879.65	A
Lecithin	Bean, dried	23.81	8	84.5	A
Lecithin	Bean, succulent	0.74	1	19.5	A
Lecithin	Broccoli	8,824.17	2,355	27,130.76	A
Lecithin	Brussels sprout	2,066.4	478	8,201.37	A
Lecithin	Cabbage	1,595.56	497	4,806.11	A
Lecithin	Carrot	438.15	86	1,118.3	A
Lecithin	Cauliflower	3,597.55	1,023	10,161.47	A
Lecithin	Celery	2,164.26	692	5,782.95	A
Lecithin	Collard	1.6	3	12.6	A
Lecithin	Corn, human consumption	6.83	2	9.0	A
Lecithin	Cucumber	2.81	2	13.0	A
Lecithin	Endive (escarole)	1.6	10	18.75	A
Lecithin	Fennel	226.03	49	492.68	A
Lecithin	Garlic	1,008.48	206	3,900.85	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Lecithin	Grape, wine	7,911.37	710	22,857.3	A
Lecithin	Kale	5.71	7	64.1	A
Lecithin	Landscape maintenance	57.28	N/A	N/A	N/A
Lecithin	Lemon	207.71	40	715.32	A
Lecithin	Lettuce, head	8,215.63	2,560	28,692.18	A
Lecithin	Lettuce, leaf	22,942.98	6,452	69,758.72	A
Lecithin	Mustard greens	0.77	2	10.0	A
Lecithin	N-grnhs plants in containers	78.49	64	156.19	A
Lecithin	N-grnhs transplants	4.94	44	13.32	A
Lecithin	N-outdr plants in containers	103.1	50	126.21	A
Lecithin	Onion, dry	276.49	69	1,032.1	A
Lecithin	Peas	847.94	253	3,107.9	A
Lecithin	Pepper, fruiting	4.75	3	25.0	A
Lecithin	Radicchio	6.8	15	76.74	A
Lecithin	Rapini	1,746.36	319	4,451.0	A
Lecithin	Raspberry	323.22	20	464.03	A
Lecithin	Research commodity	9.35	N/A	N/A	N/A
Lecithin	Rights of way	442.8	N/A	N/A	N/A
Lecithin	Spinach	7.98	20	58.05	A
Lecithin	Squash	1.15	1	10.0	A
Lecithin	Squash, summer	4.47	4	23.64	A
Lecithin	Strawberry	7,672.08	228	9,618.85	A
Lecithin	Structural pest control	0.38	N/A	N/A	N/A
Lecithin	Tomato	8.28	6	63.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Lecithin	Uncultivated ag	3,971.93	817	7,785.24	A
Lecithin	Uncultivated non-ag	77.43	5	75.0	A
Lecithin	Water area	0.16	N/A	0.75	A
Lecithin	Wheat	4.88	1	24.0	A
Lime-sulfur	Blackberry	707.29	3	25.6	A
Lime-sulfur	Grape, wine	100,832.72	208	3,887.45	A
Lime-sulfur	Raspberry	5,922.93	8	135.11	A
Limonene	Structural pest control	304.57	N/A	N/A	N/A
Linuron	Asparagus	44.5	3	51.0	A
Linuron	Carrot	3,582.34	348	5,318.26	A
Linuron	Celery	102.54	34	213.4	A
Linuron	Cilantro	212.7	70	416.12	A
Linuron	Peas	78.69	10	122.0	A
Low molecular weight paraffinic oil	Artichoke, globe	2.23	60	876.0	A
Low molecular weight paraffinic oil	Arugula	75.93	118	1,005.91	A
Low molecular weight paraffinic oil	Bean, dried	7.91	16	203.5	A
Low molecular weight paraffinic oil	Bean, succulent	0.22	4	16.45	A
Low molecular weight paraffinic oil	Bean, unspecified	2.59	45	186.15	A
Low molecular weight paraffinic oil	Bok choy (choy sum, pak choy)	0.12	4	1.3	A
Low molecular weight paraffinic oil	Broccoli	51.62	455	3,937.98	A
Low molecular weight paraffinic oil	Brussels sprout	5.7	8	91.0	A
Low molecular weight paraffinic oil	Cabbage	1.57	25	191.8	A
Low molecular weight paraffinic oil	Carrot	11.94	112	1,797.9	A
Low molecular weight paraffinic oil	Cauliflower	12.92	220	2,063.77	A
Low molecular weight paraffinic oil	Celery	0.11	3	40.3	A
Low molecular weight paraffinic oil	Cilantro	0.81	13	103.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Low molecular weight paraffinic oil	Cress, garden	0.2	1	2.4	A
Low molecular weight paraffinic oil	Endive (escarole)	1.25	4	15.0	A
Low molecular weight paraffinic oil	Garlic	0.25	2	24.1	A
Low molecular weight paraffinic oil	Grape, wine	0.39	3	13.5	A
Low molecular weight paraffinic oil	Kale	13.58	67	161.3	A
Low molecular weight paraffinic oil	Landscape maintenance	0.88	N/A	N/A	N/A
Low molecular weight paraffinic oil	Lettuce, head	123.22	313	3,193.05	A
Low molecular weight paraffinic oil	Lettuce, leaf	288.86	838	5,412.05	A
Low molecular weight paraffinic oil	Mizuna	1.42	24	17.65	A
Low molecular weight paraffinic oil	Oat	1.4	5	66.9	A
Low molecular weight paraffinic oil	Onion, dry	0.07	4	81.5	A
Low molecular weight paraffinic oil	Peas	1.44	37	166.53	A
Low molecular weight paraffinic oil	Spinach	102.07	295	2,498.77	A
Low molecular weight paraffinic oil	Strawberry	0.31	2	58.0	A
Low molecular weight paraffinic oil	Sunflower	2.05	6	49.2	A
Low molecular weight paraffinic oil	Uncultivated ag	157.47	616	5,607.6	A
Low molecular weight paraffinic oil	Upland cress	9.68	54	127.1	A
Low molecular weight paraffinic oil	Water area	1.44	7	24.0	A
Magnesium chloride	Landscape maintenance	8.02	N/A	N/A	N/A
Malathion	Alfalfa	101.33	4	92.0	A
Malathion	Blackberry	202.02	22	98.79	A
Malathion	Bok choy (choy sum, pak choy)	16.25	3	15.9	A
Malathion	Broccoli	2,092.09	127	1,670.1	A
Malathion	Brussels sprout	741.56	50	588.5	A
Malathion	Cabbage	151.53	14	121.0	A
Malathion	Cauliflower	428.33	35	361.55	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Malathion	Celery	1,118.48	100	809.25	A
Malathion	Chinese cabbage (napa, wong bok, celery cabbage)	59.37	8	55.44	A
Malathion	Commodity fumigation	94.44	N/A	N/A	N/A
Malathion	Endive (escarole)	64.85	18	63.28	A
Malathion	Grape, wine	0.62	2	5.36	A
Malathion	Kale	201.18	24	203.93	A
Malathion	Landscape maintenance	0.25	N/A	N/A	N/A
Malathion	Leek	59.21	10	43.56	A
Malathion	Lettuce, head	3,356.75	178	2,137.15	A
Malathion	Lettuce, leaf	14,301.35	645	8,139.61	A
Malathion	N-grnhs plants in containers	70.66	27	37.86	A
Malathion	Peas	358.75	37	350.88	A
Malathion	Radish	322.03	107	314.86	A
Malathion	Raspberry	1,005.33	25	491.59	A
Malathion	Spinach	358.12	36	349.7	A
Malathion	Strawberry	22,531.78	426	11,443.41	A
Maleic hydrazide, potassium salt	Onion, dry	1,870.24	45	712.15	A
Mancozeb	Broccoli	3,017.6	175	1,960.24	A
Mancozeb	Cabbage	161.25	13	107.5	A
Mancozeb	Fennel	461.26	28	288.66	A
Mancozeb	Golf course turf	9.99	N/A	50,000.0	S
Mancozeb	Landscape maintenance	1,418.52	N/A	N/A	N/A
Mancozeb	Lettuce, head	68,244.78	4,198	45,773.08	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mancozeb	Lettuce, leaf	100,645.98	6,819	66,974.34	A
Mancozeb	N-grnhs transplants	1,291.48	1,437	450.47	A
Mancozeb	N-outdr flower	13.97	20	20.0	A
Mancozeb	N-outdr plants in containers	50.18	4	11.83	A
Mancozeb	N-outdr transplants	11.67	4	7.88	A
Mancozeb	N-outdr transplants	21.46	11	736,880.0	S
Mancozeb	Onion, dry	6,654.6	183	3,061.35	A
Mancozeb	Research commodity	1.81	N/A	N/A	N/A
Mancozeb	Structural pest control	6.24	N/A	N/A	N/A
Mancozeb	Tomato	100.2	6	66.8	A
Mancozeb	Walnut	819.0	4	455.0	A
Mandipropamid	Arugula	343.74	349	2,640.16	A
Mandipropamid	Bok choy (choy sum, pak choi)	0.04	1	0.3	A
Mandipropamid	Broccoli	84.71	72	650.34	A
Mandipropamid	Cabbage	87.72	53	673.81	A
Mandipropamid	Cauliflower	60.86	48	467.45	A
Mandipropamid	Collard	3.23	9	24.4	A
Mandipropamid	Cress, garden	0.91	3	7.0	A
Mandipropamid	Endive (escarole)	13.07	44	101.0	A
Mandipropamid	Kale	101.42	266	777.86	A
Mandipropamid	Lettuce, head	3,885.93	2,816	30,116.4	A
Mandipropamid	Lettuce, leaf	6,016.23	5,222	46,486.94	A
Mandipropamid	Mizuna	9.74	67	74.04	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mandipropamid	Mustard greens	31.3	69	239.82	A
Mandipropamid	N-grnhs plants in containers	10.24	50	58.54	A
Mandipropamid	N-outdr flower	0.39	3	3.0	A
Mandipropamid	N-outdr plants in containers	3.05	10	25.23	A
Mandipropamid	N-outdr transplants	3.34	9	29.25	A
Mandipropamid	Onion, dry	93.05	44	714.8	A
Mandipropamid	Radicchio	31.07	49	238.16	A
Mandipropamid	Research commodity	0.17	1	1.25	A
Mandipropamid	Research commodity	0.24	N/A	N/A	N/A
Mandipropamid	Spinach	2,815.0	2,589	21,970.15	A
Mandipropamid	Swiss chard	39.93	142	306.27	A
Mandipropamid	Tomato	76.26	43	585.0	A
Mandipropamid	Turnip greens	0.06	1	0.5	A
Mandipropamid	Upland cress	21.57	70	165.7	A
Margosa oil	Blackberry	1.92	6	31.6	A
Margosa oil	Broccoli	20.91	6	32.25	A
Margosa oil	Cannabis (all or unspecified)	454.76	193	2,247,100.0	S
Margosa oil	Chive	1.67	1	0.25	A
Margosa oil	Kale	10.0	4	10.7	A
Margosa oil	Lettuce, head	18.48	4	29.9	A
Margosa oil	Lettuce, leaf	608.73	92	722.6	A
Margosa oil	Mushroom	14.09	3	27,119.0	S
Margosa oil	N-outdr flower	15.09	18	24.5	A
Margosa oil	N-outdr transplants	1.72	4	121,318.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Margosa oil	Raspberry	259.66	56	890.07	A
Margosa oil	Research commodity	0.04	N/A	N/A	N/A
Margosa oil	Strawberry	4,950.47	437	10,820.06	A
Margosa oil	Structural pest control	<0.01	N/A	N/A	N/A
Margosa oil	Swiss chard	2.36	3	3.49	A
Mcpa, dimethylamine salt	Barley	289.6	3	1,046.0	A
Mcpp, dimethylamine salt	Cannabis (all or unspecified)	32.61	117	1,170,000.0	S
Mcpp, potassium salt	N-grnhs flower	0.19	1	3,000.0	S
Mcpp-p, dimethylamine salt	Landscape maintenance	1.37	N/A	N/A	N/A
Mecoprop-p	Golf course turf	4.15	N/A	50.0	A
Mecoprop-p	Golf course turf	0.5	N/A	220,000.0	S
Mecoprop-p	Landscape maintenance	86.16	N/A	N/A	N/A
Mefenoxam	Beet	0.04	N/A	249.76	P
Mefenoxam	Blackberry	1.06	1	10.6	A
Mefenoxam	Broccoli	91.78	49	423.35	A
Mefenoxam	Broccoli	0.01	N/A	67.08	P
Mefenoxam	Brussels sprout	13.83	8	109.9	A
Mefenoxam	Cabbage	16.32	22	269.36	A
Mefenoxam	Carrot	330.96	96	1,351.8	A
Mefenoxam	Carrot	0.17	N/A	3,174.54	P
Mefenoxam	Cauliflower	16.18	30	209.8	A
Mefenoxam	Citrus	100.21	1	397.0	A
Mefenoxam	Collard	0.24	1	1.8	A
Mefenoxam	Cucumber	4.58	N/A	52,787.3	P
Mefenoxam	Fennel	0.08	N/A	492.82	P
Mefenoxam	Kale	92.44	79	229.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mefenoxam	Landscape maintenance	1.95	N/A	N/A	N/A
Mefenoxam	Lemon	92.19	2	353.98	A
Mefenoxam	Lettuce, head	313.4	195	2,333.79	A
Mefenoxam	Lettuce, leaf	365.65	257	2,111.14	A
Mefenoxam	Lettuce, leaf	1.34	N/A	8,726.11	P
Mefenoxam	Melon	0.09	N/A	605.22	P
Mefenoxam	N-grnhs flower	2.48	5	4.64	A
Mefenoxam	N-grnhs flower	0.34	13	33,350.0	S
Mefenoxam	N-grnhs plants in containers	232.2	308	493.73	A
Mefenoxam	N-grnhs plants in containers	2.53	40	281,019.0	S
Mefenoxam	N-outdr flower	2.5	65	78.0	A
Mefenoxam	N-outdr plants in containers	56.98	132	141.92	A
Mefenoxam	N-outdr plants in containers	0.34	2	17,600.0	S
Mefenoxam	Onion, dry	183.44	100	1,710.39	A
Mefenoxam	Onion, dry	2.01	N/A	33,630.77	P
Mefenoxam	Parsley	0.08	N/A	560.0	P
Mefenoxam	Parsnip	0.02	N/A	161.6	P
Mefenoxam	Peas	37.52	22	149.63	A
Mefenoxam	Peas	2.99	N/A	10,000.0	P
Mefenoxam	Pepper, fruiting	0.01	N/A	47.65	P
Mefenoxam	Pumpkin	0.52	N/A	1,832.97	P
Mefenoxam	Radish	43.25	24	61.63	A
Mefenoxam	Rapini	2.85	2	22.7	A
Mefenoxam	Raspberry	162.53	15	262.53	A
Mefenoxam	Research commodity	0.02	1	0.01	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mefenoxam	Research commodity	1.32	52	234,000.0	S
Mefenoxam	Research commodity	0.26	N/A	N/A	N/A
Mefenoxam	Spinach	7,399.49	1,489	12,996.68	A
Mefenoxam	Spinach	9.26	N/A	61,512.52	P
Mefenoxam	Squash	1.09	N/A	5,941.74	P
Mefenoxam	Strawberry	1,415.66	67	2,977.48	A
Mefenoxam	Tomato	19.49	11	187.2	A
Mefenoxam	Tomato	<0.01	N/A	28.48	P
Mefenoxam	Watermelon	0.95	N/A	2,113.41	P
Mefenoxam, other related	Carrot	<0.01	N/A	105.84	P
Mefenoxam, other related	Cucumber	0.01	N/A	2,849.0	P
Mefenoxam, other related	Landscape maintenance	0.06	N/A	N/A	N/A
Mefenoxam, other related	Lettuce, leaf	<0.01	N/A	5.15	P
Mefenoxam, other related	N-grnhs flower	0.08	4	1.6	A
Mefenoxam, other related	N-grnhs flower	0.01	13	33,350.0	S
Mefenoxam, other related	N-grnhs plants in containers	7.36	279	464.98	A
Mefenoxam, other related	N-grnhs plants in containers	0.01	1	12,000.0	S
Mefenoxam, other related	N-outdr flower	<0.01	2	2.0	A
Mefenoxam, other related	N-outdr plants in containers	1.87	132	141.92	A
Mefenoxam, other related	N-outdr plants in containers	0.01	2	17,600.0	S
Mefenoxam, other related	Onion, dry	<0.01	N/A	819.13	P
Mefenoxam, other related	Parsley	<0.01	N/A	260.0	P
Mefenoxam, other related	Peas	0.09	N/A	10,000.0	P

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mefenoxam, other related	Research commodity	<0.01	1	0.01	A
Mefenoxam, other related	Research commodity	<0.01	N/A	N/A	N/A
Mefenoxam, other related	Spinach	0.19	N/A	42,179.22	P
Mefenoxam, other related	Squash	<0.01	N/A	1.0	P
Mefentrifluconazole	Grape, wine	694.27	108	5,553.18	A
Mefentrifluconazole	Tomato	5.43	2	52.0	A
Mefluidide, diethanolamine salt	Landscape maintenance	0.61	N/A	N/A	N/A
Mesotrione	Landscape maintenance	1.87	N/A	N/A	N/A
Metaflumizone	Grape, wine	0.07	2	71.01	A
Metalaxyl	Onion, dry	0.07	N/A	520.37	P
Metalaxyl	Spinach	19.78	N/A	136,870.21	P
Metaldehyde	Artichoke, globe	1,796.78	151	1,802.0	A
Metaldehyde	Brussels sprout	86.89	7	104.3	A
Metaldehyde	Cauliflower	7.94	1	8.3	A
Metaldehyde	Farm/ag building	1.54	N/A	57.1	A
Metaldehyde	Landscape maintenance	2.71	N/A	N/A	N/A
Metaldehyde	Lettuce, head	4.77	1	5.0	A
Metaldehyde	N-grnhs plants in containers	33.29	12	15.79	A
Metaldehyde	N-grnhs plants in containers	0.88	1	27,300.0	S
Metaldehyde	N-outdr plants in containers	4.0	5	3.52	A
Metaldehyde	Raspberry	8.0	1	10.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Metalddehyde	Regulatory pest control	1.6	N/A	N/A	N/A
Metalddehyde	Rights of way	18.75	N/A	N/A	N/A
Metalddehyde	Strawberry	44.0	2	44.0	A
Metalddehyde	Uncultivated non-ag	4.0	N/A	241.0	A
Metam-sodium	Research commodity	31.6	N/A	N/A	N/A
Metam-sodium	Rights of way	69.88	N/A	N/A	N/A
Metconazole	Landscape maintenance	33.28	N/A	N/A	N/A
Methiocarb	N-grnhs plants in containers	1.5	1	1,000.0	S
Methiocarb	N-outdr plants in containers	0.56	1	15,000.0	S
Methomyl	Alfalfa	156.99	19	199.1	A
Methomyl	Bean, succulent	37.17	8	43.4	A
Methomyl	Bok choy (choy sum, pak choi)	10.62	3	11.8	A
Methomyl	Broccoli	9,359.44	1,130	12,532.41	A
Methomyl	Brussels sprout	8,851.85	836	10,911.35	A
Methomyl	Cabbage	2,692.97	400	4,057.38	A
Methomyl	Cauliflower	3,209.74	555	4,268.61	A
Methomyl	Celery	10,053.34	1,543	12,728.82	A
Methomyl	Chinese cabbage (napa, wong bok, celery cabbage)	165.78	76	306.1	A
Methomyl	Endive (escarole)	41.75	44	56.4	A
Methomyl	Fennel	60.12	10	79.82	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methomyl	Garlic	1,043.03	113	2,317.85	A
Methomyl	Kale	101.08	11	129.85	A
Methomyl	Lettuce, head	39,850.65	5,361	55,900.4	A
Methomyl	Lettuce, leaf	63,715.57	9,653	86,762.19	A
Methomyl	Mustard greens	4.5	1	5.0	A
Methomyl	Onion, dry	3,728.74	291	4,820.05	A
Methomyl	Peas	4,442.21	720	6,554.66	A
Methomyl	Rapini	186.35	13	269.7	A
Methomyl	Research commodity	26.0	12	41.25	A
Methomyl	Research commodity	4.05	N/A	N/A	N/A
Methomyl	Spinach	1,449.31	218	2,001.15	A
Methomyl	Tomato	404.96	25	456.2	A
Methoprene	Public health	0.12	N/A	N/A	N/A
Methoprene	Structural pest control	0.02	N/A	N/A	N/A
Methoxyfenozide	Artichoke, globe	604.88	212	2,824.7	A
Methoxyfenozide	Bean, unspecified	6.8	10	38.55	A
Methoxyfenozide	Broccoli	290.47	73	1,504.2	A
Methoxyfenozide	Brussels sprout	290.54	118	1,475.83	A
Methoxyfenozide	Cabbage	26.35	18	184.46	A
Methoxyfenozide	Cauliflower	53.38	15	291.1	A
Methoxyfenozide	Celery	513.39	436	3,534.39	A
Methoxyfenozide	Corn, human consumption	40.3	11	159.0	A
Methoxyfenozide	Cucumber	4.77	1	33.7	A
Methoxyfenozide	Grape, wine	4,114.13	301	20,128.78	A
Methoxyfenozide	Kale	1.67	4	11.7	A
Methoxyfenozide	Lettuce, head	299.19	186	2,195.75	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methoxyfenozide	Lettuce, leaf	336.97	263	2,369.6	A
Methoxyfenozide	Peas	53.22	34	343.1	A
Methoxyfenozide	Rapini	47.0	17	199.9	A
Methoxyfenozide	Raspberry	2.06	1	7.3	A
Methoxyfenozide	Spinach	298.14	168	2,197.21	A
Methoxyfenozide	Strawberry	174.44	22	1,248.47	A
Methoxyfenozide	Tomato	77.63	28	471.3	A
Methyl anthranilate	Structural pest control	35.33	N/A	N/A	N/A
Methyl bromide	Commodity fumigation	2,900.1	N/A	N/A	N/A
Methyl bromide	Strawberry	555.0	1	2.4	A
Methyl silicone resins	Broccoli	242.72	1,012	9,939.55	A
Methyl silicone resins	Brussels sprout	66.38	34	172.8	A
Methyl silicone resins	Cabbage	0.12	6	60.0	A
Methyl silicone resins	Cannabis (all or unspecified)	0.3	6	47,520.0	S
Methyl silicone resins	Carrot	19.58	8	149.06	A
Methyl silicone resins	Cauliflower	290.59	681	5,335.85	A
Methyl silicone resins	Celery	283.24	543	3,465.6	A
Methyl silicone resins	Endive (escarole)	3.82	142	48.29	A
Methyl silicone resins	Fava bean	1.76	1	8.0	A
Methyl silicone resins	Grape, wine	13.6	597	9,832.06	A
Methyl silicone resins	Kale	26.73	65	348.83	A
Methyl silicone resins	Landscape maintenance	0.04	2	12.0	A
Methyl silicone resins	Landscape maintenance	0.03	N/A	N/A	N/A
Methyl silicone resins	Lemon	0.28	10	78.4	A
Methyl silicone resins	Lettuce, head	344.39	824	7,499.79	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methyl silicone resins	Lettuce, leaf	487.18	1,328	10,020.99	A
Methyl silicone resins	Strawberry	2,585.1	296	4,482.05	A
Methyl silicone resins	Structural pest control	2.05	N/A	N/A	N/A
Methyl silicone resins	Swiss chard	28.47	87	413.21	A
Methyl silicone resins	Tomato	17.03	2	52.0	A
Methyl silicone resins	Uncultivated ag	0.39	20	114.0	A
Methyl silicone resins	Uncultivated non-ag	<0.01	1	1.0	A
Methylated soybean oil	Alfalfa	66.28	28	197.7	A
Methylated soybean oil	Artichoke, globe	858.0	503	6,709.35	A
Methylated soybean oil	Arugula	1,450.49	118	1,005.91	A
Methylated soybean oil	Bean, dried	176.83	22	321.5	A
Methylated soybean oil	Bean, succulent	18.88	6	84.45	A
Methylated soybean oil	Bean, unspecified	49.38	45	186.15	A
Methylated soybean oil	Bok choy (choy sum, pak choi)	8.49	11	29.85	A
Methylated soybean oil	Broccoli	11,173.4	3,206	32,666.92	A
Methylated soybean oil	Brussels sprout	4,823.19	874	14,604.52	A
Methylated soybean oil	Cabbage	3,831.07	1,027	10,181.41	A
Methylated soybean oil	Cardoon	5.22	4	24.0	A
Methylated soybean oil	Carrot	515.46	165	2,545.4	A
Methylated soybean oil	Cauliflower	4,804.74	1,703	15,566.14	A
Methylated soybean oil	Celery	3,787.66	1,545	13,286.44	A
Methylated soybean oil	Chinese cabbage (napa, wong bok, celery cabbage)	0.85	1	2.9	A
Methylated soybean oil	Cilantro	58.65	40	282.76	A
Methylated soybean oil	Collard	18.85	33	70.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methylated soybean oil	Corn (forage - fodder)	21.95	6	75.0	A
Methylated soybean oil	Corn, human consumption	141.37	22	335.0	A
Methylated soybean oil	Cress, garden	3.84	1	2.4	A
Methylated soybean oil	Cucumber	13.14	8	57.84	A
Methylated soybean oil	Endive (escarole)	26.96	11	28.0	A
Methylated soybean oil	Fennel	170.13	118	702.3	A
Methylated soybean oil	Garlic	279.39	63	1,045.55	A
Methylated soybean oil	Grape, wine	17,126.66	1,430	46,066.76	A
Methylated soybean oil	Kale	435.95	153	537.95	A
Methylated soybean oil	Landscape maintenance	188.78	N/A	N/A	N/A
Methylated soybean oil	Lemon	23.98	4	83.0	A
Methylated soybean oil	Lettuce, head	8,514.71	2,983	31,259.74	A
Methylated soybean oil	Lettuce, leaf	19,127.52	6,809	65,823.29	A
Methylated soybean oil	Mizuna	27.05	24	17.65	A
Methylated soybean oil	Mustard greens	2.0	11	8.05	A
Methylated soybean oil	Oat	151.92	14	218.0	A
Methylated soybean oil	Onion, dry	379.44	87	1,320.2	A
Methylated soybean oil	Parsley	2.24	2	9.4	A
Methylated soybean oil	Peas	666.26	333	3,182.93	A
Methylated soybean oil	Radicchio	32.78	16	146.0	A
Methylated soybean oil	Rapini	671.24	148	2,853.7	A
Methylated soybean oil	Raspberry	186.58	20	464.03	A
Methylated soybean oil	Research commodity	4.31	10	15.5	A
Methylated soybean oil	Research commodity	4.68	N/A	N/A	N/A
Methylated soybean oil	Rights of way	1,584.68	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methylated soybean oil	Rye	8.63	9	39.7	A
Methylated soybean oil	Ryegrass	60.87	15	145.0	A
Methylated soybean oil	Spinach	1,957.25	309	2,538.62	A
Methylated soybean oil	Squash	5.11	6	23.5	A
Methylated soybean oil	Strawberry	4,568.5	290	10,206.95	A
Methylated soybean oil	Sunflower	39.22	6	49.2	A
Methylated soybean oil	Tomato	110.7	30	509.2	A
Methylated soybean oil	Triticale	31.58	9	145.1	A
Methylated soybean oil	Turnip	0.3	2	1.0	A
Methylated soybean oil	Turnip greens	0.61	5	2.5	A
Methylated soybean oil	Uncultivated ag	7,465.35	1,484	13,628.14	A
Methylated soybean oil	Uncultivated non-ag	66.11	8	112.5	A
Methylated soybean oil	Upland cress	184.86	54	127.1	A
Methylated soybean oil	Water area	158.63	20	80.75	A
Methylated soybean oil	Wheat	31.43	4	80.0	A
Metofluthrin	Structural pest control	0.01	N/A	N/A	N/A
Metrafenone	Grape, wine	11,118.55	746	39,909.53	A
Metribuzin	Carrot	14.15	7	117.3	A
Mineral oil	Alfalfa	194.04	2	200.0	A
Mineral oil	Apple	422.22	1	9.0	A
Mineral oil	Artichoke, globe	116.93	45	470.4	A
Mineral oil	Arugula	552.06	51	349.55	A
Mineral oil	Asparagus	2.66	2	11.0	A
Mineral oil	Avocado	3,859.95	7	132.56	A
Mineral oil	Barley	84.81	3	226.0	A
Mineral oil	Bean, dried	99.46	3	43.0	A
Mineral oil	Bean, succulent	135.77	2	43.0	A
Mineral oil	Beet	3.26	16	23.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mineral oil	Blackberry	1,130.5	23	185.09	A
Mineral oil	Bok choy (choy sum, pak choi)	16.1	16	74.66	A
Mineral oil	Broccoli	6,572.54	611	6,082.4	A
Mineral oil	Brussels sprout	14.15	5	69.0	A
Mineral oil	Cabbage	2,478.11	219	1,843.9	A
Mineral oil	Cannabis (all or unspecified)	9,851.02	1,017	4,299.22	A
Mineral oil	Cannabis (all or unspecified)	4,581.51	747	12,526,379.0	S
Mineral oil	Cannabis (all or unspecified)	249.31	50	708.0	U
Mineral oil	Carrot	1,522.21	60	1,030.6	A
Mineral oil	Cauliflower	1,823.48	268	3,195.86	A
Mineral oil	Celery	962.41	118	907.2	A
Mineral oil	Chinese cabbage (napa, wong bok, celery cabbage)	101.45	37	168.14	A
Mineral oil	Christmas tree	0.19	1	0.25	A
Mineral oil	Cilantro	1,044.76	96	640.95	A
Mineral oil	Corn, human consumption	3.04	4	16.0	A
Mineral oil	Cucumber	69.09	3	32.94	A
Mineral oil	Endive (escarole)	54.02	45	111.81	A
Mineral oil	Fennel	3.61	2	5.5	A
Mineral oil	Garlic	818.25	21	436.4	A
Mineral oil	Golf course turf	1.94	N/A	6.0	A
Mineral oil	Grape, wine	724,751.32	3,958	152,478.72	A
Mineral oil	Kale	484.21	136	333.34	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mineral oil	Landscape maintenance	800.85	N/A	N/A	N/A
Mineral oil	Lemon	110,713.3	80	4,728.8	A
Mineral oil	Lettuce, head	5,220.9	1,323	13,908.54	A
Mineral oil	Lettuce, leaf	10,955.58	2,766	21,695.29	A
Mineral oil	Mizuna	101.42	54	63.85	A
Mineral oil	N-grnhs flower	<0.01	1	37.5	S
Mineral oil	N-grnhs plants in containers	151.57	12	22.4	A
Mineral oil	N-grnhs plants in containers	26.13	14	85,800.0	S
Mineral oil	N-outdr plants in containers	30.68	4	5.91	A
Mineral oil	N-outdr plants in containers	17.67	8	61,000.0	S
Mineral oil	Olive	2.52	7	7.0	A
Mineral oil	Onion, dry	1,072.36	39	530.58	A
Mineral oil	Parsley	186.29	8	89.0	A
Mineral oil	Pastureland	1.51	1	5.0	A
Mineral oil	Peas	580.64	52	405.88	A
Mineral oil	Pistachio	32.7	1	108.0	A
Mineral oil	Public health	3,189.0	N/A	N/A	N/A
Mineral oil	Pumpkin	15.91	2	10.07	A
Mineral oil	Radicchio	112.16	15	70.9	A
Mineral oil	Rapini	11.12	5	55.5	A
Mineral oil	Raspberry	169.64	58	825.16	A
Mineral oil	Research commodity	4.74	3	3.0	A
Mineral oil	Research commodity	6.33	N/A	N/A	N/A
Mineral oil	Rights of way	5.79	6	24.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mineral oil	Rights of way	94.2	N/A	N/A	N/A
Mineral oil	Spinach	764.98	100	437.97	A
Mineral oil	Squash	25.26	2	8.0	A
Mineral oil	Strawberry	4,440.11	310	8,858.09	A
Mineral oil	Uncultivated ag	2,943.36	361	4,724.18	A
Mineral oil	Uncultivated non-ag	429.39	51	377.55	A
Mineral oil	Wheat	1.31	1	8.0	A
Muscalure	Landscape maintenance	0.01	N/A	N/A	N/A
Muscalure	Structural pest control	0.03	N/A	N/A	N/A
Myclobutanil	Artichoke, globe	452.66	363	4,526.78	A
Myclobutanil	Bean, unspecified	1.94	3	15.6	A
Myclobutanil	Blackberry	0.64	2	12.82	A
Myclobutanil	Broccoli	0.54	1	4.3	A
Myclobutanil	Cucumber	1.6	2	16.0	A
Myclobutanil	Grape, wine	1,148.13	389	10,158.77	A
Myclobutanil	Landscape maintenance	6.0	N/A	N/A	N/A
Myclobutanil	Lettuce, head	766.57	596	6,676.95	A
Myclobutanil	Lettuce, leaf	1,237.15	1,127	10,574.21	A
Myclobutanil	N-grnhs flower	0.02	1	0.08	A
Myclobutanil	N-grnhs plants in containers	3.55	4	9.51	A
Myclobutanil	N-grnhs plants in containers	0.03	1	5,800.0	S
Myclobutanil	N-outdr flower	4.89	47	48.0	A
Myclobutanil	N-outdr plants in containers	3.54	4	19.48	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Myclobutanil	Pepper, fruiting	6.72	7	53.86	A
Myclobutanil	Pumpkin	0.9	3	7.2	A
Myclobutanil	Raspberry	19.24	21	283.93	A
Myclobutanil	Research commodity	0.02	3	13,500.0	S
Myclobutanil	Research commodity	1.08	N/A	N/A	N/A
Myclobutanil	Squash, summer	2.95	4	23.64	A
Myclobutanil	Strawberry	1,881.98	689	16,835.87	A
Myclobutanil	Tomato	3.58	3	35.8	A
Myclobutanil	Watermelon	0.25	1	2.5	A
Myristyl alcohol	Apple	0.06	1	9.0	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Alfalfa	9.85	1	100.0	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Artichoke, globe	217.0	147	2,353.0	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Broccoli	5.51	14	112.95	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Brussels sprout	35.46	33	431.65	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Carrot	25.64	11	197.3	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Cauliflower	3.32	6	62.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Celery	40.87	60	463.65	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Corn, human consumption	7.49	2	48.0	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Fennel	1.55	4	17.5	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Grape, wine	975.14	896	26,740.45	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Landscape maintenance	0.17	N/A	N/A	N/A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Lettuce, head	25.15	25	302.4	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Lettuce, leaf	24.51	30	287.95	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Raspberry	26.54	20	464.03	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Rights of way	36.66	N/A	N/A	N/A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Strawberry	999.99	328	8,722.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Uncultivated ag	155.53	319	3,998.73	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Uncultivated non-ag	2.8	6	42.0	A
N-octyl bicycloheptene dicarboximide	Landscape maintenance	0.95	N/A	N/A	N/A
N-octyl bicycloheptene dicarboximide	Structural pest control	73.83	N/A	N/A	N/A
N6-benzyl adenine	N-grnhs flower	0.58	67	327,348.0	S
N6-benzyl adenine	N-grnhs plants in containers	12.57	98	182.25	A
N6-benzyl adenine	N-grnhs plants in containers	2.07	80	1,633,981.0	S
N6-benzyl adenine	N-outdr plants in containers	25.65	67	144.67	A
N6-benzyl adenine	Uncultivated ag	0.02	1	34,000.0	S
Naled	Broccoli	5,060.78	462	4,767.74	A
Naled	Brussels sprout	8,855.47	435	7,075.35	A
Naled	Cabbage	952.31	80	713.2	A
Naled	Cauliflower	2,155.99	181	1,766.18	A
Naled	Chinese cabbage (napa, wong bok, celery cabbage)	8.86	1	4.4	A
Naled	Collard	5.18	3	5.1	A
Naled	Kale	152.68	36	150.65	A
Naled	Research commodity	14.91	N/A	N/A	N/A
Naled	Strawberry	6,912.17	199	6,871.53	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Lettuce, head	0.67	27	296.5	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Lettuce, leaf	0.79	31	353.5	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	N-outdr flower	0.02	3	16.89	A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Research commodity	0.01	N/A	N/A	N/A
Naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Strawberry	17.14	188	2,615.36	A
Napropamide	Broccoli	247.55	96	795.6	A
Natamycin	Mushroom	1.76	128	1,695,712.0	S
Nonanoic acid	Landscape maintenance	2.66	N/A	N/A	N/A
Nonanoic acid, other related	Landscape maintenance	0.14	N/A	N/A	N/A
Norflurazon	Lemon	1,116.12	1	284.1	A
Novaluron	Bok choy (choy sum, pak choi)	5.87	19	74.86	A
Novaluron	Broccoli	741.03	831	9,568.44	A
Novaluron	Brussels sprout	548.41	513	7,088.64	A
Novaluron	Cabbage	168.63	230	2,163.56	A
Novaluron	Cauliflower	254.6	314	3,298.34	A
Novaluron	Chinese cabbage (napa, wong bok, celery cabbage)	14.25	42	181.97	A
Novaluron	Kale	0.87	3	11.0	A
Novaluron	Kohlrabi	0.9	5	11.2	A
Novaluron	N-grnhs flower	0.43	3	27,500.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Novaluron	N-grnhs plants in containers	1.37	11	15.1	A
Novaluron	N-outdr plants in containers	0.12	1	2.3	A
Novaluron	Research commodity	1.92	6	24.5	A
Novaluron	Research commodity	0.06	N/A	N/A	N/A
Novaluron	Strawberry	1,816.59	883	23,860.39	A
Novaluron	Structural pest control	32.94	N/A	N/A	N/A
Noviflumuron	Structural pest control	1.18	N/A	N/A	N/A
Octyl decyl dimethyl ammonium chloride	Structural pest control	0.01	N/A	N/A	N/A
Oleic acid	Artichoke, globe	39.58	27	448.9	A
Oleic acid	Broccoli	4.87	7	54.55	A
Oleic acid	Brussels sprout	29.69	28	367.55	A
Oleic acid	Cauliflower	2.3	2	25.8	A
Oleic acid	Celery	14.98	26	172.6	A
Oleic acid	Fennel	1.55	4	17.5	A
Oleic acid	Lettuce, head	19.34	19	222.1	A
Oleic acid	Lettuce, leaf	14.49	20	171.45	A
Oleic acid	Rights of way	17.1	N/A	N/A	N/A
Oleic acid	Strawberry	965.6	303	7,357.42	A
Oleic acid	Uncultivated ag	0.01	1	1.0	A
Oleic acid, ethyl ester	Airport	16.87	3	44.0	A
Oleic acid, ethyl ester	Alfalfa	0.58	1	3.0	A
Oleic acid, ethyl ester	Artichoke, globe	507.44	188	2,647.15	A
Oleic acid, ethyl ester	Bean, succulent	8.85	10	115.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oleic acid, ethyl ester	Bean, unspecified	8.48	14	58.95	A
Oleic acid, ethyl ester	Bok choy (choy sum, pak choi)	5.89	13	56.85	A
Oleic acid, ethyl ester	Broccoli	11,036.44	1,496	14,373.43	A
Oleic acid, ethyl ester	Brussels sprout	10,328.82	897	10,035.8	A
Oleic acid, ethyl ester	Cabbage	735.53	172	1,338.24	A
Oleic acid, ethyl ester	Carrot	1,229.0	104	1,273.3	A
Oleic acid, ethyl ester	Cauliflower	6,185.88	817	7,316.01	A
Oleic acid, ethyl ester	Celery	4,238.64	1,686	12,386.14	A
Oleic acid, ethyl ester	Endive (escarole)	15.78	78	110.74	A
Oleic acid, ethyl ester	Fennel	176.21	65	223.31	A
Oleic acid, ethyl ester	Garlic	4.62	4	48.2	A
Oleic acid, ethyl ester	Grape, wine	508.17	100	1,782.43	A
Oleic acid, ethyl ester	Kale	165.33	78	316.84	A
Oleic acid, ethyl ester	Landscape maintenance	63.25	N/A	N/A	N/A
Oleic acid, ethyl ester	Leek	22.34	19	190.7	A
Oleic acid, ethyl ester	Lettuce, head	6,060.97	3,423	34,464.15	A
Oleic acid, ethyl ester	Lettuce, leaf	8,125.03	6,392	47,228.16	A
Oleic acid, ethyl ester	Oat	7.69	5	66.9	A
Oleic acid, ethyl ester	Onion, dry	100.57	35	634.2	A
Oleic acid, ethyl ester	Pastureland	81.81	31	229.66	A
Oleic acid, ethyl ester	Peas	115.35	90	737.9	A
Oleic acid, ethyl ester	Pepper, fruiting	10.22	11	97.32	A
Oleic acid, ethyl ester	Radicchio	13.7	5	71.45	A
Oleic acid, ethyl ester	Research commodity	1.29	N/A	N/A	N/A
Oleic acid, ethyl ester	Rights of way	1,972.46	N/A	N/A	N/A
Oleic acid, ethyl ester	Strawberry	28.4	13	282.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oleic acid, ethyl ester	Sunflower	5.05	4	28.1	A
Oleic acid, ethyl ester	Tomato	139.03	71	996.2	A
Oleic acid, ethyl ester	Uncultivated ag	4,831.86	603	5,562.0	A
Oleic acid, ethyl ester	Water area	11.92	3	10.0	A
Oleic acid, methyl ester	Alfalfa	113.31	2	95.0	A
Oleic acid, methyl ester	Bean, dried	111.1	8	84.5	A
Oleic acid, methyl ester	Broccoli	99.22	26	242.0	A
Oleic acid, methyl ester	Cabbage	33.27	9	81.0	A
Oleic acid, methyl ester	Carrot	1,116.79	70	849.8	A
Oleic acid, methyl ester	Celery	628.14	84	675.9	A
Oleic acid, methyl ester	Grape, wine	3,597.81	184	8,864.76	A
Oleic acid, methyl ester	Landscape maintenance	0.78	N/A	N/A	N/A
Oleic acid, methyl ester	Lemon	261.67	6	397.12	A
Oleic acid, methyl ester	Lettuce, head	754.37	72	754.0	A
Oleic acid, methyl ester	Lettuce, leaf	1,424.45	174	1,074.4	A
Oleic acid, methyl ester	Rights of way	2,312.54	N/A	N/A	N/A
Oleic acid, methyl ester	Uncultivated ag	2,599.1	256	2,406.33	A
Oleic acid, methyl ester	Uncultivated non-ag	16.58	N/A	56.0	A
Organosilicone, poly oxyalkylene ether copolymer	Landscape maintenance	8.83	N/A	N/A	N/A
Orthosulfamuron	Grape, wine	270.9	40	1,574.0	A
Oryzalin	Landscape maintenance	6.63	N/A	N/A	N/A
Oryzalin	Uncultivated ag	6.95	4	3.75	A
Oxadiazon	Landscape maintenance	0.95	N/A	N/A	N/A
Oxadiazon	N-outdr flower	9.56	9	9.28	A
Oxamyl	Celery	1,571.41	303	2,371.84	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oxamyl	Onion, dry	293.01	27	412.7	A
Oxathiapiprolin	Arugula	5.5	38	351.55	A
Oxathiapiprolin	Broccoli	0.08	1	5.0	A
Oxathiapiprolin	Kale	0.07	1	4.75	A
Oxathiapiprolin	Lettuce, head	37.24	282	2,665.32	A
Oxathiapiprolin	Lettuce, leaf	70.23	584	4,796.22	A
Oxathiapiprolin	Mizuna	0.14	10	9.15	A
Oxathiapiprolin	N-grnhs plants in containers	1.12	2	7.17	A
Oxathiapiprolin	N-outdr plants in containers	0.06	1	1.87	A
Oxathiapiprolin	Onion, dry	7.08	27	453.5	A
Oxathiapiprolin	Research commodity	0.02	1	1.25	A
Oxathiapiprolin	Spinach	169.41	1,235	11,194.43	A
Oxathiapiprolin	Swiss chard	0.24	6	15.68	A
Oxathiapiprolin	Tomato	7.42	37	474.2	A
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Lettuce, head	22.01	27	296.5	A
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Lettuce, leaf	26.0	31	353.5	A
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	N-outdr flower	0.74	3	16.89	A
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Research commodity	0.21	N/A	N/A	N/A
Oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Strawberry	565.64	188	2,615.36	A
Oxyfluorfen	Airport	47.15	2	24.0	A
Oxyfluorfen	Artichoke, globe	775.08	155	2,035.8	A
Oxyfluorfen	Broccoli	3,318.01	1,603	15,616.2	A
Oxyfluorfen	Brussels sprout	23.48	5	62.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oxyfluorfen	Cabbage	457.69	186	1,557.54	A
Oxyfluorfen	Cauliflower	2,804.24	879	9,029.76	A
Oxyfluorfen	Garlic	226.31	68	978.0	A
Oxyfluorfen	Grape, wine	7,437.64	721	25,207.87	A
Oxyfluorfen	Landscape maintenance	24.14	2	12.0	A
Oxyfluorfen	Landscape maintenance	2.12	N/A	N/A	N/A
Oxyfluorfen	Lemon	419.35	6	278.74	A
Oxyfluorfen	Lettuce, head	1.96	2	10.2	A
Oxyfluorfen	Lettuce, leaf	15.23	2	60.7	A
Oxyfluorfen	N-grnhs plants in containers	0.2	1	8,690.0	S
Oxyfluorfen	N-outdr flower	0.25	1	0.5	A
Oxyfluorfen	N-outdr plants in containers	6.23	21	245,090.0	S
Oxyfluorfen	Onion, dry	563.77	179	2,498.95	A
Oxyfluorfen	Pepper, fruiting	3.01	1	6.0	A
Oxyfluorfen	Pistachio	50.52	1	108.0	A
Oxyfluorfen	Rangeland	6.27	1	200.0	A
Oxyfluorfen	Research commodity	0.53	1	1.0	A
Oxyfluorfen	Rights of way	1,049.64	N/A	N/A	N/A
Oxyfluorfen	Strawberry	28.96	2	57.0	A
Oxyfluorfen	Uncultivated ag	3,198.91	538	7,119.17	A
Oxyfluorfen	Uncultivated non-ag	124.55	15	152.0	A
Paclobutrazol	Golf course turf	10.83	N/A	100.4	A
Paclobutrazol	Golf course turf	0.63	N/A	184,000.0	S
Paclobutrazol	Landscape maintenance	173.0	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Paclobutrazol	N-grnhs flower	0.02	36	47,756.25	S
Paclobutrazol	N-grnhs plants in containers	26.26	445	688.06	A
Paclobutrazol	N-grnhs plants in containers	0.79	79	1,680,018.0	S
Paclobutrazol	N-outdr plants in containers	6.5	175	198.25	A
Paclobutrazol	Research commodity	<0.01	N/A	N/A	N/A
Paclobutrazol	Uncultivated ag	0.02	2	60,000.0	S
Paecilomyces fumosoroseus apopka strain 97	Cannabis (all or unspecified)	68.41	162	1,763,728.0	S
Paecilomyces fumosoroseus apopka strain 97	Strawberry	50.56	9	132.8	A
Paraquat dichloride	Artichoke, globe	52.79	6	49.8	A
Paraquat dichloride	Grape, wine	66.67	5	120.47	A
Paraquat dichloride	Raspberry	6.84	1	9.93	A
Paraquat dichloride	Strawberry	2.03	1	3.0	A
Paraquat dichloride	Sunflower	16.93	3	24.6	A
Paraquat dichloride	Uncultivated ag	637.17	35	475.4	A
Pcnb	Broccoli	1,723.52	6	73.1	A
Pcnb	Brussels sprout	939.23	2	39.8	A
Pcnb	Golf course turf	110.85	N/A	9.0	A
Pcnb	Landscape maintenance	217.75	N/A	N/A	N/A
Pendimethalin	Artichoke, globe	113.22	10	116.0	A
Pendimethalin	Bean, dried	70.61	8	74.5	A
Pendimethalin	Carrot	1,587.85	116	1,691.2	A
Pendimethalin	Garlic	1,716.14	105	2,122.45	A
Pendimethalin	Grape, wine	12,296.91	302	7,402.44	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pendimethalin	Landscape maintenance	72.02	N/A	N/A	N/A
Pendimethalin	Leek	78.0	16	84.81	A
Pendimethalin	Lemon	791.62	6	278.74	A
Pendimethalin	N-grnhs plants in containers	0.4	1	8,690.0	S
Pendimethalin	N-outdr flower	8.05	9	8.9	A
Pendimethalin	N-outdr plants in containers	10.21	21	245,090.0	S
Pendimethalin	Onion, dry	351.97	27	476.75	A
Pendimethalin	Pepper, fruiting	101.31	14	127.72	A
Pendimethalin	Strawberry	620.22	6	436.6	A
Pendimethalin	Structural pest control	<0.01	N/A	N/A	N/A
Pendimethalin	Tomato	718.18	38	516.5	A
Pendimethalin	Uncultivated ag	170.45	6	60.0	A
Pendimethalin	Wheat	17.05	1	24.0	A
Penflufen	Onion, dry	13.64	N/A	12,000.99	P
Penoxsulam	Airport	0.99	2	24.0	A
Penoxsulam	Golf course turf	0.26	N/A	27.0	A
Penoxsulam	Landscape maintenance	2.98	N/A	N/A	N/A
Penoxsulam	N-grnhs flower	0.59	N/A	70.0	A
Penoxsulam	Rights of way	13.46	N/A	N/A	N/A
Penoxsulam	Uncultivated ag	3.47	13	543.9	A
Penthiopyrad	Bok choy (choy sum, pak choi)	4.72	4	19.1	A
Penthiopyrad	Broccoli	39.89	17	156.4	A
Penthiopyrad	Brussels sprout	885.18	260	3,306.93	A
Penthiopyrad	Cabbage	29.68	10	100.85	A
Penthiopyrad	Carrot	40.86	16	179.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Penthiopyrad	Cauliflower	69.42	33	256.1	A
Penthiopyrad	Celery	97.97	60	412.15	A
Penthiopyrad	Cilantro	10.11	3	48.6	A
Penthiopyrad	Cress, garden	0.5	1	2.4	A
Penthiopyrad	Endive (escarole)	1.73	4	6.6	A
Penthiopyrad	Fennel	16.0	8	51.26	A
Penthiopyrad	Garlic	703.59	130	2,252.7	A
Penthiopyrad	Golf course turf	8.19	N/A	12.2	A
Penthiopyrad	Golf course turf	2.22	N/A	142,000.0	S
Penthiopyrad	Kale	22.28	28	106.7	A
Penthiopyrad	Landscape maintenance	16.82	N/A	N/A	N/A
Penthiopyrad	Leek	31.21	17	113.59	A
Penthiopyrad	Lettuce, head	1,422.76	482	5,061.73	A
Penthiopyrad	Lettuce, leaf	2,614.3	1,169	9,329.47	A
Penthiopyrad	Onion, dry	36.0	6	115.3	A
Penthiopyrad	Peas	385.31	139	1,315.6	A
Penthiopyrad	Pepper, fruiting	14.57	6	56.16	A
Penthiopyrad	Radicchio	8.65	8	33.22	A
Penthiopyrad	Research commodity	0.78	N/A	N/A	N/A
Penthiopyrad	Strawberry	3,638.31	415	11,800.33	A
Penthiopyrad	Tomato	147.73	37	473.4	A
Penthiopyrad	Upland cress	3.0	6	14.4	A
Permethrin	Artichoke, globe	2,302.58	534	8,425.61	A
Permethrin	Arugula	169.22	191	1,266.31	A
Permethrin	Broccoli	1,629.23	1,003	11,132.32	A
Permethrin	Brussels sprout	359.37	242	3,597.65	A
Permethrin	Cabbage	422.2	262	2,881.99	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Permethrin	Cardoon	4.5	4	24.0	A
Permethrin	Cauliflower	391.78	422	3,459.33	A
Permethrin	Celery	3,173.38	2,782	21,225.34	A
Permethrin	Chinese cabbage (napa, wong bok, celery cabbage)	35.49	54	185.0	A
Permethrin	Endive (escarole)	24.95	220	186.83	A
Permethrin	Fennel	28.91	24	188.46	A
Permethrin	Garlic	102.59	20	513.85	A
Permethrin	Kale	2.17	3	17.1	A
Permethrin	Landscape maintenance	216.85	N/A	N/A	N/A
Permethrin	Lettuce, head	4,417.0	2,706	29,365.56	A
Permethrin	Lettuce, leaf	8,477.81	5,956	55,523.92	A
Permethrin	Mushroom	63.98	868	8,496,760.0	S
Permethrin	Mustard greens	0.63	1	5.0	A
Permethrin	N-grnhs flower	140.52	72	22,685,420.0	S
Permethrin	N-grnhs plants in containers	7.46	4	6.89	A
Permethrin	N-grnhs plants in containers	0.01	2	10,400.0	S
Permethrin	N-grnhs transplants	108.19	1,943	589.04	A
Permethrin	N-outdr flower	2.16	9	11.0	A
Permethrin	N-outdr plants in containers	0.01	1	400.0	S
Permethrin	N-outdr transplants	0.67	3	7.54	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Permethrin	N-outdr transplants	0.38	3	175,621.0	S
Permethrin	Onion, dry	29.33	12	160.3	A
Permethrin	Radicchio	43.28	53	289.61	A
Permethrin	Research commodity	2.48	11	15.0	A
Permethrin	Research commodity	<0.01	N/A	N/A	N/A
Permethrin	Spinach	4,736.84	3,735	31,811.26	A
Permethrin	Structural pest control	539.45	N/A	N/A	N/A
Permethrin	Swiss chard	24.7	41	201.8	A
Permethrin	Tomato	30.39	10	159.7	A
Permethrin	Upland cress	2.75	9	21.4	A
Permethrin, other related	Structural pest control	<0.01	N/A	N/A	N/A
Peroxyacetic acid	Bean, unspecified	5.07	7	27.8	A
Peroxyacetic acid	Broccoli	0.72	4	20.0	A
Peroxyacetic acid	Cannabis (all or unspecified)	31.44	109	49.2	A
Peroxyacetic acid	Cannabis (all or unspecified)	108.51	576	5,603,371.0	S
Peroxyacetic acid	Celery	4.69	6	41.5	A
Peroxyacetic acid	Grape, wine	1,434.11	182	9,317.47	A
Peroxyacetic acid	Leek	3.93	2	8.6	A
Peroxyacetic acid	Lettuce, head	96.49	58	570.04	A
Peroxyacetic acid	Lettuce, leaf	189.78	96	1,080.66	A
Peroxyacetic acid	Mustard greens	6.39	9	34.8	A
Peroxyacetic acid	N-grnhs plants in containers	1.22	9	14.89	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Peroxyacetic acid	N-grnhs transplants	0.22	3	1.0	A
Peroxyacetic acid	N-outdr plants in containers	0.16	1	1.19	A
Peroxyacetic acid	N-outdr transplants	0.01	1	9,537.0	S
Peroxyacetic acid	Raspberry	47.34	22	146.57	A
Peroxyacetic acid	Research commodity	0.24	8	1.66	A
Peroxyacetic acid	Spinach	46.57	25	270.3	A
Peroxyacetic acid	Strawberry	1,090.34	216	2,431.58	A
Peroxyacetic acid	Swiss chard	2.83	4	15.4	A
Peroxyacetic acid	Uncultivated ag	1.31	2	1.0	A
Peroxyacetic acid	Water (industrial)	109.93	N/A	2.0	U
Peroxyacetic acid	Water area	45.82	N/A	27.09	U
Petroleum distillates	Landscape maintenance	63.6	N/A	N/A	N/A
Petroleum distillates	Strawberry	7.0	2	64.0	A
Petroleum distillates	Structural pest control	2.78	N/A	N/A	N/A
Petroleum oil, paraffin based	Uncultivated non-ag	56.97	N/A	287.0	A
Petroleum oil, unclassified	Landscape maintenance	7.21	N/A	N/A	N/A
Petroleum oil, unclassified	Lemon	7,779.79	6	160.0	A
Phenmedipham	Beet	11.79	4	24.0	A
Phenmedipham	Spinach	15.18	3	30.9	A
Phenothrin	Landscape maintenance	0.07	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Phenothrin	Structural pest control	0.98	N/A	N/A	N/A
Phosmet	N-outdr plants in containers	0.53	1	15,000.0	S
Phosphoric acid	Artichoke, globe	2.69	14	169.7	A
Phosphoric acid	Arugula	0.39	7	27.89	A
Phosphoric acid	Bean, succulent	0.89	6	28.63	A
Phosphoric acid	Bean, unspecified	2.93	11	165.3	A
Phosphoric acid	Beet	0.57	2	18.45	A
Phosphoric acid	Bok choy (choy sum, pak choi)	9.4	80	326.64	A
Phosphoric acid	Broccoli	570.04	1,696	16,710.62	A
Phosphoric acid	Brussels sprout	203.88	400	5,887.3	A
Phosphoric acid	Cabbage	18.35	110	743.61	A
Phosphoric acid	Carrot	5.0	30	143.4	A
Phosphoric acid	Cauliflower	231.89	857	6,395.01	A
Phosphoric acid	Celery	135.83	568	4,028.0	A
Phosphoric acid	Chinese cabbage (napa, wong bok, celery cabbage)	20.17	115	680.14	A
Phosphoric acid	Cilantro	3.0	26	122.5	A
Phosphoric acid	Cucumber	0.35	1	33.7	A
Phosphoric acid	Endive (escarole)	15.59	158	568.35	A
Phosphoric acid	Garlic	30.46	54	728.0	A
Phosphoric acid	Grape, wine	491.1	504	8,362.83	A
Phosphoric acid	Kale	43.85	132	1,210.51	A
Phosphoric acid	Landscape maintenance	0.39	2	12.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Phosphoric acid	Landscape maintenance	1.04	N/A	N/A	N/A
Phosphoric acid	Leek	12.54	108	449.62	A
Phosphoric acid	Lettuce, head	603.79	1,798	18,726.45	A
Phosphoric acid	Lettuce, leaf	686.32	2,652	22,438.26	A
Phosphoric acid	Mustard greens	0.46	8	34.23	A
Phosphoric acid	N-grnhs flower	0.05	35	107,775.0	S
Phosphoric acid	N-outdr flower	0.1	3	16.89	A
Phosphoric acid	Onion, dry	5.87	15	203.1	A
Phosphoric acid	Peas	5.33	89	615.44	A
Phosphoric acid	Radicchio	6.38	36	154.76	A
Phosphoric acid	Radish	21.67	249	659.51	A
Phosphoric acid	Research commodity	0.3	51	229,500.0	S
Phosphoric acid	Research commodity	0.03	N/A	N/A	N/A
Phosphoric acid	Rights of way	0.66	N/A	N/A	N/A
Phosphoric acid	Ryegrass	12.9	14	144.0	A
Phosphoric acid	Spinach	0.32	2	10.43	A
Phosphoric acid	Squash	0.18	1	11.6	A
Phosphoric acid	Strawberry	1,234.49	703	19,279.42	A
Phosphoric acid	Swiss chard	0.18	8	12.06	A
Phosphoric acid	Tomato	30.52	40	656.3	A
Phosphoric acid	Triticale	1.81	3	43.8	A
Phosphoric acid	Uncultivated ag	241.89	251	1,893.4	A
Phosphoric acid	Uncultivated non-ag	16.82	1	452.0	A
Phosphoric acid	Watermelon	0.05	1	3.0	A
Piperalin	N-grnhs flower	47.42	57	133.75	A
Piperalin	N-grnhs plants in containers	4.05	2	4.08	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Piperonyl butoxide	Carrot	20.3	3	60.0	A
Piperonyl butoxide	Landscape maintenance	12.71	N/A	N/A	N/A
Piperonyl butoxide	Lettuce, head	0.13	1	0.5	A
Piperonyl butoxide	N-grnhs plants in containers	0.29	2	40,000.0	S
Piperonyl butoxide	N-grnhs transplants	0.27	4	2.16	A
Piperonyl butoxide	Raspberry	89.2	7	249.9	A
Piperonyl butoxide	Research commodity	0.03	1	0.21	A
Piperonyl butoxide	Research commodity	32.29	N/A	N/A	N/A
Piperonyl butoxide	Strawberry	1,266.81	115	3,303.25	A
Piperonyl butoxide	Structural pest control	88.0	N/A	N/A	N/A
Piperonyl butoxide, other related	Carrot	5.07	3	60.0	A
Piperonyl butoxide, other related	Landscape maintenance	3.16	N/A	N/A	N/A
Piperonyl butoxide, other related	Lettuce, head	0.03	1	0.5	A
Piperonyl butoxide, other related	N-grnhs plants in containers	0.03	1	20,000.0	S
Piperonyl butoxide, other related	N-grnhs transplants	0.07	4	2.16	A
Piperonyl butoxide, other related	Raspberry	22.3	7	249.9	A
Piperonyl butoxide, other related	Research commodity	0.01	1	0.21	A
Piperonyl butoxide, other related	Research commodity	8.07	N/A	N/A	N/A
Piperonyl butoxide, other related	Strawberry	313.61	114	3,275.01	A
Piperonyl butoxide, other related	Structural pest control	10.2	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Grape, wine	32.97	77	724.93	A
Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Landscape maintenance	0.04	N/A	N/A	N/A
Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Rights of way	0.22	N/A	N/A	N/A
Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Uncultivated ag	33.77	101	909.0	A
Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Uncultivated non-ag	0.81	1	18.0	A
Poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Water area	5.04	13	56.0	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Artichoke, globe	12.85	127	1,729.8	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Beet	0.92	6	40.0	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Blackberry	12.97	15	141.71	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Blueberry	11.38	4	84.0	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Broccoli	40.71	264	2,680.41	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Brussels sprout	24.46	90	1,151.05	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Cabbage	10.93	72	465.45	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Cannabis (all or unspecified)	31.1	228	188.1	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Cannabis (all or unspecified)	53.72	221	8,885,408.0	S
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Carrot	2.27	9	66.0	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Cauliflower	22.44	174	1,064.14	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Celery	14.78	245	1,603.92	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Fava bean	0.33	1	8.0	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Grape, wine	3.27	28	259.73	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Kale	0.35	11	21.06	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Leek	0.13	3	22.6	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Lemon	0.52	1	6.0	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Lettuce, head	20.16	178	1,881.54	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Lettuce, leaf	53.63	435	4,849.47	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Mustard greens	0.05	2	3.2	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	N-grnhs flower	111.19	361	452.71	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	N-grnhs plants in containers	2.77	12	14.31	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	N-outdr plants in containers	11.89	14	18.72	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Onion, dry	1.84	26	456.7	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Peas	8.14	107	1,029.52	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Raspberry	7.35	62	269.61	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Spinach	0.37	4	22.6	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Strawberry	1,095.28	627	8,338.59	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Swiss chard	0.11	3	6.3	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Tomato	6.8	24	427.4	A
Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Uncultivated ag	0.16	1	7.5	A
Poly-i-para-menthene	Beet	5.0	2	14.0	A
Poly-i-para-menthene	Blueberry	0.24	1	0.5	A
Poly-i-para-menthene	Cabbage	2.14	3	6.0	A
Poly-i-para-menthene	Cauliflower	14.27	7	40.0	A
Poly-i-para-menthene	Grape, wine	13.34	1	30.0	A
Poly-i-para-menthene	Kale	4.28	2	12.0	A
Poly-i-para-menthene	Lettuce, head	5.71	4	16.0	A
Poly-i-para-menthene	Lettuce, leaf	7.14	3	20.0	A
Poly-i-para-menthene	Research commodity	1.15	N/A	N/A	N/A
Poly-i-para-menthene	Strawberry	86.93	19	98.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyacrylamide polymer	Artichoke, globe	15.67	56	503.3	A
Polyacrylamide polymer	Broccoli	45.88	263	2,965.8	A
Polyacrylamide polymer	Brussels sprout	0.6	2	28.4	A
Polyacrylamide polymer	Cabbage	5.01	15	132.1	A
Polyacrylamide polymer	Cauliflower	71.44	184	2,249.45	A
Polyacrylamide polymer	Celery	2.83	40	227.75	A
Polyacrylamide polymer	Lemon	1.15	20	156.8	A
Polyacrylamide polymer	Lettuce, head	10.2	87	958.2	A
Polyacrylamide polymer	Lettuce, leaf	91.76	281	3,673.3	A
Polyacrylamide polymer	Peas	2.76	6	107.6	A
Polyacrylamide polymer	Rapini	22.56	38	642.4	A
Polyacrylamide polymer	Raspberry	0.64	1	34.0	A
Polyacrylamide polymer	Rights of way	11.44	N/A	N/A	N/A
Polyacrylamide polymer	Spinach	3.71	37	359.7	A
Polyacrylamide polymer	Strawberry	10.51	13	470.4	A
Polyacrylamide polymer	Tomato	0.67	3	35.8	A
Polyacrylamide polymer	Uncultivated ag	31.65	252	2,277.0	A
Polyacrylamide polymer	Uncultivated non-ag	2.8	10	105.0	A
Polyacrylamide, polyethylene glycol mixture	Barley	3.85	1	210.0	A
Polyacrylic polymer	Broccoli	8.26	128	1,011.6	A
Polyacrylic polymer	Cauliflower	3.81	75	433.1	A
Polyacrylic polymer	Grape, wine	28.97	92	1,413.04	A
Polyacrylic polymer	Landscape maintenance	0.09	N/A	N/A	N/A
Polyacrylic polymer	Lettuce, head	2.36	67	289.2	A
Polyacrylic polymer	Lettuce, leaf	4.49	104	543.9	A
Polyacrylic polymer	Ryegrass	1.17	14	144.0	A
Polyacrylic polymer	Tomato	2.18	28	391.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyacrylic polymer	Uncultivated ag	16.89	61	783.0	A
Polyacrylic polymer	Uncultivated non-ag	1.52	N/A	451.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Artichoke, globe	0.1	1	10.8	A
Polyalkene oxide modified heptamethyl trisiloxane	Broccoli	63.16	368	3,724.51	A
Polyalkene oxide modified heptamethyl trisiloxane	Brussels sprout	21.1	108	1,539.75	A
Polyalkene oxide modified heptamethyl trisiloxane	Cabbage	131.62	604	6,339.81	A
Polyalkene oxide modified heptamethyl trisiloxane	Carrot	1.66	11	139.9	A
Polyalkene oxide modified heptamethyl trisiloxane	Cauliflower	24.03	159	1,541.2	A
Polyalkene oxide modified heptamethyl trisiloxane	Celery	63.71	461	4,737.15	A
Polyalkene oxide modified heptamethyl trisiloxane	Chinese cabbage (napa, wong bok, celery cabbage)	0.04	1	2.9	A
Polyalkene oxide modified heptamethyl trisiloxane	Cilantro	1.69	18	142.9	A
Polyalkene oxide modified heptamethyl trisiloxane	Collard	0.84	31	68.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Corn (forage - fodder)	1.1	6	75.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Corn, human consumption	5.24	21	311.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Cucumber	0.12	1	8.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyalkene oxide modified heptamethyl trisiloxane	Endive (escarole)	0.15	7	13.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Fennel	0.22	6	18.6	A
Polyalkene oxide modified heptamethyl trisiloxane	Garlic	10.45	33	680.3	A
Polyalkene oxide modified heptamethyl trisiloxane	Grape, wine	133.43	359	8,657.54	A
Polyalkene oxide modified heptamethyl trisiloxane	Kale	3.51	59	246.45	A
Polyalkene oxide modified heptamethyl trisiloxane	Landscape maintenance	0.33	N/A	N/A	N/A
Polyalkene oxide modified heptamethyl trisiloxane	Lettuce, head	149.7	1,123	12,097.75	A
Polyalkene oxide modified heptamethyl trisiloxane	Lettuce, leaf	207.89	1,824	16,385.6	A
Polyalkene oxide modified heptamethyl trisiloxane	Mustard greens	0.1	9	7.8	A
Polyalkene oxide modified heptamethyl trisiloxane	N-grnhs plants in containers	46.33	237	5,424,816.0	S
Polyalkene oxide modified heptamethyl trisiloxane	Onion, dry	11.05	47	698.6	A
Polyalkene oxide modified heptamethyl trisiloxane	Parsley	0.11	2	9.4	A
Polyalkene oxide modified heptamethyl trisiloxane	Peas	0.68	7	53.6	A
Polyalkene oxide modified heptamethyl trisiloxane	Radicchio	0.61	11	51.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Research commodity	0.22	10	15.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyalkene oxide modified heptamethyl trisiloxane	Research commodity	13.04	N/A	N/A	N/A
Polyalkene oxide modified heptamethyl trisiloxane	Rights of way	0.08	N/A	N/A	N/A
Polyalkene oxide modified heptamethyl trisiloxane	Ryegrass	1.11	12	117.7	A
Polyalkene oxide modified heptamethyl trisiloxane	Spinach	0.04	1	5.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Strawberry	45.1	80	1,116.16	A
Polyalkene oxide modified heptamethyl trisiloxane	Turnip	0.02	2	1.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Turnip greens	0.03	5	2.5	A
Polyalkene oxide modified heptamethyl trisiloxane	Uncultivated ag	3.47	13	143.0	A
Polyalkene oxide modified heptamethyl trisiloxane	Wheat	0.35	2	29.5	A
Polyalkyleneoxide modified polydimethylsiloxane	Blackberry	0.94	9	23.5	A
Polyalkyleneoxide modified polydimethylsiloxane	Brussels sprout	6.02	1	10.2	A
Polyalkyleneoxide modified polydimethylsiloxane	Cannabis (all or unspecified)	2.09	15	19.8	A
Polyalkyleneoxide modified polydimethylsiloxane	Grape, wine	3.66	17	198.0	A
Polyalkyleneoxide modified polydimethylsiloxane	Lettuce, head	9.7	16	155.29	A
Polyalkyleneoxide modified polydimethylsiloxane	Lettuce, leaf	0.42	1	10.35	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyalkyleneoxide modified polydimethylsiloxane	Raspberry	14.14	9	29.06	A
Polyalkyleneoxide modified polydimethylsiloxane	Strawberry	8,746.83	294	10,886.02	A
Polybutenes	Artichoke, globe	144.66	147	2,353.0	A
Polybutenes	Broccoli	3.24	7	54.55	A
Polybutenes	Brussels sprout	23.64	33	431.65	A
Polybutenes	Carrot	16.27	4	80.0	A
Polybutenes	Cauliflower	2.01	3	35.7	A
Polybutenes	Celery	27.25	60	463.65	A
Polybutenes	Fennel	1.03	4	17.5	A
Polybutenes	Lettuce, head	15.09	22	264.0	A
Polybutenes	Lettuce, leaf	16.3	28	282.25	A
Polybutenes	Rights of way	24.43	N/A	N/A	N/A
Polybutenes	Strawberry	670.09	306	7,791.9	A
Polybutenes	Structural pest control	1.1	N/A	N/A	N/A
Polyether modified polysiloxane	Alfalfa	2.02	4	50.0	A
Polyether modified polysiloxane	Artichoke, globe	106.34	60	355.7	A
Polyether modified polysiloxane	Arugula	23.56	44	325.94	A
Polyether modified polysiloxane	Avocado	1.61	1	8.0	A
Polyether modified polysiloxane	Bean, succulent	3.94	8	68.63	A
Polyether modified polysiloxane	Bean, unspecified	2.66	11	165.3	A
Polyether modified polysiloxane	Beet	0.52	2	18.45	A
Polyether modified polysiloxane	Blackberry	49.15	13	96.0	A
Polyether modified polysiloxane	Blueberry	7.99	1	15.0	A
Polyether modified polysiloxane	Bok choy (choy sum, pak choi)	8.55	80	326.64	A
Polyether modified polysiloxane	Broccoli	1,011.05	1,872	18,778.23	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyether modified polysiloxane	Brussels sprout	185.35	400	5,887.3	A
Polyether modified polysiloxane	Cabbage	75.13	169	1,205.12	A
Polyether modified polysiloxane	Cannabis (all or unspecified)	142.53	333	173.55	A
Polyether modified polysiloxane	Cannabis (all or unspecified)	13.86	70	721,080.0	S
Polyether modified polysiloxane	Cannabis (all or unspecified)	20.32	50	708.0	U
Polyether modified polysiloxane	Carrot	116.56	85	973.3	A
Polyether modified polysiloxane	Cauliflower	329.2	847	6,662.26	A
Polyether modified polysiloxane	Celery	836.97	1,185	7,482.0	A
Polyether modified polysiloxane	Chinese cabbage (napa, wong bok, celery cabbage)	18.34	115	680.14	A
Polyether modified polysiloxane	Cilantro	2.73	26	122.5	A
Polyether modified polysiloxane	Collard	3.52	40	10.63	A
Polyether modified polysiloxane	Cucumber	3.55	3	53.7	A
Polyether modified polysiloxane	Endive (escarole)	15.11	166	579.05	A
Polyether modified polysiloxane	Garlic	81.15	75	1,080.5	A
Polyether modified polysiloxane	Grape, wine	153.01	64	1,963.77	A
Polyether modified polysiloxane	Kale	69.23	204	1,426.56	A
Polyether modified polysiloxane	Landscape maintenance	0.36	2	12.0	A
Polyether modified polysiloxane	Leek	13.44	117	470.72	A
Polyether modified polysiloxane	Lettuce, head	799.31	2,297	22,086.9	A
Polyether modified polysiloxane	Lettuce, leaf	1,577.74	3,635	29,559.12	A
Polyether modified polysiloxane	Mizuna	2.65	22	26.05	A
Polyether modified polysiloxane	Mustard greens	0.84	10	38.63	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyether modified polysiloxane	N-grnhs plants in containers	4.07	99	183,790.0	S
Polyether modified polysiloxane	Onion, dry	200.59	94	1,594.9	A
Polyether modified polysiloxane	Peas	64.22	159	1,491.89	A
Polyether modified polysiloxane	Pepper, fruiting	12.57	7	63.0	A
Polyether modified polysiloxane	Radicchio	10.22	52	197.46	A
Polyether modified polysiloxane	Radish	19.7	249	659.51	A
Polyether modified polysiloxane	Raspberry	40.3	9	81.54	A
Polyether modified polysiloxane	Research commodity	1.0	N/A	N/A	N/A
Polyether modified polysiloxane	Rights of way	0.6	N/A	N/A	N/A
Polyether modified polysiloxane	Spinach	1.02	4	34.43	A
Polyether modified polysiloxane	Squash	2.73	3	27.6	A
Polyether modified polysiloxane	Strawberry	2,630.36	162	3,839.51	A
Polyether modified polysiloxane	Swiss chard	1.32	12	24.61	A
Polyether modified polysiloxane	Tomato	16.58	17	318.7	A
Polyether modified polysiloxane	Triticale	1.64	3	43.8	A
Polyether modified polysiloxane	Uncultivated ag	50.83	191	1,116.4	A
Polyether modified polysiloxane	Uncultivated non-ag	0.02	1	1.0	A
Polyether modified polysiloxane	Watermelon	0.29	2	5.5	A
Polyethoxylated castor oil	Artichoke, globe	98.02	81	1,086.0	A
Polyethoxylated castor oil	Broccoli	23.16	27	257.25	A
Polyethoxylated castor oil	Brussels sprout	97.91	85	1,101.85	A
Polyethoxylated castor oil	Cauliflower	37.27	33	411.0	A
Polyethoxylated castor oil	Celery	46.43	66	511.7	A
Polyethoxylated castor oil	Chinese cabbage (napa, wong bok, celery cabbage)	1.33	3	14.8	A
Polyethoxylated castor oil	Fennel	18.64	48	212.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyethoxylated castor oil	Grape, wine	490.58	140	1,943.14	A
Polyethoxylated castor oil	Landscape maintenance	0.44	N/A	N/A	N/A
Polyethoxylated castor oil	Lettuce, head	67.64	67	757.6	A
Polyethoxylated castor oil	Lettuce, leaf	79.4	91	875.15	A
Polyethoxylated castor oil	Rights of way	21.85	N/A	N/A	N/A
Polyethoxylated castor oil	Spinach	12.93	21	142.5	A
Polyethoxylated castor oil	Uncultivated ag	463.44	235	2,513.8	A
Polyethoxylated castor oil	Uncultivated non-ag	21.25	18	165.5	A
Polyethoxylated castor oil	Water area	49.2	14	57.0	A
Polyethylene glycol	Barley	8.23	3	1,046.0	A
Polyethylene glycol	Grape, wine	1,311.93	159	16,720.76	A
Polyethylene glycol	Strawberry	457.94	84	2,122.0	A
Polyethylene glycol diacetate	Grape, wine	1.0	13	417.4	A
Polyethylene glycol diacetate	Landscape maintenance	<0.01	N/A	N/A	N/A
Polyethylene glycol ditallate	Strawberry	0.17	2	64.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Broccoli	1.37	2	23.6	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Cactus pear	2.73	1	8.8	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Cauliflower	0.7	2	12.2	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Celery	0.57	1	5.0	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Grape, wine	3,109.62	611	24,618.73	A
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Lettuce, leaf	2.46	5	40.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-outdr plants in containers	0.02	1	10,000.0	S
Polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Walnut	242.42	12	1,435.0	A
Polyethylene glycol oleate	Lettuce, head	14.27	6	63.6	A
Polyethylene glycol oleate	Lettuce, leaf	35.34	19	157.7	A
Polyethylene glycol stearate	Airport	4.22	3	44.0	A
Polyethylene glycol stearate	Alfalfa	0.14	1	3.0	A
Polyethylene glycol stearate	Artichoke, globe	126.86	188	2,647.15	A
Polyethylene glycol stearate	Bean, succulent	2.21	10	115.4	A
Polyethylene glycol stearate	Bean, unspecified	2.12	14	58.95	A
Polyethylene glycol stearate	Bok choy (choy sum, pak choi)	1.47	13	56.85	A
Polyethylene glycol stearate	Broccoli	2,759.11	1,496	14,373.43	A
Polyethylene glycol stearate	Brussels sprout	2,582.21	897	10,035.8	A
Polyethylene glycol stearate	Cabbage	183.88	172	1,338.24	A
Polyethylene glycol stearate	Carrot	307.25	104	1,273.3	A
Polyethylene glycol stearate	Cauliflower	1,546.47	817	7,316.01	A
Polyethylene glycol stearate	Celery	1,059.66	1,686	12,386.14	A
Polyethylene glycol stearate	Endive (escarole)	3.95	78	110.74	A
Polyethylene glycol stearate	Fennel	44.05	65	223.31	A
Polyethylene glycol stearate	Garlic	1.15	4	48.2	A
Polyethylene glycol stearate	Grape, wine	127.04	100	1,782.43	A
Polyethylene glycol stearate	Kale	41.33	78	316.84	A
Polyethylene glycol stearate	Landscape maintenance	15.81	N/A	N/A	N/A
Polyethylene glycol stearate	Leek	5.58	19	190.7	A
Polyethylene glycol stearate	Lettuce, head	1,515.24	3,423	34,464.15	A
Polyethylene glycol stearate	Lettuce, leaf	2,031.26	6,392	47,228.16	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyethylene glycol stearate	Oat	1.92	5	66.9	A
Polyethylene glycol stearate	Onion, dry	25.14	35	634.2	A
Polyethylene glycol stearate	Peas	28.84	90	737.9	A
Polyethylene glycol stearate	Pepper, fruiting	2.56	11	97.32	A
Polyethylene glycol stearate	Radicchio	3.42	5	71.45	A
Polyethylene glycol stearate	Research commodity	0.32	N/A	N/A	N/A
Polyethylene glycol stearate	Rights of way	493.11	N/A	N/A	N/A
Polyethylene glycol stearate	Strawberry	7.1	13	282.0	A
Polyethylene glycol stearate	Sunflower	1.26	4	28.1	A
Polyethylene glycol stearate	Tomato	34.76	71	996.2	A
Polyethylene glycol stearate	Uncultivated ag	1,207.96	603	5,562.0	A
Polyethylene glycol stearate	Water area	2.98	3	10.0	A
Polymerized pinene	Artichoke, globe	300.71	29	331.4	A
Polymerized pinene	Asparagus	7.54	2	11.0	A
Polymerized pinene	Broccoli	1,008.31	164	1,830.8	A
Polymerized pinene	Brussels sprout	36.56	4	53.5	A
Polymerized pinene	Cabbage	164.34	40	379.2	A
Polymerized pinene	Carrot	29.24	3	42.8	A
Polymerized pinene	Cauliflower	1,320.99	138	1,872.0	A
Polymerized pinene	Celery	91.55	9	133.9	A
Polymerized pinene	Fennel	3.44	1	2.5	A
Polymerized pinene	Garlic	45.75	4	66.9	A
Polymerized pinene	Golf course turf	5.5	N/A	6.0	A
Polymerized pinene	Grape, wine	1,704.33	450	6,341.61	A
Polymerized pinene	Landscape maintenance	28.25	N/A	N/A	N/A
Polymerized pinene	Lettuce, head	304.59	41	478.3	A
Polymerized pinene	Lettuce, leaf	1,004.92	182	1,656.7	A
Polymerized pinene	Rapini	31.59	5	55.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polymerized pinene	Rights of way	16.45	6	24.0	A
Polymerized pinene	Rights of way	8.87	N/A	N/A	N/A
Polymerized pinene	Strawberry	48.64	3	90.0	A
Polymerized pinene	Uncultivated ag	335.74	50	482.87	A
Polyoxin d, zinc salt	Arugula	0.26	14	63.02	A
Polyoxin d, zinc salt	Broccoli	2.35	43	440.3	A
Polyoxin d, zinc salt	Cabbage	0.81	31	157.23	A
Polyoxin d, zinc salt	Cauliflower	0.2	7	36.87	A
Polyoxin d, zinc salt	Grape, wine	8.4	5	191.9	A
Polyoxin d, zinc salt	Landscape maintenance	0.81	N/A	N/A	N/A
Polyoxin d, zinc salt	Lettuce, head	46.81	236	2,219.72	A
Polyoxin d, zinc salt	Lettuce, leaf	92.3	497	3,626.55	A
Polyoxin d, zinc salt	Raspberry	0.79	2	17.95	A
Polyoxin d, zinc salt	Spinach	0.3	14	72.06	A
Polyoxin d, zinc salt	Strawberry	104.58	189	2,464.94	A
Polyoxyethylene cetyl-stearyl ether	Landscape maintenance	7.88	N/A	N/A	N/A
Polyoxyethylene dioleate	Pastureland	14.32	31	229.66	A
Polyoxyethylene polyol fatty acid esters	Grape, wine	1,218.63	149	6,658.97	A
Polyoxyethylene polyoxypropylene	Airport	0.02	3	44.0	A
Polyoxyethylene polyoxypropylene	Artichoke, globe	235.13	127	1,729.8	A
Polyoxyethylene polyoxypropylene	Beet	16.88	6	40.0	A
Polyoxyethylene polyoxypropylene	Blackberry	23.71	10	55.71	A
Polyoxyethylene polyoxypropylene	Broccoli	1,084.4	363	3,201.6	A
Polyoxyethylene polyoxypropylene	Brussels sprout	447.46	90	1,151.05	A
Polyoxyethylene polyoxypropylene	Cabbage	200.03	72	465.45	A
Polyoxyethylene polyoxypropylene	Carrot	3.35	7	26.0	A
Polyoxyethylene polyoxypropylene	Cauliflower	533.38	213	1,260.84	A
Polyoxyethylene polyoxypropylene	Celery	475.23	392	2,827.52	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyoxyethylene polyoxypropylene	Grape, wine	1,050.6	277	11,215.07	A
Polyoxyethylene polyoxypropylene	Kale	6.39	11	21.06	A
Polyoxyethylene polyoxypropylene	Leek	2.29	3	22.6	A
Polyoxyethylene polyoxypropylene	Lemon	9.55	1	6.0	A
Polyoxyethylene polyoxypropylene	Lettuce, head	1,467.01	626	7,055.44	A
Polyoxyethylene polyoxypropylene	Lettuce, leaf	2,308.58	1,194	11,072.3	A
Polyoxyethylene polyoxypropylene	Mustard greens	0.96	2	3.2	A
Polyoxyethylene polyoxypropylene	Onion, dry	49.71	30	532.7	A
Polyoxyethylene polyoxypropylene	Peas	148.99	107	1,029.52	A
Polyoxyethylene polyoxypropylene	Pumpkin	6.04	5	28.4	A
Polyoxyethylene polyoxypropylene	Raspberry	89.28	60	245.68	A
Polyoxyethylene polyoxypropylene	Rights of way	<0.01	N/A	N/A	N/A
Polyoxyethylene polyoxypropylene	Spinach	6.75	4	22.6	A
Polyoxyethylene polyoxypropylene	Strawberry	22,478.06	1,769	48,066.65	A
Polyoxyethylene polyoxypropylene	Swiss chard	1.93	3	6.3	A
Polyoxyethylene polyoxypropylene	Tomato	124.47	24	427.4	A
Polyoxyethylene polyoxypropylene	Uncultivated ag	253.71	87	1,186.8	A
Polyoxyethylene sorbitan mixed fatty acid esters	Uncultivated non-ag	8.79	N/A	287.0	A
Polyoxyethylene sorbitan monolaurate	Bean, dried	44.72	8	130.0	A
Polyoxyethylene sorbitan monolaurate	Bean, succulent	21.37	3	72.0	A
Polyoxyethylene sorbitan monolaurate	Bean, unspecified	20.89	22	83.55	A
Polyoxyethylene sorbitan monolaurate	Grape, wine	277.25	66	621.59	A
Polyoxyethylene sorbitan monolaurate	Peas	98.78	53	398.03	A
Polyoxyethylene sorbitan monolaurate	Rights of way	1,284.28	N/A	N/A	N/A
Polyoxyethylene sorbitan monolaurate	Rye	33.77	10	42.2	A
Polyoxyethylene sorbitan monolaurate	Tomato	4.4	2	22.0	A
Polyoxyethylene sorbitan monolaurate	Uncultivated ag	10.0	1	5.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polyoxyethylene sorbitan monooleate	Landscape maintenance	0.26	N/A	N/A	N/A
Polyoxyethylene sorbitan monooleate	Pastureland	4.09	31	229.66	A
Polyoxyethylene sorbitan monooleate	Uncultivated non-ag	0.8	N/A	115.0	A
Polyoxyethylene sorbitan trioleate	Landscape maintenance	1.69	N/A	N/A	N/A
Polyoxyethylene sorbitan trioleate	Uncultivated non-ag	5.3	N/A	115.0	A
Polyoxyethylene sorbitol, mixed ether ester	Broccoli	5.44	1	18.42	A
Polyoxyethylene sorbitol, mixed ether ester	Endive (escarole)	2.66	1	7.47	A
Polyoxyethylene sorbitol, mixed ether ester	Grape, wine	504.24	16	724.63	A
Polyoxyethylene sorbitol, mixed ether ester	Lettuce, head	371.03	126	1,189.72	A
Polyoxyethylene sorbitol, mixed ether ester	Lettuce, leaf	724.15	237	1,997.52	A
Polyoxyethylene sorbitol, mixed ether ester	Peas	6.84	4	32.5	A
Polyoxyethylene sorbitol, mixed ether ester	Uncultivated ag	510.71	30	439.61	A
Polyoxyethylene sorbitol, mixed ether ester	Uncultivated non-ag	10.59	2	4.0	A
Polypropylene glycol	Broccoli	16.48	681	6,898.3	A
Polypropylene glycol	Brussels sprout	0.02	1	13.3	A
Polypropylene glycol	Cabbage	0.14	6	60.0	A
Polypropylene glycol	Cauliflower	3.0	221	1,470.6	A
Polypropylene glycol	Celery	1.41	119	579.3	A
Polypropylene glycol	Grape, wine	16.19	597	9,832.06	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polypropylene glycol	Landscape maintenance	0.05	2	12.0	A
Polypropylene glycol	Lemon	0.33	10	78.4	A
Polypropylene glycol	Lettuce, head	8.61	385	3,614.55	A
Polypropylene glycol	Lettuce, leaf	11.79	730	4,864.15	A
Polypropylene glycol	Strawberry	3.17	42	767.7	A
Polypropylene glycol	Structural pest control	<0.01	N/A	N/A	N/A
Polypropylene glycol	Uncultivated ag	0.47	20	114.0	A
Polypropylene glycol	Uncultivated non-ag	0.01	1	1.0	A
Polysorbate 65	Arugula	48.72	51	349.55	A
Polysorbate 65	Bean, dried	8.78	3	43.0	A
Polysorbate 65	Bean, succulent	11.98	2	43.0	A
Polysorbate 65	Broccoli	544.34	359	3,334.56	A
Polysorbate 65	Cabbage	179.42	142	1,226.9	A
Polysorbate 65	Carrot	124.82	42	748.2	A
Polysorbate 65	Cauliflower	117.38	86	888.85	A
Polysorbate 65	Celery	79.41	79	567.0	A
Polysorbate 65	Chinese cabbage (napa, wong bok, celery cabbage)	6.43	15	46.1	A
Polysorbate 65	Cilantro	92.2	96	640.95	A
Polysorbate 65	Cucumber	6.1	3	32.94	A
Polysorbate 65	Endive (escarole)	2.39	11	16.97	A
Polysorbate 65	Fennel	0.21	1	3.0	A
Polysorbate 65	Garlic	70.79	17	369.5	A
Polysorbate 65	Grape, wine	56.18	29	1,549.93	A
Polysorbate 65	Kale	41.92	121	282.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polysorbate 65	Lettuce, head	205.89	142	1,428.7	A
Polysorbate 65	Lettuce, leaf	537.3	432	3,319.45	A
Polysorbate 65	Mizuna	8.95	54	63.85	A
Polysorbate 65	Onion, dry	94.63	39	530.58	A
Polysorbate 65	Parsley	16.44	8	89.0	A
Polysorbate 65	Peas	48.88	31	258.3	A
Polysorbate 65	Pumpkin	1.4	2	10.07	A
Polysorbate 65	Radicchio	9.9	15	70.9	A
Polysorbate 65	Research commodity	0.42	3	3.0	A
Polysorbate 65	Spinach	67.51	100	437.97	A
Polysorbate 65	Squash	2.23	2	8.0	A
Polysorbate 65	Strawberry	5.96	2	57.0	A
Polysorbate 65	Uncultivated ag	87.39	59	645.0	A
Potash soap	Beet	39.09	16	23.2	A
Potash soap	Bok choy (choy sum, pak choi)	1.37	3	0.99	A
Potash soap	Broccoli	10,973.02	283	2,020.6	A
Potash soap	Brussels sprout	2,633.47	14	238.7	A
Potash soap	Cabbage	2,516.89	108	493.58	A
Potash soap	Cannabis (all or unspecified)	1,883.26	340	1,815.04	A
Potash soap	Cannabis (all or unspecified)	2,661.75	362	8,838,039.0	S
Potash soap	Cauliflower	5,722.19	147	865.38	A
Potash soap	Celery	89.62	4	26.4	A
Potash soap	Fava bean	4.16	1	2.0	A
Potash soap	Grape, wine	185.98	4	49.25	A
Potash soap	Kale	97.23	29	60.04	A
Potash soap	Landscape maintenance	0.86	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Potash soap	Lettuce, head	23.71	25	11.23	A
Potash soap	Lettuce, leaf	1,148.79	45	389.35	A
Potash soap	N-grnhs flower	2.46	8	14,250.0	S
Potash soap	N-grnhs plants in containers	14.57	3	2.25	A
Potash soap	N-grnhs plants in containers	17.99	47	100,400.0	S
Potash soap	N-outdr flower	163.01	19	38.0	A
Potash soap	N-outdr plants in containers	9.94	3	31,000.0	S
Potash soap	N-outdr transplants	0.91	7	0.73	A
Potash soap	Olive	0.2	1	1.0	A
Potash soap	Raspberry	521.82	11	308.36	A
Potash soap	Research commodity	10.28	17	3.7	A
Potash soap	Research commodity	8.78	N/A	N/A	N/A
Potash soap	Strawberry	3,002.97	48	770.9	A
Potash soap	Swiss chard	201.92	2	8.5	A
Potash soap	Tomato	4.16	2	2.0	A
Potassium bicarbonate	Cannabis (all or unspecified)	37.02	26	10.11	A
Potassium bicarbonate	Cannabis (all or unspecified)	1,374.83	286	9,976,128.0	S
Potassium bicarbonate	Grape, wine	8,757.64	239	2,436.71	A
Potassium bicarbonate	Kale	98.2	12	59.95	A
Potassium bicarbonate	Landscape maintenance	10.75	N/A	N/A	N/A
Potassium bicarbonate	N-grnhs flower	6.8	2	2.78	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Potassium bicarbonate	N-grnhs plants in containers	5.53	25	52,640.0	S
Potassium bicarbonate	Parsley	100.25	5	40.8	A
Potassium bicarbonate	Research commodity	0.49	N/A	N/A	N/A
Potassium bicarbonate	Strawberry	1,195.55	35	474.15	A
Potassium hydroxide	Landscape maintenance	0.76	N/A	N/A	N/A
Potassium hydroxide	Strawberry	0.47	2	20.0	A
Potassium n-methyldithiocarbamate	Brussels sprout	12,944.54	13	150.8	A
Potassium n-methyldithiocarbamate	Lettuce, leaf	59,686.54	25	224.3	A
Potassium n-methyldithiocarbamate	Spinach	5,747.79	2	21.6	A
Potassium n-methyldithiocarbamate	Strawberry	306,816.14	79	1,213.65	A
Potassium n-methyldithiocarbamate	Tomato	11,626.97	4	63.0	A
Potassium phosphite	Artichoke, globe	4,385.47	84	939.8	A
Potassium phosphite	Arugula	2,691.06	251	1,543.1	A
Potassium phosphite	Bok choy (choy sum, pak choi)	1.1	2	0.7	A
Potassium phosphite	Broccoli	573.56	32	283.6	A
Potassium phosphite	Brussels sprout	8,125.36	255	3,204.05	A
Potassium phosphite	Cabbage	556.25	30	249.3	A
Potassium phosphite	Cannabis (all or unspecified)	16.82	5	3.5	A
Potassium phosphite	Cannabis (all or unspecified)	0.45	7	4,560.0	S
Potassium phosphite	Cauliflower	535.3	27	232.5	A
Potassium phosphite	Celery	214.39	4	55.4	A
Potassium phosphite	Cress, garden	3.11	1	2.4	A
Potassium phosphite	Cucumber	16.03	1	5.0	A
Potassium phosphite	Golf course turf	149.16	N/A	15.2	A
Potassium phosphite	Golf course turf	24.86	N/A	142,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Potassium phosphite	Kale	1,878.84	206	906.83	A
Potassium phosphite	Landscape maintenance	719.15	N/A	N/A	N/A
Potassium phosphite	Lettuce, head	66,046.44	2,400	26,320.3	A
Potassium phosphite	Lettuce, leaf	132,006.26	4,418	44,605.04	A
Potassium phosphite	Mizuna	57.53	41	31.95	A
Potassium phosphite	Mustard greens	166.47	20	94.28	A
Potassium phosphite	N-grnhs plants in containers	4.0	2	19,800.0	S
Potassium phosphite	N-grnhs transplants	4.11	6	1.44	A
Potassium phosphite	Peas	7,810.41	238	2,608.22	A
Potassium phosphite	Raspberry	278.76	2	57.98	A
Potassium phosphite	Spinach	38,420.11	1,827	17,490.26	A
Potassium phosphite	Strawberry	5,591.63	21	1,262.9	A
Potassium phosphite	Swiss chard	1,262.98	188	603.3	A
Potassium phosphite	Upland cress	66.9	20	51.6	A
Potassium silicate	Cannabis (all or unspecified)	101.59	242	2,279,394.0	S
Potassium silicate	Strawberry	1,838.9	20	457.82	A
Prallethrin	Landscape maintenance	<0.01	N/A	N/A	N/A
Prallethrin	Structural pest control	2.14	N/A	N/A	N/A
Prodiamine	Golf course turf	27.74	N/A	50.0	A
Prodiamine	Landscape maintenance	32.36	N/A	N/A	N/A
Prometryn	Carrot	342.82	31	338.9	A
Prometryn	Celery	10,008.1	1,036	7,792.54	A
Prometryn	Cilantro	388.65	126	535.52	A
Prometryn	Fennel	631.9	155	617.01	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Prometryn	Parsley	171.27	11	109.15	A
Prometryn	Research commodity	1.0	N/A	N/A	N/A
Propamocarb hydrochloride	Lettuce, head	20,748.66	1,935	21,396.08	A
Propamocarb hydrochloride	Lettuce, leaf	30,281.45	3,120	31,117.14	A
Propamocarb hydrochloride	N-grnhs transplants	10.21	12	18.18	A
Propamocarb hydrochloride	N-outdr transplants	11.2	8	652,310.0	S
Propamocarb hydrochloride	Research commodity	0.47	3	0.51	A
Propamocarb hydrochloride	Spinach	369.18	86	369.7	A
Propamocarb hydrochloride	Swiss chard	3.51	2	4.68	A
Propamocarb hydrochloride	Tomato	24.65	3	33.0	A
Propiconazole	Carrot	206.54	134	1,839.26	A
Propiconazole	Celery	1,080.52	1,217	9,462.35	A
Propiconazole	Cilantro	6.41	8	57.25	A
Propiconazole	Fennel	30.57	29	274.12	A
Propiconazole	Garlic	279.64	126	2,393.9	A
Propiconazole	Golf course turf	38.46	N/A	36.0	A
Propiconazole	Landscape maintenance	298.26	N/A	N/A	N/A
Propiconazole	Leek	18.72	29	140.9	A
Propiconazole	N-grnhs plants in containers	4.86	20	26.91	A
Propiconazole	N-grnhs transplants	44.66	279	80.28	A
Propiconazole	N-outdr flower	2.4	23	23.0	A
Propiconazole	N-outdr plants in containers	0.29	4	2.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Propiconazole	N-outdr plants in containers	0.02	4	16,000.0	S
Propiconazole	Strawberry	791.62	268	6,751.47	A
Propiconazole	Structural pest control	0.42	N/A	N/A	N/A
Propiconazole	Walnut	78.16	3	350.0	A
Propionic acid	Alfalfa	40.24	6	128.0	A
Propionic acid	Artichoke, globe	189.53	219	3,055.8	A
Propionic acid	Bean, succulent	0.74	1	19.5	A
Propionic acid	Broccoli	4,114.54	2,011	23,386.08	A
Propionic acid	Brussels sprout	569.59	427	7,670.42	A
Propionic acid	Cabbage	691.14	340	3,362.21	A
Propionic acid	Carrot	6.08	2	34.3	A
Propionic acid	Cauliflower	1,565.44	862	8,701.07	A
Propionic acid	Celery	369.76	294	2,197.65	A
Propionic acid	Collard	1.6	3	12.6	A
Propionic acid	Corn, human consumption	6.83	2	9.0	A
Propionic acid	Cucumber	2.81	2	13.0	A
Propionic acid	Endive (escarole)	1.6	10	18.75	A
Propionic acid	Fennel	23.79	9	98.28	A
Propionic acid	Garlic	877.29	178	3,559.7	A
Propionic acid	Grape, wine	0.79	2	23.03	A
Propionic acid	Kale	5.71	7	64.1	A
Propionic acid	Landscape maintenance	5.26	N/A	N/A	N/A
Propionic acid	Lemon	103.67	30	235.2	A
Propionic acid	Lettuce, head	4,367.63	1,664	19,688.45	A
Propionic acid	Lettuce, leaf	8,041.98	3,908	37,031.79	A
Propionic acid	Mustard greens	0.77	2	10.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Propionic acid	N-grnhs plants in containers	78.49	64	156.19	A
Propionic acid	N-grnhs transplants	4.94	44	13.32	A
Propionic acid	N-outdr plants in containers	103.1	50	126.21	A
Propionic acid	Onion, dry	72.08	45	744.7	A
Propionic acid	Peas	426.13	180	2,046.8	A
Propionic acid	Pepper, fruiting	4.75	3	25.0	A
Propionic acid	Radicchio	6.8	15	76.74	A
Propionic acid	Rapini	462.31	197	2,204.9	A
Propionic acid	Research commodity	0.27	N/A	N/A	N/A
Propionic acid	Spinach	6.28	10	39.9	A
Propionic acid	Squash	1.15	1	10.0	A
Propionic acid	Squash, summer	4.47	4	23.64	A
Propionic acid	Strawberry	443.64	25	707.8	A
Propionic acid	Structural pest control	0.38	N/A	N/A	N/A
Propionic acid	Tomato	8.28	6	63.0	A
Propionic acid	Uncultivated ag	311.99	137	1,568.58	A
Propylene glycol	Alfalfa	14.08	1	100.0	A
Propylene glycol	Artichoke, globe	47.31	162	2,476.6	A
Propylene glycol	Broccoli	933.97	1,055	12,464.68	A
Propylene glycol	Brussels sprout	368.02	414	7,526.32	A
Propylene glycol	Cabbage	124.68	153	1,534.65	A
Propylene glycol	Cactus pear	1.39	1	8.8	A
Propylene glycol	Cauliflower	404.95	575	5,466.1	A
Propylene glycol	Celery	17.09	65	421.95	A
Propylene glycol	Grape, wine	2,993.17	1,638	52,260.58	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Propylene glycol	Landscape maintenance	4.77	N/A	N/A	N/A
Propylene glycol	Lemon	23.11	5	803.8	A
Propylene glycol	Lettuce, head	49.47	203	2,139.1	A
Propylene glycol	Lettuce, leaf	74.23	396	3,162.45	A
Propylene glycol	N-outdr flower	79.14	773	962.8	A
Propylene glycol	N-outdr plants in containers	0.05	1	10,000.0	S
Propylene glycol	Rapini	38.95	26	607.6	A
Propylene glycol	Research commodity	0.2	N/A	N/A	N/A
Propylene glycol	Strawberry	115.72	203	3,100.36	A
Propylene glycol	Uncultivated ag	84.14	93	652.4	A
Propylene glycol	Uncultivated non-ag	51.47	6	26.8	A
Propylene glycol	Walnut	123.26	12	1,435.0	A
Propylene glycol	Wheat	1.35	N/A	60.0	A
Propyzamide	Artichoke, globe	140.22	10	112.6	A
Propyzamide	Broccoli	15.49	2	14.3	A
Propyzamide	Endive (escarole)	396.38	152	285.82	A
Propyzamide	Lettuce, head	21,771.71	2,469	25,916.82	A
Propyzamide	Lettuce, leaf	46,292.14	5,373	44,385.55	A
Propyzamide	Radicchio	151.96	26	143.2	A
Propyzamide	Research commodity	2.07	2	2.0	A
Propyzamide	Research commodity	11.36	N/A	N/A	N/A
Propyzamide	Uncultivated ag	360.03	39	618.4	A
Pseudomonas chlororaphis subsp. aurantiaca strain afs009	Cannabis (all or unspecified)	40.26	32	320,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pseudomonas chlororaphis subsp. aurantiaca strain afs009	Celery	590.75	33	236.3	A
Pseudomonas chlororaphis subsp. aurantiaca strain afs009	Chinese cabbage (napa, wong bok, celery cabbage)	9.75	2	6.5	A
Pseudomonas chlororaphis subsp. aurantiaca strain afs009	Lettuce, head	165.5	16	128.4	A
Pseudomonas chlororaphis subsp. aurantiaca strain afs009	Lettuce, leaf	275.55	20	110.22	A
Pseudomonas chlororaphis subsp. aurantiaca strain afs009	Pumpkin	71.0	5	28.4	A
Pseudomonas chlororaphis subsp. aurantiaca strain afs009	Spinach	30.0	3	12.0	A
Pseudomonas chlororaphis subsp. aurantiaca strain afs009	Strawberry	12,255.6	157	5,469.51	A
Purpureocillium lilacinum strain 251	Beet	1.92	1	8.0	A
Purpureocillium lilacinum strain 251	Strawberry	0.74	4	6.2	A
Pydiflumetofen	Carrot	5.29	4	80.0	A
Pydiflumetofen	Celery	6.35	6	48.7	A
Pydiflumetofen	Grape, wine	35.03	10	268.17	A
Pydiflumetofen	Landscape maintenance	0.16	N/A	N/A	N/A
Pydiflumetofen	Lettuce, head	84.33	76	658.4	A
Pydiflumetofen	Lettuce, leaf	179.82	146	1,379.9	A
Pydiflumetofen	Research commodity	0.16	1	1.25	A
Pydiflumetofen	Strawberry	162.15	36	1,252.26	A
Pymetrozine	Arugula	72.45	103	846.11	A
Pymetrozine	Bok choy (choy sum, pak choi)	0.41	1	4.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pymetrozine	Broccoli	65.99	82	768.11	A
Pymetrozine	Brussels sprout	48.79	42	567.84	A
Pymetrozine	Cabbage	6.93	12	80.6	A
Pymetrozine	Cannabis (all or unspecified)	2.19	28	224.0	A
Pymetrozine	Cauliflower	8.93	16	103.88	A
Pymetrozine	Celery	102.5	178	1,194.99	A
Pymetrozine	Cucumber	1.72	2	20.0	A
Pymetrozine	Endive (escarole)	1.01	12	11.66	A
Pymetrozine	Kale	8.87	10	103.24	A
Pymetrozine	Lettuce, head	183.58	208	2,150.76	A
Pymetrozine	Lettuce, leaf	271.84	391	3,168.75	A
Pymetrozine	N-grnhs flower	5.48	14	24.75	A
Pymetrozine	N-grnhs plants in containers	57.64	47	116.09	A
Pymetrozine	N-grnhs plants in containers	0.18	2	21,316.0	S
Pymetrozine	N-outdr plants in containers	38.01	15	43.76	A
Pymetrozine	N-outdr plants in containers	0.04	2	8,000.0	S
Pymetrozine	Pepper, fruiting	6.97	9	81.16	A
Pymetrozine	Rapini	4.78	4	55.6	A
Pymetrozine	Research commodity	0.13	N/A	N/A	N/A
Pymetrozine	Spinach	92.34	139	1,077.48	A
Pymetrozine	Squash	0.69	1	8.0	A
Pymetrozine	Swiss chard	0.26	1	3.0	A
Pymetrozine	Upland cress	1.6	8	18.8	A
Pymetrozine	Watermelon	0.22	1	2.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyraclostrobin	Blackberry	7.28	15	39.54	A
Pyraclostrobin	Broccoli	1,137.59	665	6,902.11	A
Pyraclostrobin	Brussels sprout	963.85	432	5,727.87	A
Pyraclostrobin	Cabbage	71.46	36	461.69	A
Pyraclostrobin	Carrot	62.58	31	453.5	A
Pyraclostrobin	Cauliflower	223.86	133	1,374.75	A
Pyraclostrobin	Celery	280.89	232	1,699.6	A
Pyraclostrobin	Chinese cabbage (napa, wong bok, celery cabbage)	2.88	4	19.2	A
Pyraclostrobin	Endive (escarole)	2.46	9	18.85	A
Pyraclostrobin	Fennel	10.95	15	60.1	A
Pyraclostrobin	Garlic	13.49	3	89.9	A
Pyraclostrobin	Golf course turf	14.77	N/A	30.2	A
Pyraclostrobin	Golf course turf	0.41	N/A	42,000.0	S
Pyraclostrobin	Grape, wine	5,132.92	691	32,218.7	A
Pyraclostrobin	Kale	58.21	48	296.63	A
Pyraclostrobin	Landscape maintenance	24.66	N/A	N/A	N/A
Pyraclostrobin	Leek	5.43	12	36.2	A
Pyraclostrobin	Lettuce, head	584.44	316	3,420.67	A
Pyraclostrobin	Lettuce, leaf	978.25	534	5,566.84	A
Pyraclostrobin	Mustard greens	0.75	1	5.0	A
Pyraclostrobin	N-grnhs plants in containers	93.58	193	326.6	A
Pyraclostrobin	N-grnhs plants in containers	0.03	1	3,000.0	S
Pyraclostrobin	N-outdr flower	2.88	26	27.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyraclostrobin	N-outdr plants in containers	36.98	34	71.13	A
Pyraclostrobin	N-outdr plants in containers	0.08	2	8,000.0	S
Pyraclostrobin	N-outdr transplants	0.03	1	0.5	A
Pyraclostrobin	Onion, dry	122.22	52	859.75	A
Pyraclostrobin	Parsley	1.88	2	9.4	A
Pyraclostrobin	Peas	277.58	232	1,945.41	A
Pyraclostrobin	Pepper, fruiting	4.35	3	25.0	A
Pyraclostrobin	Radicchio	1.33	2	8.6	A
Pyraclostrobin	Radish	8.31	18	41.61	A
Pyraclostrobin	Raspberry	55.75	18	302.99	A
Pyraclostrobin	Research commodity	0.02	1	0.13	A
Pyraclostrobin	Research commodity	0.22	N/A	N/A	N/A
Pyraclostrobin	Spinach	7.34	10	37.96	A
Pyraclostrobin	Strawberry	2,679.89	569	14,878.72	A
Pyraclostrobin	Swiss chard	36.62	39	183.1	A
Pyraclostrobin	Tomato	171.53	65	994.1	A
Pyraflufen-ethyl	Endive (escarole)	0.02	2	6.4	A
Pyraflufen-ethyl	Grape, wine	46.2	437	18,574.28	A
Pyraflufen-ethyl	Landscape maintenance	0.04	1	7.0	A
Pyraflufen-ethyl	Landscape maintenance	0.06	N/A	N/A	N/A
Pyraflufen-ethyl	Oat	0.11	5	66.9	A
Pyraflufen-ethyl	Rights of way	3.53	N/A	N/A	N/A
Pyraflufen-ethyl	Ryegrass	0.02	1	4.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyraflufen-ethyl	Triticale	0.24	9	145.1	A
Pyraflufen-ethyl	Uncultivated ag	35.74	1,118	10,362.78	A
Pyraflufen-ethyl	Uncultivated non-ag	0.76	27	369.5	A
Pyraflufen-ethyl	Walnut	0.69	2	130.0	A
Pyraflufen-ethyl	Water area	<0.01	1	1.0	A
Pyrethrins	Artichoke, globe	18.34	89	467.05	A
Pyrethrins	Arugula	6.21	61	131.65	A
Pyrethrins	Beet	1.66	20	49.2	A
Pyrethrins	Blackberry	10.89	26	229.41	A
Pyrethrins	Blueberry	4.23	5	88.0	A
Pyrethrins	Bok choy (choy sum, pak choi)	0.11	9	3.8	A
Pyrethrins	Broccoli	115.41	385	3,366.15	A
Pyrethrins	Brussels sprout	1.08	1	22.8	A
Pyrethrins	Cabbage	25.27	112	603.89	A
Pyrethrins	Cannabis (all or unspecified)	8.47	74	256.16	A
Pyrethrins	Cannabis (all or unspecified)	2.63	152	974,480.0	S
Pyrethrins	Carrot	2.54	3	60.0	A
Pyrethrins	Cauliflower	51.55	216	1,228.52	A
Pyrethrins	Celery	36.12	150	962.84	A
Pyrethrins	Chicory	3.59	7	79.0	A
Pyrethrins	Chinese cabbage (napa, wong bok, celery cabbage)	0.39	3	10.8	A
Pyrethrins	Chive	<0.01	1	0.25	A
Pyrethrins	Cilantro	2.68	6	56.47	A
Pyrethrins	Grape, wine	17.79	38	353.21	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyrethrins	Kale	6.95	102	181.94	A
Pyrethrins	Landscape maintenance	0.17	N/A	N/A	N/A
Pyrethrins	Lettuce, head	14.71	143	399.96	A
Pyrethrins	Lettuce, leaf	138.06	533	4,047.73	A
Pyrethrins	Mizuna	3.53	21	76.4	A
Pyrethrins	Mushroom soil	7.92	1,277	15,934,966.0	S
Pyrethrins	Mustard greens	0.55	4	11.6	A
Pyrethrins	N-grnhs plants in containers	0.32	14	8.85	A
Pyrethrins	N-grnhs plants in containers	0.03	2	40,000.0	S
Pyrethrins	N-grnhs transplants	5.14	1,401	351.75	A
Pyrethrins	N-outdr transplants	1.35	89	53.07	A
Pyrethrins	N-outdr transplants	0.31	14	593,504.0	S
Pyrethrins	Parsley	0.93	8	19.6	A
Pyrethrins	Peas	5.2	24	113.9	A
Pyrethrins	Pepper, fruiting	0.05	1	2.0	A
Pyrethrins	Radicchio	0.8	1	17.5	A
Pyrethrins	Radish	20.22	151	427.02	A
Pyrethrins	Raspberry	33.14	57	766.84	A
Pyrethrins	Research commodity	0.02	4	0.61	A
Pyrethrins	Research commodity	4.19	N/A	N/A	N/A
Pyrethrins	Spinach	8.06	55	191.91	A
Pyrethrins	Squash, summer	0.05	1	2.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyrethrins	Strawberry	420.95	430	9,348.06	A
Pyrethrins	Structural pest control	27.59	N/A	N/A	N/A
Pyrethrins	Sunflower	0.89	3	24.6	A
Pyrethrins	Swiss chard	0.97	38	19.7	A
Pyrethrins	Tomato	<0.01	1	0.25	A
Pyridaben	N-grnhs flower	1.68	2	4.23	A
Pyridaben	N-grnhs flower	0.78	9	84,176.0	S
Pyridaben	N-grnhs plants in containers	200.11	73	149.79	A
Pyridaben	N-outdr plants in containers	67.93	14	25.59	A
Pyridaben	Strawberry	493.36	91	993.76	A
Pyridalyl	N-grnhs flower	44.1	69	71.5	A
Pyridalyl	N-grnhs flower	2.63	6	272,000.0	S
Pyridalyl	N-grnhs plants in containers	26.15	13	37.55	A
Pyridalyl	N-outdr plants in containers	1.21	2	3.0	A
Pyrifluquinazon	N-grnhs flower	0.01	1	1,800.0	S
Pyrifluquinazon	N-grnhs plants in containers	21.21	82	175.38	A
Pyrifluquinazon	N-grnhs plants in containers	0.16	3	35,000.0	S
Pyrifluquinazon	N-outdr plants in containers	17.38	23	49.49	A
Pyrifluquinazon	N-outdr plants in containers	0.06	1	15,000.0	S
Pyrimethanil	Grape, wine	451.66	99	1,259.95	A
Pyrimethanil	Leek	16.21	9	33.09	A
Pyrimethanil	Strawberry	1,984.61	251	4,879.46	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyriofenone	Grape, wine	144.62	82	1,779.3	A
Pyriofenone	N-grnhs plants in containers	0.01	1	0.2	A
Pyriofenone	Research commodity	0.07	N/A	N/A	N/A
Pyriofenone	Strawberry	146.52	41	1,498.81	A
Pyriproxyfen	Broccoli	6.5	19	238.1	A
Pyriproxyfen	Brussels sprout	4.99	14	182.85	A
Pyriproxyfen	Cauliflower	7.74	19	284.2	A
Pyriproxyfen	Grape, wine	0.13	2	2.9	A
Pyriproxyfen	Landscape maintenance	0.97	N/A	N/A	N/A
Pyriproxyfen	Lettuce, head	1.41	6	51.7	A
Pyriproxyfen	Lettuce, leaf	1.89	9	69.1	A
Pyriproxyfen	N-grnhs plants in containers	0.83	37	25.4	A
Pyriproxyfen	N-grnhs plants in containers	0.09	7	38,200.0	S
Pyriproxyfen	N-outdr plants in containers	0.01	6	5.04	A
Pyriproxyfen	N-outdr plants in containers	<0.01	1	1,000.0	S
Pyriproxyfen	Public health	<0.01	N/A	N/A	N/A
Pyriproxyfen	Strawberry	28.81	19	429.74	A
Pyriproxyfen	Structural pest control	5.76	N/A	N/A	N/A
Qst 713 strain of dried bacillus subtilis	Artichoke, globe	20.84	101	425.8	A
Qst 713 strain of dried bacillus subtilis	Arugula	10.11	55	145.2	A
Qst 713 strain of dried bacillus subtilis	Blackberry	2.37	7	26.6	A
Qst 713 strain of dried bacillus subtilis	Broccoli	16.12	19	141.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Qst 713 strain of dried bacillus subtilis	Cannabis (all or unspecified)	21.15	188	1,345.48	A
Qst 713 strain of dried bacillus subtilis	Cannabis (all or unspecified)	7.28	79	1,521,971.0	S
Qst 713 strain of dried bacillus subtilis	Celery	3.75	4	22.57	A
Qst 713 strain of dried bacillus subtilis	Cilantro	3.75	1	32.95	A
Qst 713 strain of dried bacillus subtilis	Collard	1.28	46	11.2	A
Qst 713 strain of dried bacillus subtilis	Fava bean	0.17	2	3.0	A
Qst 713 strain of dried bacillus subtilis	Fennel	0.68	2	8.0	A
Qst 713 strain of dried bacillus subtilis	Grape, wine	703.04	581	9,997.61	A
Qst 713 strain of dried bacillus subtilis	Kale	11.07	48	133.31	A
Qst 713 strain of dried bacillus subtilis	Leek	20.26	31	177.88	A
Qst 713 strain of dried bacillus subtilis	Lettuce, head	18.0	43	176.65	A
Qst 713 strain of dried bacillus subtilis	Lettuce, leaf	234.91	454	2,686.0	A
Qst 713 strain of dried bacillus subtilis	Mizuna	4.35	21	76.4	A
Qst 713 strain of dried bacillus subtilis	Mustard greens	1.92	8	31.2	A
Qst 713 strain of dried bacillus subtilis	N-grnhs flower	80.73	208	206.66	A
Qst 713 strain of dried bacillus subtilis	N-grnhs flower	0.02	3	2,850.0	S
Qst 713 strain of dried bacillus subtilis	N-grnhs plants in containers	31.1	52	101.07	A
Qst 713 strain of dried bacillus subtilis	N-grnhs plants in containers	1.63	6	94,000.0	S
Qst 713 strain of dried bacillus subtilis	N-grnhs transplants	31.66	1,064	289.33	A
Qst 713 strain of dried bacillus subtilis	N-outdr plants in containers	34.24	12	35.82	A
Qst 713 strain of dried bacillus subtilis	N-outdr transplants	5.5	92	39.67	A
Qst 713 strain of dried bacillus subtilis	N-outdr transplants	8.94	35	1,400,241.0	S
Qst 713 strain of dried bacillus subtilis	Parsley	1.45	5	12.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Qst 713 strain of dried bacillus subtilis	Pepper, fruiting	0.28	1	2.0	A
Qst 713 strain of dried bacillus subtilis	Radicchio	1.57	2	27.5	A
Qst 713 strain of dried bacillus subtilis	Raspberry	14.84	26	231.15	A
Qst 713 strain of dried bacillus subtilis	Research commodity	0.01	1	0.01	A
Qst 713 strain of dried bacillus subtilis	Spinach	16.38	48	230.4	A
Qst 713 strain of dried bacillus subtilis	Squash, summer	0.28	1	2.0	A
Qst 713 strain of dried bacillus subtilis	Strawberry	170.53	113	2,310.43	A
Qst 713 strain of dried bacillus subtilis	Swiss chard	2.09	17	16.9	A
Quillaja	Cannabis (all or unspecified)	0.42	14	18.8	A
Quillaja	Water area	0.04	2	7.0	A
Quinclorac	Rights of way	0.03	N/A	N/A	N/A
Quinclorac, dimethylamine salt	Golf course turf	30.45	N/A	50.0	A
Quinclorac, dimethylamine salt	Landscape maintenance	288.18	N/A	N/A	N/A
Quinoxifen	Grape, wine	4,490.89	1,109	45,738.61	A
Quinoxifen	Lettuce, head	71.0	86	951.0	A
Quinoxifen	Lettuce, leaf	180.43	276	2,555.85	A
Quinoxifen	Pepper, fruiting	6.06	7	63.0	A
Quinoxifen	Research commodity	0.11	N/A	N/A	N/A
Quinoxifen	Strawberry	780.15	251	8,368.92	A
Reynoutria sachalinensis	Artichoke, globe	62.67	52	269.5	A
Reynoutria sachalinensis	Blackberry	2.6	2	12.0	A
Reynoutria sachalinensis	Broccoli	0.49	1	4.5	A
Reynoutria sachalinensis	Cannabis (all or unspecified)	135.32	356	1,709.15	A
Reynoutria sachalinensis	Cannabis (all or unspecified)	38.26	215	1,835,602.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Reynoutria sachalinensis	Cannabis (all or unspecified)	0.59	17	230.0	U
Reynoutria sachalinensis	Celery	13.39	27	107.47	A
Reynoutria sachalinensis	Grape, wine	435.79	83	1,096.83	A
Reynoutria sachalinensis	Leek	1.57	1	14.5	A
Reynoutria sachalinensis	Lettuce, head	29.36	101	235.0	A
Reynoutria sachalinensis	Lettuce, leaf	45.74	47	242.5	A
Reynoutria sachalinensis	N-grnhs plants in containers	0.22	2	1.28	A
Reynoutria sachalinensis	N-grnhs transplants	1.66	9	7.26	A
Reynoutria sachalinensis	N-outdr transplants	3.18	11	28.52	A
Reynoutria sachalinensis	N-outdr transplants	11.99	13	551,287.0	S
Reynoutria sachalinensis	Raspberry	0.65	1	3.0	A
Reynoutria sachalinensis	Research commodity	0.42	N/A	N/A	N/A
Reynoutria sachalinensis	Spinach	6.68	23	57.5	A
Reynoutria sachalinensis	Strawberry	305.92	86	1,014.59	A
Rimsulfuron	Grape, wine	286.47	217	10,186.76	A
Rimsulfuron	Rights of way	0.72	N/A	N/A	N/A
Rimsulfuron	Tomato	10.49	29	335.5	A
Rimsulfuron	Uncultivated ag	7.22	6	452.29	A
Rimsulfuron	Walnut	8.13	2	130.0	A
S-methoprene	Landscape maintenance	<0.01	N/A	N/A	N/A
S-methoprene	Mushroom soil	35.62	36	498,179.0	S
S-methoprene	Public health	311.16	N/A	N/A	N/A
S-methoprene	Structural pest control	0.15	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
S-metolachlor	Bean, dried	724.42	34	520.4	A
S-metolachlor	Bean, succulent	339.84	22	277.1	A
S-metolachlor	Bean, unspecified	183.84	10	125.5	A
S-metolachlor	Beet	3.58	5	14.9	A
S-metolachlor	Celery	84.47	13	78.6	A
S-metolachlor	Onion, dry	41.45	21	137.95	A
S-metolachlor	Peas	450.19	108	797.1	A
S-metolachlor	Pepper, fruiting	70.06	5	49.0	A
S-metolachlor	Radish	44.97	42	60.12	A
S-metolachlor	Spinach	75.47	11	108.95	A
S-metolachlor	Sunflower	23.37	3	24.6	A
S-metolachlor	Tomato	1,002.17	49	677.0	A
Saflufenacil	Lemon	16.53	6	397.12	A
Saponin	Cannabis (all or unspecified)	1.07	5	3.5	A
Saponin	Cannabis (all or unspecified)	8.22	48	494,920.0	S
Saponin	Grape, wine	1.17	7	35.0	A
Sethoxydim	Broccoli	63.77	26	242.0	A
Sethoxydim	Cabbage	21.34	9	81.0	A
Sethoxydim	Grape, wine	274.43	106	590.95	A
Sethoxydim	Rights of way	4.38	N/A	N/A	N/A
Sethoxydim	Strawberry	7.36	1	21.0	A
Silica aerogel	Structural pest control	36.92	N/A	N/A	N/A
Silica filled polydimethylsiloxane	Bean, dried	0.03	8	130.0	A
Silica filled polydimethylsiloxane	Bean, succulent	0.01	3	72.0	A
Silica filled polydimethylsiloxane	Bean, unspecified	0.01	22	83.55	A
Silica filled polydimethylsiloxane	Grape, wine	0.16	66	621.59	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Silica filled polydimethylsiloxane	Peas	0.06	53	398.03	A
Silica filled polydimethylsiloxane	Rights of way	0.73	N/A	N/A	N/A
Silica filled polydimethylsiloxane	Rye	0.02	10	42.2	A
Silica filled polydimethylsiloxane	Tomato	<0.01	2	22.0	A
Silica filled polydimethylsiloxane	Uncultivated ag	0.01	1	5.0	A
Silicone	Strawberry	9.36	17	578.0	A
Silicone defoamer	Broccoli	0.02	1	17.3	A
Silicone defoamer	Cabbage	0.03	3	28.6	A
Silicone defoamer	Lettuce, head	0.05	7	59.3	A
Silicone defoamer	Lettuce, leaf	0.07	9	87.1	A
Silicone defoamer	N-grnhs flower	0.01	35	107,775.0	S
Silicone defoamer	Strawberry	2.33	116	1,157.0	A
Silver nitrate	N-grnhs plants in containers	0.16	16	10.19	A
Sodium alpha-olefin (c14-c16) sulfonate	Rights of way	932.49	N/A	N/A	N/A
Sodium bromide	Water (industrial)	1,246.53	N/A	17.0	U
Sodium carbonate peroxyhydrate	Grape, wine	2,926.58	18	743.08	A
Sodium carbonate peroxyhydrate	Landscape maintenance	12.75	N/A	N/A	N/A
Sodium chlorite	Rights of way	122,466.61	N/A	N/A	N/A
Sodium chlorite	Water area	714.06	N/A	188.49	U
Sodium decyl sulfate	Structural pest control	3.83	N/A	N/A	N/A
Sodium dioctylsulfosuccinate	Airport	0.02	3	44.0	A
Sodium dioctylsulfosuccinate	Rights of way	<0.01	N/A	N/A	N/A
Sodium hypochlorite	Ditch bank	60,041.36	N/A	192.0	U
Sodium hypochlorite	Food processing plant	1,285.74	N/A	7.0	U
Sodium hypochlorite	Grape, wine	419.62	50	699.38	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sodium hypochlorite	Water (industrial)	856.55	N/A	16.0	U
Sodium hypochlorite	Water area	21.0	1	33.45	A
Sodium lauroampho acetate	Structural pest control	2.89	N/A	N/A	N/A
Sodium lauryl ether sulfate	Blackberry	1.2	1	10.6	A
Sodium lauryl ether sulfate	Cucumber	0.83	33	233.5	A
Sodium lauryl ether sulfate	Raspberry	301.36	67	1,646.11	A
Sodium lauryl ether sulfate	Strawberry	213.09	40	1,198.7	A
Sodium lauryl ether sulfate	Uncultivated ag	23.48	14	79.73	A
Sodium lauryl sulfate	Structural pest control	1.95	N/A	N/A	N/A
Sodium nitrate	Landscape maintenance	0.16	N/A	N/A	N/A
Sodium polyacrylate	Alfalfa	0.3	1	85.0	A
Sodium polyacrylate	Grape, wine	28.92	172	7,306.92	A
Sodium polyacrylate	Landscape maintenance	0.02	N/A	N/A	N/A
Sodium polyacrylate	Lemon	2.97	17	732.09	A
Sodium polyacrylate	Rangeland	0.06	1	200.0	A
Sodium polyacrylate	Uncultivated ag	2.42	22	705.7	A
Sodium xylene sulfonate	Broccoli	0.19	1	17.3	A
Sodium xylene sulfonate	Cabbage	0.31	3	28.6	A
Sodium xylene sulfonate	Lettuce, head	1.06	34	355.8	A
Sodium xylene sulfonate	Lettuce, leaf	1.34	40	440.6	A
Sodium xylene sulfonate	N-grnhs flower	0.07	35	107,775.0	S
Sodium xylene sulfonate	N-outdr flower	0.01	3	16.89	A
Sodium xylene sulfonate	Research commodity	<0.01	N/A	N/A	N/A
Sodium xylene sulfonate	Strawberry	38.72	304	3,772.36	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sorbitan fatty acid esters	Uncultivated non-ag	1.92	N/A	287.0	A
Sorbitan monooleate	Strawberry	2.01	2	20.0	A
Sorbitan monooleate	Uncultivated ag	0.09	1	1.0	A
Sorbitan trioleate	Arugula	48.72	51	349.55	A
Sorbitan trioleate	Bean, dried	8.78	3	43.0	A
Sorbitan trioleate	Bean, succulent	11.98	2	43.0	A
Sorbitan trioleate	Broccoli	544.34	359	3,334.56	A
Sorbitan trioleate	Cabbage	179.42	142	1,226.9	A
Sorbitan trioleate	Carrot	124.82	42	748.2	A
Sorbitan trioleate	Cauliflower	117.38	86	888.85	A
Sorbitan trioleate	Celery	79.41	79	567.0	A
Sorbitan trioleate	Chinese cabbage (napa, wong bok, celery cabbage)	6.43	15	46.1	A
Sorbitan trioleate	Cilantro	92.2	96	640.95	A
Sorbitan trioleate	Cucumber	6.1	3	32.94	A
Sorbitan trioleate	Endive (escarole)	2.39	11	16.97	A
Sorbitan trioleate	Fennel	0.21	1	3.0	A
Sorbitan trioleate	Garlic	70.79	17	369.5	A
Sorbitan trioleate	Grape, wine	56.18	29	1,549.93	A
Sorbitan trioleate	Kale	41.92	121	282.1	A
Sorbitan trioleate	Lettuce, head	205.89	142	1,428.7	A
Sorbitan trioleate	Lettuce, leaf	537.3	432	3,319.45	A
Sorbitan trioleate	Mizuna	8.95	54	63.85	A
Sorbitan trioleate	Onion, dry	94.63	39	530.58	A
Sorbitan trioleate	Parsley	16.44	8	89.0	A
Sorbitan trioleate	Peas	48.88	31	258.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sorbitan trioleate	Pumpkin	1.4	2	10.07	A
Sorbitan trioleate	Radicchio	9.9	15	70.9	A
Sorbitan trioleate	Research commodity	0.42	3	3.0	A
Sorbitan trioleate	Spinach	67.51	100	437.97	A
Sorbitan trioleate	Squash	2.23	2	8.0	A
Sorbitan trioleate	Strawberry	5.96	2	57.0	A
Sorbitan trioleate	Uncultivated ag	87.39	59	645.0	A
Sorbitol	Broccoli	0.01	2	0.59	A
Sorbitol	Endive (escarole)	0.55	15	23.37	A
Sorbitol	Lettuce, head	5.94	72	290.64	A
Sorbitol	Lettuce, leaf	21.6	196	950.45	A
Sorbitol	Strawberry	8.15	4	74.78	A
Sorbitol	Uncultivated ag	59.85	70	572.0	A
Sorbitol	Uncultivated non-ag	4.63	9	41.0	A
Soybean oil	Artichoke, globe	555.45	81	1,086.0	A
Soybean oil	Blackberry	3,083.89	62	265.03	A
Soybean oil	Broccoli	131.21	27	257.25	A
Soybean oil	Brussels sprout	554.84	85	1,101.85	A
Soybean oil	Cannabis (all or unspecified)	139.9	10	3.51	A
Soybean oil	Cannabis (all or unspecified)	0.4	13	8,231.0	S
Soybean oil	Cauliflower	211.19	33	411.0	A
Soybean oil	Celery	263.08	66	511.7	A
Soybean oil	Chinese cabbage (napa, wong bok, celery cabbage)	7.56	3	14.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Soybean oil	Fennel	105.63	48	212.3	A
Soybean oil	Lettuce, head	383.31	67	757.6	A
Soybean oil	Lettuce, leaf	449.94	91	875.15	A
Soybean oil	N-grnhs plants in containers	0.69	3	1.4	A
Soybean oil	Raspberry	351.63	4	32.66	A
Soybean oil	Rights of way	111.4	N/A	N/A	N/A
Soybean oil	Spinach	73.27	21	142.5	A
Soybean oil	Strawberry	10.24	1	35.0	A
Soybean oil	Uncultivated ag	760.51	134	1,604.8	A
Soybean oil	Uncultivated non-ag	75.7	17	147.5	A
Soybean oil	Water area	0.39	1	1.0	A
Spinetoram	Artichoke, globe	316.04	408	5,746.72	A
Spinetoram	Arugula	145.84	488	3,141.43	A
Spinetoram	Bean, succulent	6.91	15	131.83	A
Spinetoram	Bean, unspecified	20.74	41	410.99	A
Spinetoram	Beet	0.76	2	17.0	A
Spinetoram	Blackberry	6.8	24	72.49	A
Spinetoram	Bok choy (choy sum, pak choi)	12.8	55	213.02	A
Spinetoram	Broccoli	1,025.7	1,739	17,514.4	A
Spinetoram	Brussels sprout	535.83	729	9,050.45	A
Spinetoram	Cabbage	276.6	470	4,729.89	A
Spinetoram	Cardoon	1.05	3	19.2	A
Spinetoram	Cauliflower	455.9	887	7,666.61	A
Spinetoram	Celery	509.88	1,140	9,039.83	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spinetoram	Chinese cabbage (napa, wong bok, celery cabbage)	29.2	94	443.06	A
Spinetoram	Cilantro	10.28	24	222.98	A
Spinetoram	Collard	2.29	16	42.5	A
Spinetoram	Corn, human consumption	0.1	1	2.1	A
Spinetoram	Cress, garden	0.42	4	9.2	A
Spinetoram	Cucumber	2.05	4	45.0	A
Spinetoram	Endive (escarole)	19.68	117	336.73	A
Spinetoram	Fennel	10.78	16	174.62	A
Spinetoram	Garlic	39.26	36	823.7	A
Spinetoram	Grape, wine	150.98	126	2,686.49	A
Spinetoram	Kale	74.8	428	1,424.53	A
Spinetoram	Leek	26.97	102	474.29	A
Spinetoram	Lettuce, head	2,235.03	3,874	41,277.95	A
Spinetoram	Lettuce, leaf	4,269.25	8,689	76,927.65	A
Spinetoram	Mizuna	6.49	113	129.34	A
Spinetoram	Mustard greens	24.6	138	477.51	A
Spinetoram	N-outdr transplants	0.33	1	7.0	A
Spinetoram	Onion, dry	89.58	84	1,460.79	A
Spinetoram	Peas	208.32	460	3,955.37	A
Spinetoram	Pepper, fruiting	3.69	9	74.16	A
Spinetoram	Radicchio	12.26	50	232.48	A
Spinetoram	Radish	34.59	203	552.66	A
Spinetoram	Rapini	85.75	73	1,327.0	A
Spinetoram	Raspberry	55.02	34	745.84	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spinetoram	Research commodity	0.45	7	7.25	A
Spinetoram	Research commodity	0.53	N/A	N/A	N/A
Spinetoram	Spinach	1,502.64	3,136	29,078.96	A
Spinetoram	Squash	0.77	2	18.0	A
Spinetoram	Strawberry	709.13	310	9,558.48	A
Spinetoram	Structural pest control	0.61	N/A	N/A	N/A
Spinetoram	Swiss chard	28.84	258	587.27	A
Spinetoram	Tomato	6.77	9	143.8	A
Spinetoram	Turnip	0.03	1	0.5	A
Spinetoram	Turnip greens	0.08	3	1.5	A
Spinetoram	Upland cress	10.83	113	269.9	A
Spinosad	Artichoke, globe	100.24	123	861.03	A
Spinosad	Arugula	38.85	104	386.63	A
Spinosad	Asparagus	0.93	2	11.0	A
Spinosad	Avocado	1.25	1	8.0	A
Spinosad	Beet	3.93	6	42.0	A
Spinosad	Blackberry	17.65	26	219.97	A
Spinosad	Blueberry	1.31	2	19.0	A
Spinosad	Bok choy (choy sum, pak choi)	1.22	9	9.54	A
Spinosad	Broccoli	986.47	911	9,239.3	A
Spinosad	Brussels sprout	45.96	24	288.1	A
Spinosad	Cabbage	107.96	226	1,106.59	A
Spinosad	Cauliflower	316.6	380	2,992.18	A
Spinosad	Celery	255.15	471	2,641.95	A
Spinosad	Collard	1.71	58	13.71	A
Spinosad	Corn, human consumption	0.28	1	3.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spinosad	Endive (escarole)	1.31	14	16.7	A
Spinosad	Fennel	14.25	7	99.4	A
Spinosad	Grape, wine	109.95	50	811.5	A
Spinosad	Kale	31.15	89	282.3	A
Spinosad	Landscape maintenance	13.09	N/A	N/A	N/A
Spinosad	Leek	25.75	48	220.49	A
Spinosad	Lettuce, head	738.21	795	6,243.54	A
Spinosad	Lettuce, leaf	2,520.34	2,555	21,388.52	A
Spinosad	Mizuna	10.04	35	105.73	A
Spinosad	Mustard greens	104.29	156	963.1	A
Spinosad	N-grnhs flower	15.17	69	71.75	A
Spinosad	N-grnhs flower	2.41	31	1,875,889.5	S
Spinosad	N-grnhs plants in containers	41.7	107	172.88	A
Spinosad	N-grnhs plants in containers	1.56	29	648,104.0	S
Spinosad	N-grnhs transplants	101.97	2,590	699.01	A
Spinosad	N-outdr flower	6.16	82	103.0	A
Spinosad	N-outdr plants in containers	16.87	14	39.86	A
Spinosad	N-outdr plants in containers	0.03	2	7,000.0	S
Spinosad	N-outdr transplants	11.01	47	117.1	A
Spinosad	Olive	0.11	46	52.5	A
Spinosad	Onion, dry	1,364.06	N/A	19,508.51	P
Spinosad	Peas	86.76	77	850.44	A
Spinosad	Pepper, fruiting	1.73	1	18.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spinosad	Public health	0.76	N/A	N/A	N/A
Spinosad	Pumpkin	1.71	3	18.3	A
Spinosad	Radicchio	5.43	17	52.7	A
Spinosad	Rapini	132.04	47	918.3	A
Spinosad	Raspberry	60.21	64	669.41	A
Spinosad	Research commodity	0.07	12	54,000.0	S
Spinosad	Research commodity	0.14	N/A	N/A	N/A
Spinosad	Shallot	1.99	1	16.0	A
Spinosad	Spinach	1,070.28	1,046	9,903.83	A
Spinosad	Strawberry	188.48	118	2,124.9	A
Spinosad	Structural pest control	1.01	N/A	N/A	N/A
Spinosad	Swiss chard	93.76	163	856.02	A
Spinosad	Tat soi (spinach mustard)	0.04	1	0.3	A
Spinosad	Uncultivated ag	0.21	2	12.0	A
Spiromesifen	N-grnhs plants in containers	0.2	10	28,000.0	S
Spiromesifen	N-grnhs transplants	1.75	57	14.22	A
Spiromesifen	N-outdr plants in containers	0.46	2	3.62	A
Spiromesifen	N-outdr plants in containers	0.08	4	24,000.0	S
Spiromesifen	Research commodity	0.14	11	49,500.0	S
Spiromesifen	Strawberry	1,748.41	248	7,105.62	A
Spirotetramat	Artichoke, globe	86.18	104	1,264.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spirotetramat	Bok choy (choy sum, pak choi)	18.33	57	241.77	A
Spirotetramat	Broccoli	3,225.67	3,826	42,662.41	A
Spirotetramat	Brussels sprout	933.53	877	12,244.26	A
Spirotetramat	Cabbage	474.19	608	6,162.86	A
Spirotetramat	Cardoon	1.13	2	14.4	A
Spirotetramat	Carrot	1.57	1	20.0	A
Spirotetramat	Cauliflower	1,248.55	1,684	16,419.13	A
Spirotetramat	Celery	443.73	781	5,869.09	A
Spirotetramat	Chinese cabbage (napa, wong bok, celery cabbage)	30.75	67	400.67	A
Spirotetramat	Collard	0.64	4	8.1	A
Spirotetramat	Endive (escarole)	27.91	186	365.13	A
Spirotetramat	Fennel	9.67	8	123.0	A
Spirotetramat	Grape, wine	4,189.49	993	39,457.76	A
Spirotetramat	Kale	53.68	117	695.95	A
Spirotetramat	Lemon	124.39	23	771.0	A
Spirotetramat	Lettuce, head	3,090.63	3,792	41,372.37	A
Spirotetramat	Lettuce, leaf	5,899.19	8,282	77,860.25	A
Spirotetramat	Mustard greens	0.39	1	5.0	A
Spirotetramat	N-grnhs flower	0.27	3	5.65	A
Spirotetramat	N-grnhs flower	0.17	15	47,550.0	S
Spirotetramat	N-grnhs plants in containers	5.7	9	26.01	A
Spirotetramat	N-grnhs plants in containers	0.01	1	3,200.0	S
Spirotetramat	N-grnhs transplants	0.19	2	3.63	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spirotetramat	N-outdr plants in containers	1.76	2	4.11	A
Spirotetramat	N-outdr transplants	0.06	1	0.89	A
Spirotetramat	Onion, dry	23.29	23	296.1	A
Spirotetramat	Peas	27.73	29	352.45	A
Spirotetramat	Pepper, fruiting	3.77	6	47.86	A
Spirotetramat	Radicchio	0.58	1	7.3	A
Spirotetramat	Rapini	299.87	207	3,806.7	A
Spirotetramat	Research commodity	2.26	9	28.21	A
Spirotetramat	Research commodity	0.53	N/A	N/A	N/A
Spirotetramat	Spinach	9.81	28	124.25	A
Spirotetramat	Structural pest control	0.78	N/A	N/A	N/A
Spirotetramat	Swiss chard	6.62	18	84.06	A
Starch	N-outdr plants in containers	<0.01	1	10,000.0	S
Streptomyces griseoviridis strain k61	Lettuce, head	0.14	1	2.0	A
Streptomyces lydicus wyec 108	Broccoli	0.01	2	20.8	A
Streptomyces lydicus wyec 108	Cannabis (all or unspecified)	0.01	15	19.8	A
Streptomyces lydicus wyec 108	Cannabis (all or unspecified)	<0.01	5	3,213.0	S
Streptomyces lydicus wyec 108	Cauliflower	<0.01	2	8.0	A
Streptomyces lydicus wyec 108	Chinese cabbage (napa, wong bok, celery cabbage)	0.03	29	96.1	A
Streptomyces lydicus wyec 108	Lettuce, head	<0.01	1	10.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Streptomyces lydicus wyec 108	Lettuce, leaf	0.03	13	117.3	A
Streptomyces lydicus wyec 108	N-grnhs flower	<0.01	8	9,225.0	S
Streptomyces lydicus wyec 108	N-grnhs plants in containers	<0.01	10	7.25	A
Streptomyces lydicus wyec 108	N-grnhs transplants	<0.01	32	6.01	A
Streptomyces lydicus wyec 108	N-outdr transplants	<0.01	35	3.65	A
Streptomyces lydicus wyec 108	Research commodity	0.01	23	44.5	A
Streptomyces lydicus wyec 108	Research commodity	<0.01	N/A	N/A	N/A
Streptomyces lydicus wyec 108	Spinach	0.14	135	521.82	A
Streptomyces lydicus wyec 108	Strawberry	<0.01	1	7.0	A
Streptomycin sulfate	N-grnhs plants in containers	52.79	22	21.42	A
Streptomycin sulfate	N-grnhs transplants	4.16	13	20.33	A
Streptomycin sulfate	N-grnhs transplants	0.04	1	8,080.0	S
Streptomycin sulfate	N-outdr flower	0.67	3	3.0	A
Streptomycin sulfate	N-outdr transplants	0.35	2	84,435.0	S
Strychnine	Grape, wine	2.53	10	446.5	A
Strychnine	Landscape maintenance	0.16	N/A	N/A	N/A
Strychnine	Uncultivated ag	<0.01	2	1.0	A
Strychnine	Vertebrate control	1.5	N/A	N/A	N/A
Styrene butadiene copolymer	Broccoli	10.94	26	467.1	A
Styrene butadiene copolymer	Cabbage	8.95	28	382.85	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Styrene butadiene copolymer	Grape, wine	1,169.54	1,009	26,898.77	A
Styrene butadiene copolymer	Lemon	20.22	5	803.8	A
Styrene butadiene copolymer	Lettuce, leaf	0.6	1	25.8	A
Styrene butadiene copolymer	N-outdr flower	69.23	770	945.91	A
Styrene butadiene copolymer	N-outdr plants in containers	0.07	1	10,000.0	S
Styrene butadiene copolymer	Strawberry	81.09	10	384.0	A
Sulfentrazone	Airport	8.91	2	24.0	A
Sulfentrazone	Landscape maintenance	0.03	N/A	N/A	N/A
Sulfentrazone	Rights of way	2.77	N/A	N/A	N/A
Sulfometuron-methyl	Landscape maintenance	5.96	N/A	N/A	N/A
Sulfometuron-methyl	Rights of way	40.3	N/A	N/A	N/A
Sulfoxaflor	Arugula	25.58	116	800.71	A
Sulfoxaflor	Bok choy (choy sum, pak choi)	3.69	26	100.91	A
Sulfoxaflor	Broccoli	487.92	1,165	12,977.87	A
Sulfoxaflor	Brussels sprout	515.54	815	10,895.44	A
Sulfoxaflor	Cabbage	87.93	255	2,713.09	A
Sulfoxaflor	Cauliflower	191.55	456	4,669.67	A
Sulfoxaflor	Celery	523.16	1,247	10,222.11	A
Sulfoxaflor	Chinese cabbage (napa, wong bok, celery cabbage)	8.15	32	191.85	A
Sulfoxaflor	Collard	1.2	13	26.1	A
Sulfoxaflor	Cress, garden	0.07	1	2.4	A
Sulfoxaflor	Endive (escarole)	7.69	94	154.48	A
Sulfoxaflor	Grape, wine	263.15	77	3,055.91	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sulfoxaflor	Kale	35.97	202	922.85	A
Sulfoxaflor	Kohlrabi	0.06	1	1.6	A
Sulfoxaflor	Lettuce, head	1,610.09	3,768	40,906.03	A
Sulfoxaflor	Lettuce, leaf	2,630.96	7,093	65,086.99	A
Sulfoxaflor	Mizuna	1.19	47	43.2	A
Sulfoxaflor	Mustard greens	1.1	14	35.08	A
Sulfoxaflor	Radicchio	6.13	27	149.39	A
Sulfoxaflor	Rapini	39.82	71	1,079.7	A
Sulfoxaflor	Research commodity	0.02	N/A	N/A	N/A
Sulfoxaflor	Spinach	235.11	775	7,227.14	A
Sulfoxaflor	Swiss chard	11.72	125	345.61	A
Sulfoxaflor	Tomato	3.08	9	98.8	A
Sulfoxaflor	Upland cress	1.84	25	60.2	A
Sulfur	Apple	216.0	1	9.0	A
Sulfur	Artichoke, globe	14,214.4	108	1,880.9	A
Sulfur	Bean, unspecified	285.3	6	60.54	A
Sulfur	Blackberry	197.6	7	58.6	A
Sulfur	Broccoli	8.96	1	2.8	A
Sulfur	Brussels sprout	32,903.92	663	7,603.0	A
Sulfur	Cannabis (all or unspecified)	218.04	100	68.99	A
Sulfur	Cannabis (all or unspecified)	741.94	375	4,797,101.0	S
Sulfur	Cannabis (all or unspecified)	0.02	1	400.0	U
Sulfur	Carrot	26,863.09	356	4,279.89	A
Sulfur	Celery	4,566.88	114	1,049.6	A
Sulfur	Cucumber	25.6	1	8.0	A
Sulfur	Fava bean	32.0	1	8.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sulfur	Grape, wine	417,121.72	3,938	124,937.88	A
Sulfur	Kale	2,711.85	45	501.23	A
Sulfur	Landscape maintenance	2.52	N/A	N/A	N/A
Sulfur	Lettuce, head	214.88	9	63.0	A
Sulfur	Lettuce, leaf	3,495.92	70	1,096.46	A
Sulfur	N-grnhs plants in containers	4.0	3	21,120.0	S
Sulfur	N-grnhs transplants	381.68	988	237.48	A
Sulfur	N-outdr flower	32.0	14	15.0	A
Sulfur	N-outdr plants in containers	4.2	4	16,050.0	S
Sulfur	Peas	29,225.06	577	5,620.42	A
Sulfur	Pepper, fruiting	1,797.12	9	105.6	A
Sulfur	Pimento	168.3	2	9.0	A
Sulfur	Pumpkin	30.72	2	4.8	A
Sulfur	Raspberry	961.52	11	132.86	A
Sulfur	Squash	111.6	4	26.5	A
Sulfur	Squash, summer	9.6	1	2.0	A
Sulfur	Strawberry	165,764.16	1,328	38,827.84	A
Sulfur	Tomato	9,699.36	120	1,714.2	A
Sulfur dioxide	Commodity fumigation	26.63	N/A	N/A	N/A
Sulfur dioxide	Fumigation, other	2,989.89	N/A	N/A	N/A
Sulfuric acid	Alfalfa	5.63	1	100.0	A
Sulfuric acid	Strawberry	0.59	1	21.0	A
Sulfuryl fluoride	Regulatory pest control	515.37	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sulfuryl fluoride	Structural pest control	43,779.22	N/A	N/A	N/A
Swinglea glutinosa extract	Cannabis (all or unspecified)	108.84	35	342,200.0	S
Tall oil	Landscape maintenance	0.28	N/A	N/A	N/A
Tall oil fatty acids	Artichoke, globe	177.42	120	1,904.1	A
Tall oil fatty acids	Barley	8.23	3	1,046.0	A
Tall oil fatty acids	Brussels sprout	5.77	5	64.1	A
Tall oil fatty acids	Carrot	5.0	7	117.3	A
Tall oil fatty acids	Cauliflower	0.71	1	9.9	A
Tall oil fatty acids	Celery	68.43	96	724.04	A
Tall oil fatty acids	Cilantro	0.2	4	26.61	A
Tall oil fatty acids	Grape, wine	2,788.05	1,060	39,180.48	A
Tall oil fatty acids	Landscape maintenance	4.83	N/A	N/A	N/A
Tall oil fatty acids	Lettuce, head	5.07	30	338.4	A
Tall oil fatty acids	Lettuce, leaf	12.06	39	464.3	A
Tall oil fatty acids	N-outdr flower	0.06	3	16.89	A
Tall oil fatty acids	Raspberry	4.35	1	34.0	A
Tall oil fatty acids	Research commodity	0.02	N/A	N/A	N/A
Tall oil fatty acids	Rights of way	21.08	N/A	N/A	N/A
Tall oil fatty acids	Ryegrass	1.14	3	27.3	A
Tall oil fatty acids	Strawberry	571.48	294	5,856.44	A
Tall oil fatty acids	Uncultivated ag	303.49	283	3,671.15	A
Tall oil fatty acids	Uncultivated non-ag	43.78	9	58.3	A
Tall oil fatty acids	Water area	34.01	13	56.0	A
Tall oil fatty acids	Wheat	0.99	N/A	60.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Tau-fluvalinate	Landscape maintenance	0.25	N/A	N/A	N/A
Tau-fluvalinate	N-grnhs flower	3.77	46	441,000.0	S
Tau-fluvalinate	N-grnhs plants in containers	63.25	24	76.58	A
Tau-fluvalinate	N-grnhs plants in containers	<0.01	1	84.0	C
Tau-fluvalinate	N-grnhs plants in containers	0.8	8	124,000.0	S
Tau-fluvalinate	N-outdr flower	2.83	18	21.0	A
Tau-fluvalinate	N-outdr plants in containers	74.17	16	48.27	A
Tau-fluvalinate	N-outdr plants in containers	0.37	4	46,000.0	S
Tau-fluvalinate	Research commodity	0.2	N/A	N/A	N/A
Tebuconazole	Garlic	416.35	153	2,602.0	A
Tebuconazole	Golf course turf	434.75	N/A	492.7	A
Tebuconazole	Golf course turf	2.01	N/A	65,000.0	S
Tebuconazole	Grape, wine	3,618.87	637	31,887.91	A
Tebuconazole	Kale	2.59	2	23.76	A
Tebuconazole	Landscape maintenance	564.03	N/A	N/A	N/A
Tebuconazole	Leek	40.55	53	238.51	A
Tebuconazole	N-grnhs plants in containers	16.19	11	27.83	A
Tebuconazole	N-outdr flower	2.87	12	12.0	A
Tebuconazole	N-outdr plants in containers	32.58	13	40.24	A
Tebuconazole	N-outdr plants in containers	0.08	8	24,800.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Tebuconazole	Sunflower	4.08	3	24.6	A
Tebuthiuron	Rights of way	299.38	N/A	N/A	N/A
Tetraconazole	Grape, wine	651.37	360	16,610.5	A
Tetraconazole	Strawberry	221.08	225	5,904.64	A
Tetramethrin	Landscape maintenance	<0.01	N/A	N/A	N/A
Tetramethrin	Structural pest control	0.16	N/A	N/A	N/A
Tetrapotassium pyrophosphate	Broccoli	0.09	1	17.3	A
Tetrapotassium pyrophosphate	Cabbage	0.16	3	28.6	A
Tetrapotassium pyrophosphate	Lettuce, head	0.31	7	59.3	A
Tetrapotassium pyrophosphate	Lettuce, leaf	0.41	9	87.1	A
Tetrapotassium pyrophosphate	N-grnhs flower	0.04	35	107,775.0	S
Tetrapotassium pyrophosphate	Strawberry	13.72	116	1,157.0	A
Thiabendazole	Mushroom	448.78	187	1,858,986.0	S
Thiabendazole	Watermelon	0.01	N/A	3,011.21	P
Thiamethoxam	Artichoke, globe	126.96	208	2,710.85	A
Thiamethoxam	Arugula	54.12	108	867.0	A
Thiamethoxam	Beet	0.69	2	11.45	A
Thiamethoxam	Bok choy (choy sum, pak choi)	9.43	22	83.35	A
Thiamethoxam	Broccoli	695.3	855	9,214.8	A
Thiamethoxam	Brussels sprout	477.92	604	7,191.02	A
Thiamethoxam	Cabbage	203.41	185	1,684.62	A
Thiamethoxam	Cardoon	0.9	2	14.4	A
Thiamethoxam	Carrot	2.5	2	40.0	A
Thiamethoxam	Cauliflower	426.41	604	5,962.55	A
Thiamethoxam	Celery	226.47	457	3,481.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Thiamethoxam	Chinese cabbage (napa, wong bok, celery cabbage)	16.11	28	143.99	A
Thiamethoxam	Cress, garden	0.15	1	2.4	A
Thiamethoxam	Cucumber	1.66	3	26.5	A
Thiamethoxam	Cucumber	1,645.6	N/A	62,305.35	P
Thiamethoxam	Endive (escarole)	18.75	58	177.65	A
Thiamethoxam	Fennel	4.71	5	60.26	A
Thiamethoxam	Grape, wine	485.76	66	2,372.96	A
Thiamethoxam	Kale	27.27	79	327.95	A
Thiamethoxam	Kohlrabi	5.23	41	39.4	A
Thiamethoxam	Landscape maintenance	<0.01	N/A	N/A	N/A
Thiamethoxam	Lemon	160.44	11	1,127.96	A
Thiamethoxam	Lettuce, head	1,486.45	1,988	21,475.85	A
Thiamethoxam	Lettuce, leaf	1,947.18	3,168	28,183.89	A
Thiamethoxam	Melon	2.08	N/A	37.84	P
Thiamethoxam	Mizuna	0.41	10	6.6	A
Thiamethoxam	N-grnhs flower	0.91	21	114,412.5	S
Thiamethoxam	N-grnhs plants in containers	2.27	23	625,698.0	S
Thiamethoxam	Onion, dry	370.81	N/A	15,804.06	P
Thiamethoxam	Pepper, fruiting	2.63	6	56.16	A
Thiamethoxam	Pumpkin	0.56	2	4.8	A
Thiamethoxam	Pumpkin	10.27	N/A	2,092.24	P
Thiamethoxam	Radish	0.02	3	0.48	A
Thiamethoxam	Rapini	32.18	30	482.2	A
Thiamethoxam	Research commodity	0.48	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Thiamethoxam	Spinach	157.43	300	2,586.93	A
Thiamethoxam	Squash	41.0	N/A	5,870.54	P
Thiamethoxam	Strawberry	301.96	191	4,849.35	A
Thiamethoxam	Structural pest control	0.58	N/A	N/A	N/A
Thiamethoxam	Swiss chard	7.32	51	123.46	A
Thiamethoxam	Tomato	82.93	43	617.7	A
Thiamethoxam	Upland cress	7.22	49	115.9	A
Thiencarbazon-methyl	Landscape maintenance	0.03	N/A	N/A	N/A
Thiophanate-methyl	Golf course turf	368.56	N/A	99.7	A
Thiophanate-methyl	Grape, wine	5,430.94	229	5,890.15	A
Thiophanate-methyl	Landscape maintenance	1,243.6	N/A	N/A	N/A
Thiophanate-methyl	N-grnhs flower	14.01	5	4.64	A
Thiophanate-methyl	N-grnhs flower	21.52	40	244,066.0	S
Thiophanate-methyl	N-grnhs plants in containers	1,394.31	113	192.67	A
Thiophanate-methyl	N-grnhs plants in containers	81.78	31	315,812.0	S
Thiophanate-methyl	N-outdr flower	142.19	454	579.0	A
Thiophanate-methyl	N-outdr plants in containers	905.17	111	119.16	A
Thiophanate-methyl	N-outdr plants in containers	4.33	2	17,600.0	S
Thiophanate-methyl	Research commodity	1.72	N/A	N/A	N/A
Thiophanate-methyl	Strawberry	2,075.96	112	2,975.35	A
Thiram	Bean, dried	0.66	N/A	1,000.0	P
Thiram	Beet	0.14	N/A	56.0	P
Thiram	Broccoli	3.8	N/A	1,494.48	P

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Thiram	Cabbage	12.29	N/A	3,469.39	P
Thiram	Carrot	6.61	N/A	2,638.65	P
Thiram	Cauliflower	0.27	N/A	108.33	P
Thiram	Celery	0.01	N/A	5.02	P
Thiram	Cucumber	1.89	N/A	1,346.89	P
Thiram	Endive (escarole)	0.19	N/A	56.32	P
Thiram	Kale	1.54	N/A	586.75	P
Thiram	Lettuce, leaf	28.36	N/A	11,363.67	P
Thiram	Onion, dry	22.08	N/A	9,801.62	P
Thiram	Peas	12.45	N/A	5,000.0	P
Thiram	Pepper, fruiting	0.25	N/A	104.49	P
Thiram	Pumpkin	3.33	N/A	2,042.2	P
Thiram	Radish	1.19	N/A	459.75	P
Thiram	Spinach	497.35	N/A	242,618.47	P
Thiram	Squash	1.11	N/A	1,061.13	P
Thiram	Strawberry	12,989.63	253	5,642.79	A
Thiram	Sugarbeet (forage - fodder)	0.16	N/A	60.85	P
Thiram	Tomato	0.45	N/A	241.4	P
Thiram	Turnip	0.28	N/A	105.12	P
Thiram	Vegetable	0.06	N/A	25.4	P
Thiram	Watermelon	0.35	N/A	151.92	P
Thymol	Structural pest control	0.02	N/A	N/A	N/A
Topramezone	Landscape maintenance	0.75	N/A	N/A	N/A
Triadimefon	Golf course turf	2.3	N/A	3.0	A
Triadimefon	Landscape maintenance	129.95	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Triadimefon	Research commodity	0.01	N/A	N/A	N/A
Tribenuron-methyl	Barley	4.26	4	289.0	A
Tribenuron-methyl	Wheat	0.13	1	8.0	A
Trichloro-s-triazinetrione	Water (industrial)	46.45	N/A	1.0	U
Trichoderma harzianum rifai strain krl-ag2	Cannabis (all or unspecified)	0.35	37	234,095.0	S
Trichoderma harzianum rifai strain krl-ag2	Lettuce, head	0.04	8	1.25	A
Trichoderma harzianum rifai strain krl-ag2	N-grnhs plants in containers	0.02	1	54.0	C
Trichoderma harzianum rifai strain krl-ag2	N-outdr plants in containers	0.02	1	57.0	C
Trichoderma harzianum rifai strain krl-ag2	Research commodity	<0.01	1	0.01	A
Trichoderma harzianum rifai strain krl-ag2	Uncultivated ag	0.47	23	1,257.0	C
Trichoderma harzianum rifai strain krl-ag2	Uncultivated ag	0.1	5	279.0	S
Trichoderma icc 012 asperellum	Cannabis (all or unspecified)	0.34	8	48,900.0	S
Trichoderma icc 012 asperellum	Lettuce, head	0.18	1	3.08	A
Trichoderma icc 012 asperellum	Lettuce, leaf	2.22	3	25.26	A
Trichoderma icc 080 gamsii	Cannabis (all or unspecified)	0.34	8	48,900.0	S
Trichoderma icc 080 gamsii	Lettuce, head	0.18	1	3.08	A
Trichoderma icc 080 gamsii	Lettuce, leaf	2.22	3	25.26	A
Trichoderma virens strain g-41	Cannabis (all or unspecified)	0.15	27	141,095.0	S
Trichoderma virens strain g-41	N-grnhs plants in containers	0.01	1	54.0	C
Trichoderma virens strain g-41	N-outdr plants in containers	0.01	1	57.0	C

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Trichoderma virens strain g-41	Uncultivated ag	0.21	19	1,041.0	C
Trichoderma virens strain g-41	Uncultivated ag	0.04	4	225.0	S
Triclopyr choline	Landscape maintenance	11.16	N/A	N/A	N/A
Triclopyr choline	Rights of way	48.47	N/A	N/A	N/A
Triclopyr, butoxyethyl ester	Landscape maintenance	259.78	N/A	N/A	N/A
Triclopyr, butoxyethyl ester	Pastureland	52.95	10	76.97	A
Triclopyr, butoxyethyl ester	Rights of way	786.03	N/A	N/A	N/A
Triclopyr, butoxyethyl ester	Uncultivated ag	40.68	8	6.0	A
Triclopyr, butoxyethyl ester	Uncultivated non-ag	96.24	N/A	151.0	A
Triclopyr, triethylamine salt	Landscape maintenance	30.65	N/A	N/A	N/A
Triclopyr, triethylamine salt	Rights of way	432.21	N/A	N/A	N/A
Triclopyr, triethylamine salt	Uncultivated ag	15.19	2	8.5	A
Triethanolamine	Broccoli	0.24	1	17.3	A
Triethanolamine	Cabbage	0.4	3	28.6	A
Triethanolamine	Landscape maintenance	0.01	N/A	N/A	N/A
Triethanolamine	Lettuce, head	0.79	7	59.3	A
Triethanolamine	Lettuce, leaf	1.05	9	87.1	A
Triethanolamine	N-grnhs flower	0.09	35	107,775.0	S
Triethanolamine	Strawberry	34.98	116	1,157.0	A
Triethanolamine	Uncultivated ag	107.6	67	566.7	A
Triethanolamine	Uncultivated non-ag	6.21	5	30.0	A
Trifloxystrobin	Artichoke, globe	769.4	440	6,392.98	A
Trifloxystrobin	Broccoli	5.4	10	43.79	A
Trifloxystrobin	Brussels sprout	603.54	345	4,933.03	A
Trifloxystrobin	Carrot	6.33	8	51.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Trifloxystrobin	Cauliflower	10.0	13	87.98	A
Trifloxystrobin	Celery	98.23	133	1,118.45	A
Trifloxystrobin	Chinese cabbage (napa, wong bok, celery cabbage)	2.76	4	22.27	A
Trifloxystrobin	Cucumber	1.87	2	15.0	A
Trifloxystrobin	Endive (escarole)	1.0	5	8.1	A
Trifloxystrobin	Fennel	20.17	24	215.2	A
Trifloxystrobin	Golf course turf	0.44	N/A	3.0	A
Trifloxystrobin	Grape, wine	1,559.7	227	13,494.14	A
Trifloxystrobin	Kale	13.06	11	116.2	A
Trifloxystrobin	Landscape maintenance	19.75	N/A	N/A	N/A
Trifloxystrobin	Lettuce, head	697.78	590	5,970.59	A
Trifloxystrobin	Lettuce, leaf	1,324.92	1,371	11,101.77	A
Trifloxystrobin	N-grnhs plants in containers	3.12	6	13.7	A
Trifloxystrobin	N-grnhs transplants	0.7	3	5.62	A
Trifloxystrobin	N-outdr plants in containers	1.44	6	8.67	A
Trifloxystrobin	Parsley	10.92	9	88.0	A
Trifloxystrobin	Research commodity	0.67	4	5.5	A
Trifloxystrobin	Research commodity	0.07	N/A	N/A	N/A
Trifloxystrobin	Squash	3.78	4	30.5	A
Trifloxystrobin	Strawberry	1,511.37	441	13,240.3	A
Trifloxystrobin	Tomato	82.14	50	662.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Trifloxystrobin	Watermelon	0.38	1	3.0	A
Trifloxysulfuron-sodium	Landscape maintenance	<0.01	N/A	N/A	N/A
Triflumizole	Brussels sprout	380.03	74	1,564.5	A
Triflumizole	Grape, wine	322.89	91	1,621.65	A
Triflumizole	Kale	52.66	34	210.5	A
Triflumizole	Lettuce, head	10.21	7	40.7	A
Triflumizole	Lettuce, leaf	13.57	4	54.1	A
Triflumizole	N-grnhs flower	1.41	3	5.25	A
Triflumizole	N-grnhs plants in containers	0.02	1	0.94	A
Triflumizole	Strawberry	490.44	90	1,979.84	A
Triflumizole	Swiss chard	34.98	29	139.85	A
Trifluralin	Bean, dried	4.53	1	6.0	A
Trifluralin	Bean, succulent	9.43	3	12.45	A
Trifluralin	Bean, unspecified	59.84	20	79.0	A
Trifluralin	Broccoli	342.14	81	1,063.8	A
Trifluralin	Landscape maintenance	1.95	N/A	N/A	N/A
Trifluralin	Mustard greens	0.52	1	1.0	A
Trifluralin	N-outdr plants in containers	27.6	45	614,070.0	S
Trifluralin	Peas	6.06	4	32.0	A
Trifluralin	Pepper, fruiting	4.41	1	11.84	A
Trifluralin	Radicchio	51.34	3	62.5	A
Trifluralin	Radish	1.36	1	1.67	A
Trifluralin	Rapini	249.82	47	615.4	A
Trifluralin	Sunflower	12.39	3	24.6	A
Trifluralin	Tomato	30.47	4	92.6	A
Trifluralin	Uncultivated ag	2.45	3	26.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Trinexapac-ethyl	Golf course turf	25.36	N/A	467.1	A
Trinexapac-ethyl	Landscape maintenance	319.05	N/A	N/A	N/A
Triticonazole	Golf course turf	0.37	N/A	3.0	A
Triticonazole	Landscape maintenance	0.42	N/A	N/A	N/A
Ulocladium oudemansii (u3 strain)	Cannabis (all or unspecified)	18.3	16	8.71	A
Ulocladium oudemansii (u3 strain)	Cannabis (all or unspecified)	49.95	18	642,720.0	S
Uniconazole-p	N-grnhs flower	<0.01	2	1.66	A
Uniconazole-p	N-grnhs flower	<0.01	2	75.0	S
Uniconazole-p	N-grnhs plants in containers	0.04	12	12.21	A
Uniconazole-p	N-outdr plants in containers	0.04	9	9.02	A
Urea	Grape, wine	538.27	63	1,218.21	A
Urea dihydrogen sulfate	Corn, human consumption	0.51	1	24.0	A
Urea dihydrogen sulfate	Grape, wine	18.53	76	1,229.74	A
Urea dihydrogen sulfate	Rights of way	<0.01	N/A	N/A	N/A
Vinyl ester polymer	Airport	5.14	3	44.0	A
Vinyl ester polymer	Rights of way	0.69	N/A	N/A	N/A
Vinyl polymer	Artichoke, globe	0.88	1	20.1	A
Vinyl polymer	Arugula	0.15	3	3.4	A
Vinyl polymer	Bean, unspecified	5.64	8	118.0	A
Vinyl polymer	Bok choy (choy sum, pak choi)	2.64	23	99.06	A
Vinyl polymer	Broccoli	19.25	30	282.22	A
Vinyl polymer	Cabbage	0.64	3	28.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Vinyl polymer	Carrot	8.56	5	118.6	A
Vinyl polymer	Cauliflower	5.32	16	111.4	A
Vinyl polymer	Celery	7.89	14	109.5	A
Vinyl polymer	Chinese cabbage (napa, wong bok, celery cabbage)	9.97	39	220.34	A
Vinyl polymer	Cilantro	5.24	30	69.54	A
Vinyl polymer	Endive (escarole)	4.11	40	131.86	A
Vinyl polymer	Garlic	10.94	8	154.9	A
Vinyl polymer	Grape, wine	13.89	22	411.68	A
Vinyl polymer	Kale	1.14	21	21.6	A
Vinyl polymer	Leek	0.07	1	4.39	A
Vinyl polymer	Lettuce, head	87.25	915	9,702.69	A
Vinyl polymer	Lettuce, leaf	161.73	1,970	14,883.16	A
Vinyl polymer	Onion, dry	39.17	32	471.95	A
Vinyl polymer	Peas	1.57	1	20.0	A
Vinyl polymer	Radish	0.18	2	4.5	A
Vinyl polymer	Raspberry	0.2	2	36.6	A
Vinyl polymer	Rights of way	0.79	N/A	N/A	N/A
Vinyl polymer	Spinach	2.95	12	37.5	A
Vinyl polymer	Strawberry	0.57	5	73.0	A
Vinyl polymer	Uncultivated ag	89.17	281	3,274.95	A
Vinyl polymer	Uncultivated non-ag	16.18	41	228.6	A
Warfarin	Landscape maintenance	0.02	N/A	N/A	N/A
Warfarin	Regulatory pest control	0.02	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Warfarin	Vertebrate control	0.01	N/A	N/A	N/A
Xanthan gum	Broccoli	0.01	2	0.59	A
Xanthan gum	Endive (escarole)	0.55	15	23.37	A
Xanthan gum	Lettuce, head	5.93	72	290.64	A
Xanthan gum	Lettuce, leaf	21.57	196	950.45	A
Xanthan gum	Strawberry	8.14	4	74.78	A
Xanthan gum	Uncultivated ag	0.78	3	5.3	A
Xanthan gum	Uncultivated non-ag	1.22	4	11.0	A
Xylene	Research commodity	2.84	N/A	N/A	N/A
Yucca schidigera	Cannabis (all or unspecified)	2.15	16	7.3	A
Yucca schidigera	Cannabis (all or unspecified)	55.76	84	692,800.0	S
Z,e-9,12-tetradecadien-1-yl acetate	Structural pest control	<0.01	N/A	N/A	N/A
Zeta-cypermethrin	Artichoke, globe	6.91	16	260.6	A
Zeta-cypermethrin	Arugula	3.17	63	127.71	A
Zeta-cypermethrin	Beet	0.46	2	18.45	A
Zeta-cypermethrin	Blackberry	3.29	21	95.09	A
Zeta-cypermethrin	Bok choy (choy sum, pak choi)	6.68	66	266.69	A
Zeta-cypermethrin	Broccoli	63.04	202	2,409.04	A
Zeta-cypermethrin	Brussels sprout	12.55	27	484.8	A
Zeta-cypermethrin	Cabbage	7.76	55	304.43	A
Zeta-cypermethrin	Carrot	0.37	1	15.1	A
Zeta-cypermethrin	Cauliflower	9.15	44	352.46	A
Zeta-cypermethrin	Celery	46.54	201	1,637.41	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Zeta-cypermethrin	Chinese cabbage (napa, wong bok, celery cabbage)	13.81	94	546.02	A
Zeta-cypermethrin	Cilantro	8.72	48	349.04	A
Zeta-cypermethrin	Collard	1.21	18	45.1	A
Zeta-cypermethrin	Corn, human consumption	3.97	11	159.0	A
Zeta-cypermethrin	Endive (escarole)	6.0	69	240.22	A
Zeta-cypermethrin	Fennel	0.34	4	13.0	A
Zeta-cypermethrin	Garlic	1.5	3	60.2	A
Zeta-cypermethrin	Kale	5.15	77	201.44	A
Zeta-cypermethrin	Leek	5.34	46	214.16	A
Zeta-cypermethrin	Lemon	16.81	41	591.2	A
Zeta-cypermethrin	Lettuce, head	39.84	127	1,382.75	A
Zeta-cypermethrin	Lettuce, leaf	77.81	410	3,012.75	A
Zeta-cypermethrin	Mizuna	0.11	3	4.7	A
Zeta-cypermethrin	Mustard greens	3.26	61	129.24	A
Zeta-cypermethrin	N-grnhs plants in containers	0.43	9	7.73	A
Zeta-cypermethrin	N-outdr transplants	2.89	18	48.25	A
Zeta-cypermethrin	Onion, dry	10.32	27	387.74	A
Zeta-cypermethrin	Parsley	1.32	5	52.6	A
Zeta-cypermethrin	Peas	5.27	25	209.7	A
Zeta-cypermethrin	Radish	0.21	3	8.17	A
Zeta-cypermethrin	Raspberry	18.93	33	474.98	A
Zeta-cypermethrin	Research commodity	0.02	1	0.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Zeta-cypermethrin	Research commodity	0.01	N/A	N/A	N/A
Zeta-cypermethrin	Spinach	39.17	193	1,569.64	A
Zeta-cypermethrin	Swiss chard	2.25	43	89.01	A
Zeta-cypermethrin	Tomato	17.08	48	684.8	A
Zeta-cypermethrin	Turnip greens	0.05	2	1.0	A
Zinc phosphide	Grape, wine	0.45	8	12.0	A
Zinc phosphide	Landscape maintenance	6.6	N/A	N/A	N/A
Zinc phosphide	Rangeland	5.0	1	351.0	A
Zinc phosphide	Rights of way	2.0	1	75.0	A
Zinc phosphide	Rights of way	2.0	N/A	N/A	N/A
Zinc phosphide	Uncultivated ag	7.0	2	1,140.0	A
Zinc phosphide	Vertebrate control	0.1	1	20.0	A
Zinc phosphide	Vertebrate control	74.79	N/A	N/A	N/A